


# GUIDE

## TO EATING

### ONTARIO SPORT FISH

1991



SH  
572  
057  
G85  
1991

c.1  
a aa








Ontario

Ministry  
of the  
Environment

Ministry of  
Natural  
Resources

Please note that at certain locations, consumption advice may be given for some species, or species at lengths which are not legal to possess under the Ontario Fishery Regulations. Anglers should check the "1991 Summary of Ontario Sport Fishing Regulations" to ensure that the particular waterbody is open to fishing or that all fish which are kept are legal to possess. The summary is available from: the Ministry of Natural Resources, Public Information Centre (Whitney Block, room 1640, 99 Wellesley St. West, Toronto, Ontario, M7A 1W3), the local office of the Ministry of Natural Resources, and from fishing licence issuers.

### Consumption guidelines for fish caught by anglers

Consumption Frequency					
Long-term consumption	No restrictions	0.2 kg/wk. (0.5 lb./wk.)	0.1 kg/wk. (0.3 lb./wk.)	1 or 2 meals per month 0.5 kg/mo. (1 lb./mo.)	None
One-week vacation	No restrictions	10 meals 2.3 kg (5 lb.)	7 meals 1.5 kg (3 lb.)	1 or 2 meals 0.5 kg (1 lb.)	None
Two-week vacation	No restrictions	5 meals per wk. 1.3 kg/wk. (2.8 lb./wk.)	4 meals per wk. 0.8 kg/wk. (1.9 lb./wk.)	1 or 2 meals /wk. 0.5 kg/wk. (1 lb./wk.)	None
Three-week vacation	No restrictions	4 meals per wk. 1 kg/wk. (2.1 lb./wk.)	3 meals per wk. 0.6 kg/wk. (1.4 lb./wk.)	1 or 2 meals /wk. 0.5 kg/wk. (1 lb./wk.)	None

Children under 15 and women of childbearing age should eat only fish in  category.

### Contaminants analysed

The number identifies the contaminant or group of contaminants for which the fish was tested:

- 1 Mercury
- 2 Mercury, PCBs, mirex and pesticides
- 3 PCBs, mirex and pesticides
- 4 Mercury, PCBs and mirex
- 5 Mercury, other metals, PCBs, mirex and pesticides
- 6 Mercury, other metals
- 7 2,3,7,8-TCDD (dioxin)
- 8 Mercury, PCB's, mirex, pesticides, chlorinated phenols and chlorinated benzenes
- 9 Polynuclear aromatic hydrocarbons (PAH's)

Key to using the guide tables on page 2.

Location index on page 152.

### Copyright Provisions and Restrictions on Copying:

This Ontario Ministry of the Environment work is protected by Crown copyright (unless otherwise indicated), which is held by the Queen's Printer for Ontario. It may be reproduced for non-commercial purposes if credit is given and Crown copyright is acknowledged.

It may not be reproduced, in all or in part, for any commercial purpose except under a licence from the Queen's Printer for Ontario.

For information on reproducing Government of Ontario works, please contact ServiceOntario Publications at [copyright@ontario.ca](mailto:copyright@ontario.ca)

# **Guide to Eating Ontario Sport Fish**

## **1991**

Fifteenth Edition, Revised



**Ontario**

**Ministry  
of the  
Environment**

**Ministry of  
Natural  
Resources**



© 1991, Queen's Printer for Ontario  
This book may be reproduced for non-commercial  
purposes with appropriate attribution.  
[SSN 0826-9653  
**PIBS 590B**

A limited number of copies of this book are  
available from:

Public Information Centre  
Environment Ontario  
135 St. Clair Ave. West  
Toronto, Ontario M4V 1P5

*Distributed free of charge*

SH/572/057/G85/199

MOE



PRINTED ON  
RECYCLED PAPER  
IMPRIMÉ SUR  
DU PAPIER RECYCLÉ

AICE

# Contents

---

<b>Preface</b>	1
<b>Key to using the guide tables</b>	2
<b>The sport fish contaminant monitoring program</b>	4
Selection of locations for testing	4
Selection of fish species for testing	4
Collection of fish for testing	5
Retesting of locations	5
Testing of fish	5
Preserving and preparing your fish for cooking	6
How to release fish	6
Parasites of fish	6
Tumors in fish	7
<b>Contaminants in fish</b>	8
Inorganic substances	8
Industrial organics	8
Pesticides	9
New substances	9
Trends in contaminant levels	10
<b>Southern Ontario tables</b>	14
<b>Northern Ontario tables</b>	56
<b>Great Lakes tables</b>	122
<b>Location index</b>	152
<b>Fish identification</b>	156
<b>Fish names</b>	164
<b>Addresses</b>	166
<b>Consumption guidelines</b>	Inside cover

## Preface

The *Guide to Eating Ontario Sport Fish* provides anglers and consumers with up-to-date information on recommended levels of consumption of sport and game fish from lakes and rivers throughout Ontario and many locations on the Great Lakes and their connecting channels.

The guide is revised annually and is the product of the combined efforts of technicians, analysts, scientists and medical specialists of the Ontario Ministry of the Environment, Ministry of Natural Resources and Ministry of Labour.

This 15th edition of the guide provides fish consumption advice for over 1600 locations across the province and contains the best available information up to the end of February 1991. An index to locations is provided at the back of the tables.

Fish are collected by staff of the Ministry of Natural Resources and are then sent to Ministry of the Environment laboratories where they are analysed for a variety of substances including mercury, PCBs, mirex and DDT. The results are used to develop the tables published in this guide which give size-specific consumption advice for each species tested from each location. The consumption advice is based on federal government health protection guidelines.

Fish collection and testing is a continuing program. Available resources are balanced between testing new lakes and rivers and retesting those locations where changes in contaminant levels may be occurring. By testing the same fish species at the same location over a period of many years, scientists can determine trends in the levels of certain contaminants in those species. In some cases the data can be used to pinpoint sources of pollution so that action can be taken to control these discharges.

To report occurrences of pollution or fish kills, contact the nearest office of the Ministry of the Environment listed in the Addresses section of this book.

Anyone requiring information on angling regulations, limits of catch or open seasons should obtain a copy of the publication *Ontario Sport Fishing Regulations* which is available from any office of the Ministry of Natural Resources listed in the Addresses section.

To obtain detailed data for a specific location tested under the sport fish contaminant monitoring program or further information on the results in this and previous guides, contact:

Sport Fish Contaminant Monitoring  
Program  
Water Resources Branch  
Ministry of the Environment  
4th Floor, 1 St. Clair Avenue West  
Toronto, Ontario M4V 1K6  
Telephone: (416) 323-4994

## Key to using the guide tables

The guide tables provide sport fish consumption advice based on the level of contaminants found in fish according to their species, length and location.

Please note that laboratory analyses are carried out on the lean, dorsal, skinless, boneless muscle tissue of the fish and the consumption guidelines are based on the results from this portion. Other parts of the fish - the whole fish, fish steaks or belly fat - may contain higher concentrations of organic contaminants such as PCB's, mirex, DDT or 2,3,7,8 - TCDD as these

contaminants are attracted to fatty tissue. It is therefore recommended that only skinless, boneless fillets of these fish be consumed.

The water body names and locations were obtained from the *Gazetteer of Canada (Ontario)*. The location description includes latitude and longitude, enabling anglers to use the Ontario *Official Road Map* (which has latitudes and longitudes in the margin) to determine the general location of the body of water; larger scale topographical maps can then be used to pinpoint the location. An alphabetical listing of all locations tested is contained in the index.

The following is a key to the various components of the tables, using a simulated example called Deep Lake.

Northern Ontario/Nord de l'Ontario		137									
		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	>75 (30-30)	
② Water Body/ Cours d'eau	⑤ Fish Species/ Espèces de poisson										⑥
③ Deep Lake Lac Deep	Walleye <sup>1</sup> Doré <sup>1</sup>										⑨ ⑩ ⑪
④ Trout Terr./Canton de Truite Cochrane Dist./Dist. de Cochrane	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										

### Location identifiers

- ① The tables are divided into three sections by region: Southern Ontario, Northern Ontario and the Great Lakes, as noted at the top of each page.
- ② The name of the location sampled
- ③ The latitude and longitude of the location
- ④ The township, county or territorial district of the location

### Fish species tested

- ⑤ The species tested are usually those species that are most likely to indicate elevated levels of contaminants (see the section entitled Selection of fish species for testing).

### Fish length

- ⑥ The total length of the fish is measured,

from the tip of the nose to the tip of the tail. The fish length is expressed in the tables in both centimetres and, in brackets, inches.

### Contaminants analysed


- ⑦ The number identifies the contaminant or group of contaminants for which the fish was tested:
- 1 Mercury
- 2 Mercury, PCBs, mirex and pesticides
- 3 PCBs, mirex and pesticides
- 4 Mercury, PCBs and mirex
- 5 Mercury, other metals, PCBs, mirex and pesticides
- 6 Mercury, other metals
- 7 2,3,7,8-TCDD (dioxin)
- 8 Mercury, PCB's, mirex, pesticides, chlorinated phenols and chlorinated benzenes
- 9 Polynuclear aromatic hydrocarbons (PAH's)

The fact that fish were tested for a particular group of contaminants does not mean that the fish will contain all of these contaminants - for example, fish analysed for contaminant group 4 may contain only mercury and not PCBs or mirex.



In a number of locations, fish are analysed only for mercury as this is likely to be the only contaminant to cause consumption restrictions.


## Fish consumption symbols

### Unrestricted consumption


- (8)  This is the only category of fish that is suitable for consumption by women of childbearing age (pregnant women, women intending to become pregnant or breastfeeding mothers) and children under 15. No substances tested were found at levels which would cause fish consumption to be restricted.

### Restricted consumption

- (9)  Consumption of these fish is restricted, based on mercury levels between 0.5 and 1.0 parts per million.
- (10)  Consumption of these fish is further restricted, based on mercury levels between 1.0 and 1.5 parts per million.

- (11)  Consumption of these fish is restricted, based on the presence of one or more industrial organic contaminants, such as PCBs or mirex, at levels above federal guidelines.


### No consumption

- (12)  None of these fish should be consumed, based on mercury levels above 1.5- parts-per-million.






## Consumption guidelines

The table below presents the maximum recommended consumption of Ontario sport fish according to their contaminant content and frequency of consumption.

Many anglers in Ontario catch and consume fish throughout the year: these people are considered to be long-term consumers and should consult the long-term consumption category on the table below. However, some anglers only catch and consume fish on an annual fishing vacation: these people should select the appropriate one-week, two-week or three-week category.

The maximum consumption quantities are given in number of meals and total weight per week. A meal consists of 230 g (0.5 lb.). Please note that women of childbearing age and children under 15 should only eat fish in the  category.

### Consumption guidelines for fish caught by anglers

Consumption Frequency					
Long-term consumption	No restrictions	0.2 kg/wk. (0.5 lb./wk.)	0.1 kg/wk. (0.3 lb./wk.)	1 or 2 meals per month 0.5 kg/mo. (1 lb./mo.)	None
One-week vacation	No restrictions	10 meals 2.3 kg (5 lb.)	7 meals 1.5 kg (3 lb.)	1 or 2 meals 0.5 kg (1 lb.)	None
Two-week vacation	No restrictions	5 meals per wk. 1.3 kg/wk. (2.8 lb./wk.)	4 meals per wk. 0.8 kg/wk. (1.9 lb./wk.)	1 or 2 meals /wk. 0.5 kg/wk. (1 lb./wk.)	None
Three-week vacation	No restrictions	4 meals per wk. 1 kg/wk. (2.1 lb./wk.)	3 meals per wk. 0.6 kg/wk. (1.4 lb./wk.)	1 or 2 meals /wk. 0.5 kg/wk. (1 lb./wk.)	None





Children under 15 and women of childbearing age should eat only fish in  category.



**Example:**

An angler on a three-week fishing vacation catches a 40-cm (16-inch) walleye from Deep Lake and wants to determine the suitability of that fish for consumption.

The angler should:

- Find Deep Lake in the guide tables:

Fish Species/ Espèces de poisson	15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	>75 (30)
Walleye Doré									

- Note that the symbol given for walleye in the 35- to 45-cm (14- to 18-in.) range is .
- As the symbol is not , the angler knows immediately that the fish is not suitable for consumption by women of childbearing age and children under 15.
- If the consumer is not a woman of childbearing age or a child under 15, consult the three-week per year category in the consumption guidelines table on the inside front cover. This shows that the recommended maximum consumption is four meals, or one kilogram, per week.

## The sport fish contaminant monitoring program

### Selection of locations for testing

With over 250,000 lakes, innumerable rivers and streams and many local areas in the Great Lakes, it would not be practical or economical to test fish from every water body.

A location may be selected for testing for one or more of the following reasons:

- It is a popular angling area.
- There is a known or suspected source of pollution nearby.
- It is a major source of food for local inhabitants (usually lakes in the vicinity of Indian reserves).

- It is being opened for recreational development.
- It is part of a monitoring program for long-term studies of contaminants in fish.

The selection of testing sites is an ongoing process and public input is welcomed.

### Selection of fish species for testing

Most lakes and rivers contain a variety of fish species. When selecting appropriate species for contaminant testing, the fact that not all species accumulate a particular contaminant at the same rate has to be taken into account.

Therefore, one kind of fish of a certain size may have a much lower contaminant concentration than another species of the same size. This is due to the fact that different fish feed on different things, prefer different habitats, grow at different rates and are physiologically different.

For example, walleye (yellow pickerel) and northern pike are likely to contain higher levels of mercury than whitefish of the same size since walleye and pike are top predators, feeding on smaller fish which may also contain elevated mercury levels.

Whitefish, on the other hand, feed lower down in the food chain, on aquatic insects and invertebrates which contain less mercury than do small fish.


Therefore, when testing fish for mercury in a specific area, the practice is initially to select those species which are top predators, as they will indicate the highest mercury levels likely to be found. If low levels of mercury are found in predators, the testing of other species may not be necessary.

In testing for organic contaminants such as PCBs and mirex, species with high fat levels, such as salmon, lake trout, smelt and perch, are selected since organic chemicals usually tend to accumulate in fatty tissue.

Again, if these species do not contain excessive levels of organic contaminants, then less fatty species from the same location may not have to be tested.

## Collection of fish for testing

Most fish are collected by Ministry of Natural Resources staff using various netting methods. Whenever possible, the selection includes 20 fish of each species with lengths and weights representative of the size range of that species in the locations being tested. The length, weight and sex of each fish collected are recorded. A boneless, skinless fillet of dorsal muscle flesh is removed from the fish (see illustration), packaged and frozen for shipment to Ministry of the Environment laboratories in Toronto or Thunder Bay.



## Retesting of locations

Since the mid-1970s the sport fish contaminant monitoring program has added, on average, 100 new locations each year, bringing the total number of sites tested to over 1600.

As well as adding new locations, the program incorporates into its schedule the retesting of lakes and rivers where this is warranted. In areas remote from human activity, where fish are relatively unaffected by pollution, any consumption restrictions are usually limited to elevated mercury levels in the larger and older predatory species such as walleye and northern pike. The source of mercury in

these areas is largely natural and does not change much over time: therefore, concentrations in fish do not change substantially.

However, in areas affected by human sources of pollution, the number of possible contaminants may be much larger and the levels found in fish can be significantly affected by changes in the levels of pollution.

Retesting locations are divided into three general groups:

- Areas where contaminant levels for one or more pollutants are either unusually elevated or change substantially. These locations are retested every one to three years, depending on their angling popularity or whether they are a major food source for local inhabitants.
- Areas which show no signs of substantial changes in contaminant levels but which are very popular angling areas. These locations are retested at least every 5 years.
- All other areas - usually relatively remote locations with no major sources of pollution nearby and no indication of changing contaminant levels in fish. These locations are retested as available resources permit, approximately every 10 years.

## Testing of fish

A boneless, skinless dorsal fillet sample not only provides the most consistent test results, but is also the best edible portion of most sport fish.

Please note that only the boneless, skinless dorsal fillet should be consumed when the fish is found to contain organic contaminants such as PCBs and mirex.

The fish tissue is analysed for contaminants at the Ministry of the Environment's laboratories using a variety of methods depending on the particular contaminant.

## Preserving and preparing your fish for cooking

If you decide to keep and eat your catch, you should keep it in the best possible condition until it reaches the table. Freshly caught fish should be chilled on ice or in a refrigerator as soon as possible to avoid spoilage. Then, at the earliest opportunity, the fish should be cleaned, dressed and refrigerated or preserved for future use.

The following is one of the procedures commonly used for gutting, filleting and skinning fish:

- Slit open the belly from the vent (anal opening) forward to the head and remove the internal organs.
- Trim away the head and fins.
- Lay the fish on its side on a cutting board. With a thin sharp knife, cut through the skin and flesh just behind the head down to the backbone. Turn the knife blade along the backbone and, with a sawing motion of the blade, follow the backbone down to the tail, keeping as close to the backbone as possible.
- Repeat for the fillet on the other side of the fish.
- Laying each fillet skin-side down on the board, remove the rib bones by inserting the knife blade just under the ribs and separating them from the fillet with as little flesh left on them as possible. Trim away the pelvic fin and any belly fat from the ventral portion of the fillet.
- Lay the fillets skin-side down and, starting at the tail with the knife blade parallel to the skin and as close to it as possible, slice forward with a sawing motion to separate the skin from the fillet. You are then left with skinless, boneless fillets. Wash in clean cold water and cook, refrigerate, freeze or preserve as desired.

## How to release fish

A number of anglers fish for the "thrill of the catch", and release their fish to allow

them to be caught again. If you decide not to keep a particular fish, here are some tips to apply to safely return the fish to the water:

1. Time is essential, so quickly play and release the fish. A fish played for too long will be too exhausted to recover. A fish hooked in deep water should be brought up slowly to prevent stress due to pressure and temperature changes.
2. Keep the fish in the water as much as possible, since fish out of water will suffocate. Do not allow the fish to flop on the ground or on the rocks. Just a few inches of water under a thrashing fish will act as a protective cushion.
3. Gentle handling of the fish is essential, and hands should be kept wet at all times while handling any fish. Do not put your fingers in the gills or in the eye sockets. Small fish should not be squeezed but should only be lifted by the lower lip. A net is helpful while handling fish, but keep it in the water.
4. Remove hooks quickly using longnosed pliers. If the fish is deeply hooked, cut the line and leave the hook in, as it will dissolve and will not harm the fish. Do not try to tear out hooks.
5. To revive an unconscious fish, hold it upright in the water heading upstream (if there is a current). Apply artificial respiration by moving the fish forward and backward so that water runs through the gills. It may take a few minutes for the fish to revive. When the fish does begin to struggle, release it.

## Parasites of fish

Anglers sometimes catch fish which contain worms, grubs, cysts or nodules in the flesh. When cleaning fish, anglers may notice worms in or around the intestines of the fish or fungus growths on the skin, fins or gills. These parasites of fish are a normal part of the ecosystem in which the fish lives. While not esthetically pleasing, the edible portions containing parasites,



if properly and thoroughly cooked, do not present a health hazard.

Some of the most commonly seen parasites associated with fish are black spot in bass and yellow perch, yellow grubs, leeches, lamprey, fish lice and gill flukes.

## **Tumors in fish**

Occasionally, anglers catch fish with external growths, tumors, sores or other lesions. Such abnormalities generally result from viral or bacterial infections.

Abnormalities in the liver or intestine are sometimes seen in coarse fish such as white suckers and brown bullheads, and can be caused by parasites or tumors. Concern about the potential effects of these diseases on the fish themselves and the possible role of pollution in causing tumors in some coarse fish has prompted ongoing investigations into these abnormalities. Growths on game fish caused by viruses include lymphocystis, dermal sarcoma and lymphosarcoma.

Lymphocystis, a viral disease affecting walleye and perch, is common throughout Canada. Viruses infect the fish's skin through contact with infected fish during the spring spawning run, forming pale or white cauliflower-like growths. Lymphocystis does not kill affected fish, and tagging studies have shown that these fish can lose the growths by the following spring. There is no known health risk from consuming an infected fish once it has been skinned and cooked.

Dermal sarcoma, another viral disease affecting walleye, is caused by viruses which infect cells and cause growths just under the skin. These growths can be removed by skinning the fish.

Lymphosarcoma is a viral disease affecting muskellunge and northern pike.

This virus is transmitted at spawning, but the lesions caused by it can vary depending on the season and stage of the disease. In the spring, affected fish have thick white patches on their skin from which viruses are shed and these in turn infect other fish. Later in the year these patches may heal, forming blotchy red sores or even normal skin. The virus causing lymphosarcoma infects the white blood cells of the fish and can spread throughout the body during the summer or over several years. This disease can kill infected fish, but there is no evidence to suggest that it is a human health hazard.

Coarse fish in various parts of the Great Lakes have been found to have lip and skin growths similar to human warts in appearance. Growths on coarse fish kept in the laboratory often disappear and new ones can develop very quickly, suggesting that viruses likely cause these tumors as well.

Studies on Canadian and American areas of the Great Lakes have found an increased rate of lip and skin growths on coarse fish captured in polluted areas; in some extremely polluted areas, liver and intestinal tumors have been found in these fish. Studies suggest that pollution may cause the liver tumors and may indirectly cause skin growths- the warmer water in polluted areas attracts larger numbers of fish, thus increasing their risk of becoming infected with viruses. Considerable research, much of it being conducted or funded by the Ontario and Canadian governments, is being undertaken to determine whether pollution is a cause of these tumors.

The appearance of viral or bacterial infections in fish may be unsightly, but there is no evidence to suggest that these infections pose a threat to consumers of infected fish.

## Contaminants in fish

There are many naturally occurring substances, such as mercury which, at levels normally found in air, water and food, pose no hazard to the environment or to human health. A number of synthetic substances, such as PCBs, mirex and dioxin, may also be found in the environment. When the level of these substances exceeds government guidelines or objectives, then these substances can be called contaminants or pollutants.

The following section describes the broad range of substances which may be tested for in Ontario sport fish. For more information on these substances and their health implications, please contact the office of the sport fish contaminant monitoring program.

### Inorganic substances

#### Mercury

Mercury is a naturally occurring metal which is found in very low levels in air, water, rocks, soil and plant and animal matter.

At one time mercury was widely used in industry; however, government and industry took action in the late 1960s and early 1970s and mercury discharges from major industrial sources have been virtually eliminated. Relatively small amounts of mercury are still used, but there is no evidence that these limited uses have led to serious environmental problems.

Mercury is attracted to particles in the water and settles to the bottom sediments where it can be converted by micro-organisms into methylmercury. Methylmercury is rapidly absorbed by a fish, either directly from water passing over its gills or ingested with the organisms which form its diet. Since fish eliminate mercury at a very slow rate, concentrations of this substance gradually accumulate.

The consumption guidelines developed for use by Ontario anglers are based on federal guidelines supplemented by recommendations from the World Health Organization and supported by medical evidence gained through the study of methylmercury poisoning epidemics in Japan and Iraq.

#### Other metals

Copper, nickel, zinc, cadmium, manganese, chromium, arsenic and selenium are sometimes found in fish tissue but not at levels which would suggest a need for consumption restrictions.

Elevated levels of lead were detected in fish collected downstream from a tetraethyl lead manufacturing plant on the St. Lawrence River in 1983. Since this plant was shut down in 1985, lead levels have declined and lead is no longer a contaminant of concern.

### Industrial organics

#### Polychlorinated biphenyls (PCBs)

PCBs are a group of chlorinated organic compounds first commercially developed in the late 1920s. They are not formed naturally in the environment, so their presence can always be attributed to human activity.

PCBs tend to persist for years in the natural environment. This, coupled with the fact that they bioaccumulate readily in the aquatic ecosystem, has meant that top predator species of fish with a high fat content (for example, salmon and trout) have, in some Ontario waters, accumulated PCBs to contaminating levels. PCBs have been banned in all new products and are now only found as an insulating fluid in existing closed electrical power transformers and capacitors. Strict regulations for the storage and disposal of PCBs and PCB-contaminated equipment minimize the chance of further releases of PCBs into the environment and have

resulted in declining levels of PCBs in the aquatic environment. The consumption advice provided in this guide for sport fish containing PCBs is based on the federal guideline of 2.0 parts per million for the sale of commercial fish.

## **Mirex**

Mirex is a chlorinated carbon compound used as a pesticide in the southern United States but never registered for such use in Canada.

Mirex has been detected in fish primarily from Lake Ontario. The sources were found to be a former processor of mirex in Niagara Falls, New York and a manufacturing plant in Oswego, New York. The behaviour of mirex in the aquatic environment is similar to that of PCBs in that it remains in the environment for a long time and has a high affinity for fats. The consumption advice provided in this guide for sport fish containing mirex is based on the federal guideline of 0.1 parts per million for the sale of commercial fish.

## **Pesticides**

### **DDT**

DDT, which was developed during the Second World War, gained widespread use as an insecticide for agricultural and public health purposes. DDT, like PCBs and mirex, is only slowly broken down in the natural environment.

However, levels of this substance in fish flesh have declined in the two decades since the use of DDT was severely restricted, and today there are no consumption restrictions due to DDT levels.

### **Toxaphene**

Toxaphene is an insecticide that is extremely persistent in the aquatic environment. It was removed from general use in Canada in 1974 and restricted in the United States in 1982.

It is found occasionally in fish from Ontario waters, but concentrations are well below levels of concern.

## **Other pesticides**

As part of the sport fish contaminant monitoring program, a number of pesticides used widely in the past throughout North America are routinely analysed. These substances are HCB (hexachlorobenzene) and the pesticides lindane, heptachlor, aldrin and chlordane. At sampling locations in Ontario they have not been detected at levels which would require any restrictions on the consumption of fish.

## **New substances**

The sport fish contaminant monitoring program monitors as many substances as practically possible. As methods become available to measure low levels of chemicals in fish, they are added to the battery of tests available.

## **Dioxins and Furins**

The Ministry of the Environment has recently developed procedures to measure extremely low levels of the family of substances called dioxins and furans, with the aim of measuring the most hazardous of these. Consumption advisories in this guide are based on test results for the most toxic isomer: 2,3,7,8-TCDD. The Ministry is currently reviewing the incorporation of results for other dioxins and dibenzofurans, expressed as toxic equivalents of 2,3,7,8-TCDD, into future advisories. If a toxic equivalent approach is taken, then there could be further consumption restrictions at the following locations:

**Lake Ontario** - Jordan Harbour, for all listed sizes of lake trout; and the Credit River mouth, for all listed sizes of lake trout and brown trout.

**Lake Superior** - Peninsula Harbour and Jackfish Bay, for lake trout greater than 55cm (22 inches) in size.

Monitoring of these as well as a number of other Great Lakes locations will continue.

In the meantime, the ministry suggests as a precautionary measure you restrict your consumption of these fish accordingly.

## Other Substances

Procedures for incorporating a range of chlorinated phenols, chlorinated benzenes and polynuclear momacic byocarbons have recently been added and test results are being received. To date, these substances have been found occasionally in fish, but at very low levels that would not affect consumption.

## Trends in contaminant levels

The persistence of contaminants in the aquatic environment varies from substance to substance. The breakdown or transformation of contaminants into forms that are inactive or less toxic may take anywhere from minutes to years. With more persistent substances, such as PCBs, it may take many years of collecting and assessing data for trends to become clear.

The data collected from long-term monitoring through the sport fish contaminant monitoring program is particularly effective in assessing trends in contaminant levels over time.

One such trend is the decline over time in the level of a contaminant in fish once the source of that contaminant has been restricted or eliminated.

A contaminant of concern which has shown such a decline after its use was severely restricted in the 1970s is PCB. PCBs are primarily found in highest concentrations in fish sampled from Great Lakes locations, particularly Lake Ontario locations. In Lake Ontario, PCBs and mirex are the two contaminants which cause the majority of the consumption restrictions among the species with high fat content (such as salmon and trout). However, PCB

levels have declined to the point that mirex is now causing a greater number of consumption restrictions.

Figure 1 shows the declines in the mean annual PCB levels for skinless, boneless, dorsal fillets of coho salmon taken at the Credit River. This species has been tested since 1972 and the PCB levels have declined to the point where all the coho sampled at the Credit River in 1989 were below the 2.0 parts per million (ppm) federal guideline for unrestricted consumption. Another popular angling location on Lake Ontario is the Ganaraska River, and rainbow trout have been monitored at this location since 1976. Figure 2 shows the decline in PCB levels in rainbow trout at the Ganaraska River, and, similar to the Credit River coho, all the rainbow trout sampled from this location in 1989 were below the 2.0 ppm federal guideline. Figure 3 shows the decline in PCB levels in lake trout from Peninsula Harbour in Lake Superior. All the lake trout sampled from this location are now well below the federal guideline.

PCB levels vary between species depending upon such factors as fat content, feeding habits and the residence time spent by the fish in the waterbody. Salmon and trout species tend to accumulate PCBs to higher levels than non-fatty fish such as walleye and northern pike. Figure 4 shows the variation in PCB levels at various standardized lengths within four salmonid species collected from Jordan Harbour in Lake Ontario in 1989. The highest PCB levels were in lake trout, as they have a slower growth rate and longer life span than the other three species. Therefore, larger lake trout have had a longer time to accumulate PCBs. The chinook salmon grow to be much larger in a relatively short residence time (3-4 years) and therefore have not accumulated PCBs to as great an extent as the lake trout. The brown trout tend to have a higher fat content than the chinook salmon or rainbow trout.

Figure 1

Mean Concentration of PCB in Coho Salmon  
Collected at the Credit River




Figure 2

Mean Concentration of PCB in Rainbow  
Trout Collected at the Gananaska River




Figure 3

Mean Concentration of PCB in Lake Trout  
from Lake Superior at Peninsula Harbour





Figure 4

PCB vs Length for 4 Salmonid Species  
From Jordan Harbour 1989




# **Fish Consumption Tables**

## **Guide de consommation du poisson gibier**

**An index of the locations listed in these tables is found on  
page 152.**

# Southern Ontario

## Sud de l'Ontario



Fish size in centimetres (inches)  
Longueur du poisson en centimètres (pouces)

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

Water Body/  
Cours d'eau

Fish Species/  
Espèces de poisson

Fish size in centimetres (inches)  
Longueur du poisson en centimètres (pouces)

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

Water Body/  
Cours d'eau

Fish Species/  
Espèces de poisson

### Avon River Rivière Avon

Stratford  
4322/8057  
South Easthope Twp  
Canton de South Easthope  
Perth Co./Cité de Perth

Longnose Sucker<sup>2</sup>  
Meunier rouge<sup>2</sup>  
White Sucker<sup>2</sup>  
Meunier noir<sup>2</sup>



### Avon River Rivière Avon

downstream of Stratford  
en aval de Stratford  
4318/8110  
Downie Twp./Canton de Downie  
Perth Co./Cité de Perth

Rock Bass<sup>2</sup>  
Crapet de roche<sup>2</sup>  
Yellow Perch<sup>2</sup>  
Perchaude<sup>2</sup>  
Brown Bullhead<sup>2</sup>  
Barbotte brune<sup>2</sup>



### Axe Lake Lac Axe

4523/7930  
Parry Sound Dist. and Muskoka D. M.  
Dist. de Parry Sound et  
Mun. du d. de Muskoka

Largemouth Bass<sup>1</sup>  
Achigan à grande bouche<sup>1</sup>



### Aylen Lake Lac Aylen

4537/7751  
Dickens Twp./Canton de Dickens  
Nipissing Dist./Dist. de Nipissing

Whitefish<sup>2</sup>  
Grand corégone<sup>2</sup>  
Lake Trout<sup>2</sup>  
Truite de lac<sup>2</sup>



### Bacon Lake Lac Bacon

4553/7921  
Laurier Twp./Canton de Laurier  
Parry Sound Dist./Dist. de Parry Sound

Lake Trout<sup>1</sup>  
Truite de lac<sup>1</sup>



### Balsam Lake Lac Balsam

4435/7850  
Feneelon Twp./Canton de Feneelon  
Victoria Co./Cité de Victoria

Walleye<sup>2</sup>  
Doré<sup>2</sup>  
Smallmouth Bass<sup>2</sup>  
Achigan à petite bouche<sup>2</sup>  
Yellow Perch<sup>2</sup>  
Perchaude<sup>2</sup>







Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Bear Lake Lac Bear</b> 4520/7842 Livingstone Twp. Canton de Livingstone Haliburton Co./Cité d'Haliburton	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>6</sup>										
	Lake Trout <sup>6</sup> Truite de lac <sup>6</sup>										
<b>Bear Lake Lac Bear</b> 4526/7935 Monteth Twp./Canton de Monteth Parry Sound Dist. Dist. de Parry Sound	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Beaver Lake Lac Beaver</b> 4430/7702 Sheffield Twp./Canton de Sheffield Lennox & Addington Co. Cité de Lennox et d'Addington	Walleye <sup>2</sup> Doré <sup>2</sup>										
<b>Beaver River Rivière Beaver</b> headwaters/source 4418/8029 Euphrasia & Artemesia Twp. Cantons d'Euphrasia et d'Artemesia Grey Co./Cité de Grey	Brown Trout <sup>2</sup> Truite brune <sup>2</sup>										
	Brook Trout <sup>2</sup> Truite mouchetée <sup>2</sup>										
<b>Beaver River Rivière Beaver</b> 4421/8033 Euphrasia Twp./Canton d'Euphrasia Grey Co./Cité de Grey	Brown Trout <sup>2</sup> Truite brune <sup>2</sup>										
<b>Bella Lake Lac Bella</b> 4526/7902 Sinclear Twp./Canton de Sinclear Muskoka D. M. Mun. du d. de Muskoka	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
<b>Belmont Lake Lac Belmont</b> 4431/7749 Belmont Twp./Canton de Belmont Peterborough Co./Cité de Peterborough	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>										
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										


Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Big Clear Lake Lac Big Clear</b> 4443/7655 Kennebec Twp./Canton de Kennebec Frontenac Co./Cité de Frontenac	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>										
<b>Big Creek Ruisseau Big</b> south of Delhi/sud de Delhi 4247/8030 Haldimand-Norfolk R. M. Mun. rég. d'Haldimand-Norfolk	Carp <sup>1</sup> Carpe <sup>1</sup>										
	Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>										
	Brown Bullhead <sup>1</sup> Barbotte brune <sup>1</sup>										
	Rock Bass <sup>4</sup> Crapet de roche <sup>4</sup>										
	Yellow Perch <sup>4</sup> Perchaude <sup>4</sup>										
	White Sucker <sup>4</sup> Meunier noir <sup>4</sup>										
<b>Big Gull Lake Lac Big Gull</b> 4450/7658 Barrie, Clarendon & Kennebec Twp. Cantons de Barrie, de Clarendon et de Kennebec Frontenac Co./Cité de Frontenac	Walleye <sup>2</sup> Doré <sup>2</sup>										
<b>Big Mink Lake Lac Big Mink</b> 4518/7805 McClure Twp./Canton de McClure Hastings Co./Cité d'Hastings	Smallmouth Bass <sup>4</sup> Achigan à petite bouche <sup>4</sup>										
<b>Big Porcupine Lake Lac Big Porcupine</b> 4527/7837 Lawrence Twp./Canton de Lawrence Haliburton Co./Cité d'Haliburton	Lake Trout <sup>6</sup> Truite de lac <sup>6</sup>										
	Brook Trout <sup>6</sup> Truite mouchetée <sup>6</sup>										

### Belwood Lake Lac Belwood

4346/8020  
W. Garafraxa Twp.  
Canton de W. Garafraxa  
Wellington Co./Cité de Wellington

Northern Pike<sup>2</sup>  
Brochet<sup>2</sup>

Yellow Perch<sup>2</sup>  
Perchaude<sup>2</sup>



### Bennett Lake Lac Bennett

4455/7628  
Bathurst Twp./Canton de Bathurst  
Lanark Co./Cité de Lanark

White Sucker<sup>1</sup>  
Meunier noir<sup>1</sup>


Yellow Perch<sup>1</sup>  
Perchaude<sup>1</sup>

Walleye<sup>5</sup>  
Doré<sup>5</sup>

Northern Pike<sup>5</sup>  
Brochet<sup>5</sup>

Brown Bullhead<sup>5</sup>  
Barbotte brune<sup>5</sup>

Bluegill<sup>5</sup>  
Crapet arlequin<sup>5</sup>




### Bentshoe Lake Lac Bentshoe

4503/7855  
Hindon Twp./Canton d'Hindon  
Haliburton Co./Cité de Haliburton

Largemouth Bass<sup>2</sup>  
Achigan à grande bouche<sup>2</sup>

White Sucker<sup>1</sup>  
Meunier noir<sup>1</sup>



### Berford Lake Lac Berford

4446/8111  
Albemarle Twp./Canton d'Albemarle  
Bruce Co./Cité de Bruce

Yellow Perch<sup>1</sup>  
Perchaude<sup>1</sup>

Smallmouth Bass<sup>2</sup>  
Achigan à petite bouche<sup>2</sup>




### Lake Bernard Lac Bernard

4546/7923  
Strong Twp./Canton de Strong  
Parry Sound Dist.  
Dist. de Parry Sound

Lake Trout<sup>2</sup>  
Truite de lac<sup>2</sup>

Smallmouth Bass<sup>1</sup>  
Achigan à petite bouche<sup>1</sup>




### Big Clear Lake Lac Big Clear

4433/7628  
Bedford Twp./Canton de Bedford  
Frontenac Co./Cité de Frontenac

Smallmouth Bass<sup>1</sup>  
Achigan à petite bouche<sup>1</sup>

Lake Trout<sup>1</sup>  
Truite de lac<sup>1</sup>



15-20 (5-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)

### Big Rideau Lake Lac Big Rideau

4446/7613  
S. Burgess Twp./Canton de S. Burgess  
Leeds Co./Cité de Leeds

Lake Trout<sup>1</sup>  
Truite de lac<sup>1</sup>

Largemouth Bass<sup>2</sup>  
Achigan à grande bouche<sup>2</sup>


Brown Bullhead<sup>2</sup>  
Barbotte brune<sup>2</sup>

Pumpkinseed<sup>2</sup>  
Crapet-soleil<sup>2</sup>

Smallmouth Bass<sup>2</sup>  
Achigan à petite bouche<sup>2</sup>

Yellow Perch<sup>2</sup>  
Perchaude<sup>2</sup>

Northern Pike<sup>2</sup>  
Brochet<sup>2</sup>




### Big Salmon Lake Lac Big Salmon

4432/7630  
Bedford Twp./Canton de Bedford  
Frontenac Co./Cité de Frontenac

Largemouth Bass<sup>1</sup>  
Achigan à grande bouche<sup>1</sup>

Lake Trout<sup>1</sup>  
Truite de lac<sup>1</sup>




### Bighead River Rivière Bighead

headwaters/source  
4427/8046  
Holland Twp./Canton d'Holland  
Grey Co./Cité de Grey

Brown Trout<sup>4</sup>  
Truite brune<sup>4</sup>

Brook Trout<sup>4</sup>  
Truite mouchetée<sup>4</sup>




### Bigwind Lake Lac Bigwind

4503/7903  
Oakley Twp./Canton d'Oakley  
Muskoka D. M.  
Mun. du d. de Muskoka

Lake Trout<sup>2</sup>  
Truite de lac<sup>2</sup>


Rainbow Trout<sup>2</sup>  
Truite arc-en-ciel<sup>2</sup>



### Birchy Lake Lac Birchy

4512/7835  
Havelock Twp./Canton d'Havelock  
Haliburton Co./Cité d'Haliburton


Brook Trout<sup>5</sup>  
Truite mouchetée<sup>5</sup>



### Black Creek Ruisseau Black

Limehouse  
4338/7959  
Esquesing Twp./Canton d'Esquesing  
Halton R. M.  
Mun. rég. d'Halton





































































Brook Trout<sup>2</sup>  
Truite mouchetée<sup>2</sup>














































































15-20 (5-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)

[illegible]

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Buck Lake Lac Buck</b> 4523/7900 Sincclair Twp./Canton de Sincclair Muskoka D. M. Mun. du d. de Muskoka	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>Buck Lake Lac Buck</b> 4525/7923 McMurrich Twp./Canton de McMurrich Parry Sound Dist. Dist. de Parry Sound	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Buck (McCann) Lake Lac Buck (McCann)</b> 4541/7910 Proudfoot Twp./Canton de Proudfoot Parry Sound Dist. Dist. de Parry Sound	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>Buckhorn Lake Lac Buckhorn</b> 4429/7823 Peterborough Co./Cité de Peterborough	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
	Carp <sup>2</sup> Carpe <sup>2</sup>										
<b>Buckshot Lake Lac Buckshot</b> 4500/7704 Miller Twp./Canton de Miller Frontenac Co./Cité de Frontenac	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Buller Lake Lac Buller</b> 4448/7846 Lutterworth Twp./Canton de Lutterworth Haliburton Co./Cité d'Haliburton	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>										
<b>Burns Lake Lac Burns</b> 4519/7705 Griffith Twp./Canton de Griffith Renfrew Co./Cité de Renfrew	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										

Bonnechere Lake Lac Bonnechere		Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>							
4528/7755 Lawrence Twp./Canton de Lawrence Haliburton Co./Cte d'Haliburton									
<b>Boshkung Lake Lac Boshkung</b>		Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>							
4504/7844 Stanhope Twp./Canton de Stanhope Haliburton Co./Cte d'Haliburton		Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>							
<b>Bow Lake Lac Bow</b>		Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>							
4501/7756 Faraday Twp./Canton de Faraday Hastings Co./Cte d'Hastings									
<b>Brady Lake Lac Brady</b>		White Sucker <sup>1</sup> Meunier noir <sup>1</sup>							
4503/7850 Hindon Twp./Canton d'Hindon Haliburton Co./Cte d'Haliburton		Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>							
		Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>							
<b>Brandy Lake Lac Brandy</b>		Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>							
4506/7931 Monck Twp./Canton de Monck Muskoka D. M. Mun. du d. de Muskoka		Northern Pike <sup>1</sup> Brochet <sup>1</sup>							
		Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>							
		Walleye <sup>1</sup> Doré <sup>1</sup>							
<b>Buchanan Lake Lac Buchanan</b>		Brook Trout <sup>2</sup> Truite mouchetée <sup>2</sup>							
4519/7908 Brunel Twp./Canton de Brunel Muskoka D. M./Mun. du d. de Muskoka									
<b>Buck Lake Lac Buck</b>		Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>							
4432/7626 Bedford Twp./Canton de Bedford Frontenac Co./Cte de Frontenac		Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>							

15-20 (5-8)    20-25 (8-10)    25-30 (10-12)    30-35 (12-14)    35-45 (14-18)    45-55 (18-22)    55-65 (22-26)    65-75 (26-30)    > 75 (30+)

Caché Lake Lac Caché		Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>								
4532/7835 Canisbay Twp./Canton de Canisbay Nipissing Dist. Dist. de Nipissing		Lake Trout <sup>4</sup> Truite de lac <sup>4</sup>								
<b>Calabogie Lake Lac Calabogie</b>		Walleye <sup>2</sup> Doré <sup>2</sup>								
4516/7645 Birthfield & Bagot Twps. Cantons de Birthfield et de Bagot Renfrew Co./Cité de Renfrew		Northern Pike <sup>1</sup> Brochet <sup>1</sup>								
		Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>								
<b>Cameron Lake Lac Cameron</b>		Walleye <sup>1</sup> Doré <sup>1</sup>								
4433/7846 Feneion Twp./Canton de Feneion Victoria Co./Cité de Victoria		Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>								
		Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>								
<b>Cameron Lake Lac Cameron</b>		Walleye <sup>1</sup> Doré <sup>1</sup>								
4513/8134 St. Edmunds Twp. Canton de St. Edmunds Bruce Co./Cité de Bruce		Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>								
<b>Camp Lake Lac Camp</b>		Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>								
4526/7855 Finlayson Twp./Canton de Finlayson Muskoka D. M./Mun. du d. de Muskoka										
<b>Canagagigue Creek Ruisseau Canagagigue</b>		Rock Bass <sup>2,7</sup> Crapet de roche <sup>2,7</sup>								
upstream of Elmira/en amont d'Elmira 4337/8035 Woolwich Twp./Canton de Woolwich Waterloo R. M./Mun. rég. de Waterloo		White Sucker <sup>2,7</sup> Meunier noir <sup>2,7</sup>								
<b>Canagagigue Creek Ruisseau Canagagigue</b>		White Sucker <sup>2,7</sup> Meunier noir <sup>2,7</sup>								
downstream of Elmira/en aval d'Elmira 4336/8033 Woolwich Twp./Canton de Woolwich Waterloo R. M./Mun. rég. de Waterloo		Rock Bass <sup>2,7</sup> Crapet de roche <sup>2,7</sup>								
		Brown Bullhead <sup>1,7</sup> Barbotte brune <sup>1,7</sup>								


15-20 (5-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75

[illegible][illegible]

# Centennial Lake Lac Centennial

450/7703  
Matlawatchan Twp.  
Canton de Matlawatchan  
Renfrew Co./Cité de Renfrew


Smallmouth Bass<sup>2</sup>  
Achigan à petite bouche<sup>2</sup>




# Centre Lake Lac Centre

450/7703  
Cardiff Twp./Canton de Cardiff  
Haliburton Co./Cité d'Haliburton


Largemouth Bass<sup>6</sup>  
Achigan à grande bouche<sup>6</sup>



Smallmouth Bass<sup>6</sup>  
Achigan à petite bouche<sup>6</sup>




Lake Trout<sup>6</sup>  
Truite de lac<sup>6</sup>




# Chandos Lake Lac Chandos

444/7803  
Chandos Twp./Canton de Chandos  
Peterborough Co./Cité de Peterborough


Lake Trout<sup>2</sup>  
Truite de lac<sup>2</sup>



Largemouth Bass<sup>1</sup>  
Achigan à grande bouche<sup>1</sup>




Smallmouth Bass<sup>1</sup>  
Achigan à petite bouche<sup>1</sup>



Walleye<sup>1</sup>  
Doré<sup>1</sup>




Cisco<sup>2</sup>  
Cisco de lac<sup>2</sup>




# Charleston Lake Lac Charleston

443/7600  
Leeds & Lansdowne Twp.  
Cantons de Leeds et de Lansdowne  
Leeds Co./Cité de Leeds


Largemouth Bass<sup>2</sup>  
Achigan à grande bouche<sup>2</sup>




Brown Bullhead<sup>2</sup>  
Barbotte brune<sup>2</sup>




Lake Trout<sup>2</sup>  
Truite de lac<sup>2</sup>




Yellow Perch<sup>2</sup>  
Perchaude<sup>2</sup>




Bluegill<sup>2</sup>  
Crapet arlequin<sup>2</sup>



White Sucker<sup>2</sup>  
Meunier noir<sup>2</sup>




Northern Pike<sup>2</sup>  
Brochet<sup>2</sup>



# Cheddar Lake Lac Cheddar

445/7808  
Cardiff Twp./Canton de Cardiff  
Haliburton Co./Cité d'Haliburton

Brook Trout<sup>2</sup>  
Truite mouchetée<sup>2</sup>




15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)


# Lake Clear Lac Clear

452/7712  
Sebastopol Twp./Canton de Sebastopol  
Renfrew Co./Cité de Renfrew

Northern Pike<sup>2</sup>  
Brochet<sup>2</sup>




Whitefish<sup>2</sup>  
Grand corégone<sup>2</sup>




Lake Trout<sup>2</sup>  
Truite de lac<sup>2</sup>




Yellow Perch<sup>2</sup>  
Perchaude<sup>2</sup>




White Sucker<sup>2</sup>  
Meunier noir<sup>2</sup>



Smallmouth Bass<sup>2</sup>  
Achigan à petite bouche<sup>2</sup>



Ling<sup>2</sup>  
Lotte<sup>2</sup>




Rock Bass<sup>2</sup>  
Crapet de roche<sup>2</sup>




# Clearwater Lake Lac Clearwater

444/7914  
Morrison Twp./Canton de Morrison  
Muskoka D. M./Mun. du d. de Muskoka

Lake Trout<sup>1</sup>  
Truite de lac<sup>1</sup>




Smallmouth Bass<sup>1</sup>  
Achigan à petite bouche<sup>1</sup>



# Clinto Lake Lac Clinto

451/7852  
McClintock Twp./Canton de McClintock  
Haliburton Co./Cité d'Haliburton


Lake Trout<sup>2</sup>  
Truite de lac<sup>2</sup>



# Commanda Lake Lac Commanda

4601/7943  
Patterson Twp./Canton de Patterson  
Parry Sound Dist./Dist. de Parry Sound

Walleye<sup>1</sup>  
Doré<sup>1</sup>



# Conestogo River Rivière Conestogo

downstream of Conestogo Dam  
en aval du barrage Conestogo  
4340/8043

Peel Twp./Canton de Peel  
Wellington Co./Cité de Wellington

Northern Pike<sup>2</sup>  
Brochet<sup>2</sup>



Smallmouth Bass<sup>2</sup>  
Achigan à petite bouche<sup>2</sup>




Yellow Perch<sup>2</sup>  
Perchaude<sup>2</sup>



# Consecon Lake Lac Consecon

4400/7727  
Ameliasburgh & Hillier Twp.  
Cantons d'Ameliasburgh et d'Hillier  
Prince Edward Co./Cité de Prince Edward

Walleye<sup>1</sup>  
Doré<sup>1</sup>



Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>



15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)



<b>Lake Couchiching Lac Couchiching</b> Cunningham Bay/Baie Cunningham 4442/7922 Orillia Twp./Canton d'Orillia Simcoe Co./Cité de Simcoe	Yellow Perch <sup>4</sup> Perchaude <sup>4</sup>									
<b>Cranberry Lake Lac Cranberry</b> 4507/7834 Guilford Twp./Canton de Guilford Haliburton Co./Cité d'Haliburton	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>									
<b>Crane Lake Lac Crane</b> 4513/7961 Conger Twp./Canton de Conger Parry Sound Dist./Dist. de Parry Sound	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup> Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>									
<b>Credit River Rivière Credit</b> Red Dam at Streetsville Barrage Reid à Streetsville 4335/7943 Toronto Twp./Canton de Toronto Peel R. M./Mun. rég. de Peel	Chinook <sup>5,7,8,9</sup> Saumon chinook <sup>5,7,8,9</sup> White Sucker <sup>3</sup> Meunier noir <sup>3</sup> Coho <sup>5,7,8,9</sup> Saumon coho <sup>5,7,8,9</sup> White Bass <sup>2</sup> Bar blanc <sup>2</sup> Rainbow Trout <sup>5,7,8,9</sup> Truite arc-en-ciel <sup>5,7,8,9</sup> Brown Trout <sup>5,7,8,9</sup> Truite brune <sup>5,7,8,9</sup>									
<b>Crosby Lake Lac Crosby</b> 4445/7626 N. Crosby Twp./Canton de N. Crosby Leeds Co./Cité de Leeds	Walleye <sup>1</sup> Doré <sup>1</sup> Smallmouth Bass <sup>4</sup> Achigan à petite bouche <sup>4</sup>									
<b>Cross (Lyell) Lake Lac Cross (Lyell)</b> 4524/7757 Lyell Twp./Canton de Lyell Nipissing Dist./Dist. de Nipissing	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>									
<b>Crotch Lake Lac Crotch</b> 4455/7648 Palmerston Twp./Canton de Palmerston Frontenac Co./Cité de Frontenac	Walleye <sup>1</sup> Doré <sup>1</sup> Smallmouth Bass <sup>4</sup> Achigan à petite bouche <sup>4</sup>									





























































15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

<b>Diamond Lake Lac Diamond</b> 4504/7802 Herschel Twp./Canton d'Herschel Hastings Co./Cité d'Hastings	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>									
<b>Dickey Lake Lac Dickey</b> 4447/7744 Lake Twp./Canton de Lake Hastings Co./Cité d'Hastings	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup> Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>									
<b>Dickie Lake Lac Dickie</b> 4509/7905 McLean Twp./Canton de McLean Muskoka D. M./Mun. du d. de Muskoka	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>									
<b>Dickson Lake Lac Dickson</b> 4547/7812 Dickson Twp./Canton de Dickson Nipissing Dist./Dist. de Nipissing	Brook Trout <sup>2</sup> Truite mouchetée <sup>2</sup>									
<b>Doe Lake Lac Doe</b> 4532/7924 Ryerson Twp./Canton de Ryerson Parry Sound Dist./Dist. de Parry Sound	Northern Pike <sup>2</sup> Brochet <sup>2</sup> Walleye <sup>2</sup> Doré <sup>2</sup> Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>									
<b>Dog Lake Lac Dog</b> 4425/7621 Storrington Twp./Canton de Storrington Frontenac Co./Cité de Frontenac	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup> Northern Pike <sup>1</sup> Brochet <sup>1</sup> Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>									
<b>Dog Lake Lac Dog</b> 4513/7830 Eyre Twp./Canton d'Eyre Haliburton Co./Cité d'Haliburton	Brook Trout <sup>2</sup> Truite mouchetée <sup>2</sup>									
<b>Dollars Lake Lac Dollars</b> 4556/8013 Blair Twp./Canton de Blair Parry Sound Dist./Dist. de Parry Sound	Walleye <sup>5</sup> Doré <sup>5</sup>									

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)



[illegible]

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Eels Lake Lac Eels</b> 445/47808 Anstruther Twp./Canton d'Anstruther Peterborough Co./Cité de Peterborough	Lake Trout <sup>1</sup> Truite de lac <sup>2</sup>										
<b>Eglinton Flats Pond Étang Eglinton Flats</b> 434/17928 York	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>										
	Goldfish <sup>2</sup> Poisson doré <sup>2</sup>										
<b>Emmett Lake Lac Emmett</b> 451/38128 St. Edmunds Twp. Canton de St. Edmunds Bruce Co./Cité de Bruce	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Smallmouth Bass <sup>4</sup> Achigan à petite bouche <sup>4</sup>										
<b>Eugenia Lake Lac Eugenia</b> 441/9030 Artemesia Twp./Canton d'Artemesia Grey Co./Cité de Grey	Rock Bass <sup>1</sup> Crapet de roche <sup>1</sup>										
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>										
<b>Fairy Lake Lac Fairy</b> 4520/7911 Chaffey Twp./Canton de Chaffey Muskoka D.M./Mun. du d. de Muskoka	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
<b>Faraday Lake Lac Faraday</b> 4504/7755 Faraday Twp./Canton de Faraday Hastings Co./Cité d'Hastings	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
<b>Farlain Lake Lac Farlain</b> 4449/7959 Tiny Twp./Canton de Tiny Simcoe Co./Cité de Simcoe	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>										
<b>Farrel Lake Lac Farrel</b> 4457/7806 Cardiff Twp./Canton de Cardiff Haliburton Co./Cité d'Haliburton	White Sucker <sup>4</sup> Meunier noir <sup>4</sup>										

<b>Dumbell Lake Lac Dumbell</b> 4449/7934 Matchedash Twp Canton de Matchedash Simcoe Co./Cité de Simcoe	Black Crappie¹ Marigane noire¹ Yellow Perch¹ Perchaude¹										
<b>Dummer (White) Lake Lac Dummer (White)</b> 4432/7806 Dummer Twp./Canton de Dummer Peterborough Co./Cité de Peterborough	Walleye¹ Doré¹ Yellow Perch¹ Perchaude¹										
<b>Dutton Lake Lac Dutton</b> 4516/7831 Eyre Twp./Canton d'Eyre Haliburton Co./Cité d'Haliburton	White Sucker¹ Meunier noir¹										
<b>Eagle Lake Lac Eagle</b> 4441/7642 Olden Twp./Canton d'Olden Frontenac Co./Cité de Frontenac	Lake Trout¹ Truite de lac¹ Largemouth Bass¹ Achigan à grande bouche¹ Smallmouth Bass¹ Achigan à petite bouche¹										
<b>Eagle Lake Lac Eagle</b> 4550/7930 Machar Twp./Canton de Machar Parry Sound Dist./Dist. de Parry Sound	Smallmouth Bass¹ Achigan à petite bouche¹										
<b>East Lake Lac East</b> 4355/7712 Athol Twp./Canton d'Athol Prince Edward Co. Cité de Prince Edward	Smallmouth Bass¹ Achigan à petite bouche¹ Walleye¹ Doré¹										
<b>Eastern Lake Lac Eastern</b> 4448/7929 Matchedash Twp Canton de Matchedash Simcoe Co./Cité de Simcoe	Largemouth Bass² Achigan à grande bouche²										
<b>Echo Lake Lac Echo</b> 4511/7904 McLean Twp./Canton de McLean Muskoka D. M./Mun. du d. de Muskoka	Smallmouth Bass² Achigan à petite bouche²										

15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)

<b>Farrell (Farren) Lake Lac Farrell (Farren)</b> 4446/7630 S. Sherbrooke Twp. Canton de S. Sherbrooke Lanark Co./Cité de Lanark	Smallmouth Bass¹ Achigan à petite bouche¹ Yellow Perch¹ Perchaude¹ White Sucker¹ Meunier noir¹ Cisco¹ Cisco de lac¹										
<b>Fawn Lake Lac Fawn</b> 4510/7915 Macaulay & Stephenson Twps Cantons de Macaulay et de Stephenson Muskoka D. M./Mun. du d. de Muskoka	Largemouth Bass² Achigan à grande bouche² White Sucker¹ Meunier noir¹										
<b>Fifteen Mile Lake Lac Fifteen Mile</b> 4521/7858 Franklin Twp./Canton de Franklin Haliburton Co./Cité d'Haliburton	Lake Trout¹ Truite de lac¹										
<b>Fifth Depot Lake Lac Fifth Depot</b> 4434/7652 Hinchbrook Twp. Canton d'Hinchbrook Frontenac Co./Cité de Frontenac	Walleye² Doré² Smallmouth Bass² Achigan à petite bouche²										
<b>Fisher Lake Lac Fisher</b> 4523/7848 McClintock Twp./Canton de McClintock Haliburton Co./Cité d'Haliburton	Brook Trout² Truite mouchetée²										
<b>Fiaherty Lake Lac Fiaherty</b> 4520/7855 McClintock Twp. Canton de McClintock Haliburton Co./Cité d'Haliburton	Brook Trout¹ Truite mouchetée¹										
<b>Fletcher Lake Lac Fletcher</b> 4521/7847 McClintock Twp./Canton de McClintock Haliburton Co./Cité d'Haliburton	Lake Trout¹ Truite de lac¹										
<b>Foote Lake Lac Foote</b> 4528/7911 Parry Twp./Canton de Parry Parry Sound Dist./Dist. de Parry Sound	Smallmouth Bass¹ Achigan à petite bouche¹										

15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Fortune Lake Lac Fortune</b> 4506/7701 Miller Twp./Canton de Miller Frontenac Co./Cité de Frontenac	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>										
<b>Four Mile Lake Lac Four Mile</b> 4441/7845 Somerville Twp./Canton de Somerville Victoria Co./Cité de Victoria	Walleye <sup>4</sup> Doré <sup>4</sup>										
	Smallmouth Bass <sup>4</sup> Achigan à petite bouche <sup>4</sup>										
<b>Fox Lake Lac Fox</b> 4522/7921 Stristed Twp./Canton de Stristed Muskoka D. M./Mun. du d. de Muskoka	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Fraser Lake Lac Fraser</b> 4511/7739 Carlow Twp./Canton de Carlow Hastings Co./Cité d'Hastings	Smallmouth Bass <sup>4</sup> Achigan à petite bouche <sup>4</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Fraser Lake Lac Fraser</b> 4603/8005 I.R. 9/Rés. ind. 9 Parry Sound Dist./Dist. de Parry Sound	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>										
<b>French River Rivière des Français</b> 4556/8054 Parry Sound Dist./Dist. de Parry Sound	Ling <sup>2</sup> Lotte <sup>2</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										

[illegible]





	Freshwater Drum <sup>2</sup> Malachigan <sup>1</sup>																		
<b>Grass (Sweny) Lake</b> <b>Lac Grass (Sweny)</b> 4541/7912 Proudfoot Twp / Canton de Proudfoot Parry Sound Dist./Dist. de Parry Sound	Lake Trout <sup>1</sup> Truite de lac <sup>2</sup>																		
<b>Green Lake</b> <b>Lac Green</b> 4509/7636 Lavant Twp./Canton de Lavant Lanark Co./Cité de Lanark	Northern Pike <sup>1</sup> Brochet <sup>1</sup>																		
	Brook Trout <sup>4</sup> Truite mouchetée <sup>4</sup>																		
<b>Grenadier Pond</b> <b>Étang Grenadier</b> 4338/7928 Toronto	Black Capper <sup>3</sup> Marigane noire <sup>3</sup>																		
	White Perch <sup>5</sup> Bar-perche <sup>5</sup>																		
	Pumpkinseed <sup>3</sup> Crappet-soleil <sup>3</sup>																		
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>																		
<b>Guelph Lake</b> <b>Lac Guelph</b> 4334/8017 Guelph Twp./Canton de Guelph Wellington Co./Cité de Wellington	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>																		
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>																		
	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>																		
<b>Gull Lake</b> <b>Lac Gull</b> 4451/7847 Lutterworth Twp./Canton de Lutterworth Haliburton Co./Cité d'Haliburton	Lake Trout <sup>4</sup> Truite de lac <sup>4</sup>																		
	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>																		
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>																		
<b>Haines Lake</b> <b>Lac Haines</b> 4521/7956 Foley & McDougall Twps Cantons de Foley et de McDougall Parry Sound Dist./Dist. de Parry Sound	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>																		

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

<b>Head Lake</b> <b>Lac Head</b> 4444/7855 Laxton & Digby Twps Cantons de Laxton et de Digby Victoria Co./Cité de Victoria	Smallmouth Bass <sup>4</sup> Achigan à petite bouche <sup>4</sup>																		
<b>Healey Lake</b> <b>Lac Healey</b> 4505/7911 Macaulay Twp./Canton de Macaulay Muskoka D. M./Mun. du d. de Muskoka	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>																		
<b>Heart Lake</b> <b>Lac Heart</b> 4344/7947 Chinguacousy Twp Canton de Chinguacousy Peel R. M./Mun. rég. de Peel	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>																		
	Rock Bass <sup>3</sup> Crappet de roche <sup>3</sup>																		
<b>Heeney Lake</b> <b>Lac Heeney</b> 4508/7906 McLean Twp./Canton de McLean Muskoka D. M./Mun. du d. de Muskoka	Smallmouth Bass <sup>3</sup> Achigan à petite bouche <sup>2</sup>																		
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>																		
<b>Hicks Lake</b> <b>Lac Hicks</b> 4522/7750 Bangor Twp./Canton de Bangor Hastings Co./Cité d'Hastings	Brook Trout <sup>2</sup> Truite mouchetée <sup>2</sup>																		
<b>Hogan Lake</b> <b>Lac Hogan</b> 4552/7830 Freswick Twp./Canton de Freswick Nipissing Dist./Dist. de Nipissing	Brook Trout <sup>4</sup> Truite mouchetée <sup>2</sup>																		
<b>Holland Marsh Canals</b> <b>Chenals du marais</b> <b>Holland</b> 4410/7931 York R. M./Mun. rég. d'York	Northern Pike <sup>2</sup> Brochet <sup>2</sup>																		
<b>Holland River</b> <b>Rivière Holland</b> at Fraser Creek/au ruisseau Fraser 4412/7931 W. Gwillimbury Twp Canton de W. Gwillimbury Simcoe Co./Cité de Simcoe	Northern Pike <sup>1</sup> Brochet <sup>1</sup>																		

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

[illegible]

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Kashagawigamog Lake/Lac Kashagawigamog</b> 4459/7836 Minden Twp./Canton de Minden Haliburton Co./Cité de Haliburton	Walleye¹ Doré¹										
	Smallmouth Bass² Achigan à petite bouche²										
	Whitefish¹ Grand corégone¹										
<b>Kashwakamak Lake/Lac Kashwakamak</b> 4452/7701 Clarendon & Barrie Twp. Cantons de Clarendon et de Barrie Frontenac Co./Cité de Frontenac	Walleye² Doré²										
	Smallmouth Bass¹ Achigan à petite bouche¹										
<b>Kasshabog Lake/Lac Kasshabog</b> 4438/7758 Methuen Twp./Canton de Methuen Peterborough Co./Cité de Peterborough	Smallmouth Bass¹ Achigan à petite bouche¹										
	Walleye¹ Doré¹										
<b>Katchewanooka Lake/Lac Katchewanooka</b> 4427/7816 Smith & Douro Twp. Cantons de Smith et de Douro Peterborough Co./Cité de Peterborough	Yellow Perch² Perchaude²										
	Smallmouth Bass² Achigan à petite bouche²										
	Walleye¹ Doré¹										
<b>Kawagama Lake/Lac Kawagama</b> 4518/7845 McClintock Twp./Canton de McClintock Haliburton Co./Cité de Haliburton	Lake Trout² Truite de lac²										
	Smallmouth Bass² Achigan à petite bouche²										
<b>Kennebec Lake/Lac Kennebec</b> 4444/7658 Kennebec Twp./Canton de Kennebec Frontenac Co./Cité de Frontenac	Largemouth Bass¹ Achigan à grande bouche¹										
	Smallmouth Bass¹ Achigan à petite bouche¹										
<b>Kennisis Lake/Lac Kennisis</b> 4513/7838 Havelock & Guilford Twp. Canton d'Havelock et de Guilford Haliburton Co./Cité de Haliburton	Lake Trout¹ Truite de lac¹										

<b>Jack Lake Lac Jack</b> 4442/7802 Burleigh & Methuen Twp. Cantons de Burleigh et de Methuen Peterborough Co./Cité de Peterborough	Smallmouth Bass <sup>4</sup> Achigan à petite bouche <sup>4</sup>																		
	Walleye <sup>1</sup> Doré <sup>1</sup>																		
<b>Jacks (Burden) Lake Lac Jacks (Burden)</b> 4540/7920 Armour Twp./Canton d'Armour Parry Sound Dist./Dist. de Parry Sound	Walleye <sup>1</sup> Doré <sup>1</sup>																		
<b>Jordan Lake Lac Jordan</b> 4504/7804 Cardiff Twp./Canton de Cardiff Haliburton Co./Cité d'Haliburton	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>																		
<b>Lake Joseph Lac Joseph</b> 4510/7944 Medora Twp./Canton de Medora Muskoka D. M./Mun. du d. de Muskoka	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>																		
	Rainbow Smelt <sup>2</sup> Éperlan arc-en-ciel <sup>2</sup>																		
	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>																		
<b>Julian Lake Lac Julian</b> 4436/7809 Burleigh Twp./Canton de Burleigh Peterborough Co./Cité de Peterborough	Smallmouth Bass <sup>4</sup> Achigan à petite bouche <sup>4</sup>																		
<b>Kahshe Lake Lac Kahshe</b> 4450/7918 Morrison Twp./Canton de Morrison Muskoka D. M./Mun. du d. de Muskoka	Walleye <sup>1</sup> Doré <sup>1</sup>																		
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>																		
<b>Kamaniskeg Lake Lac Kamaniskeg</b> 4525/7741 Bangor & Sherwood Twp. Cantons de Bangor et de Sherwood Hastings & Renfrew Cos. Cités d'Hastings & de Renfrew	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>																		
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>																		
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>																		

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 >75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) >(30)

<b>Kernick Lake Lac Kernick</b> 4537/7921 Armour Twp./Canton d'Armour Parry Sound Dist./Dist. de Parry Sound	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>																		
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>																		
<b>Kerr Lake Lac Kerr</b> 4502/7623 Lanark Twp./Canton de Lanark Lanark Co./Cité de Lanark	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>																		
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>																		
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>																		
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>																		
<b>Kettle Creek Ruisseau Kettle</b> 4238/8113 Yarmouth Twp./Canton d'Yarmouth Elgin Co./Cité d'Elgin	Carp <sup>2</sup> Carpe <sup>2</sup>																		
<b>Kimball Lake Lac Kimball</b> 4521/7841 Livingstone Twp./Canton de Livingstone Haliburton Co./Cité d'Haliburton	Lake Trout <sup>6</sup> Truite de lac <sup>6</sup>																		
	Smallmouth Bass <sup>6</sup> Achigan à petite bouche <sup>6</sup>																		
<b>Kioshkokwi Lake Lac Kioshkokwi</b> 4605/7853 Pentland Twp./Canton de Pentland Nipissing Dist./Dist. de Nipissing	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>																		
	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>																		
<b>Koshlong Lake Lac Koshlong</b> 4458/7829 Glamorgan Twp./Canton de Glamorgan Haliburton Co./Cité d'Haliburton	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>																		
	Rainbow Smelt <sup>1</sup> Éperlan arc-en-ciel <sup>1</sup>																		
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>																		
<b>Kushog Lake Lac Kushog</b> 4504/7847 Stanhope Twp./Canton de Stanhope Haliburton Co./Cité d'Haliburton	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>																		
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>																		






































15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 >75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) >(30)





























































Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>L'Amable Lake Lac l'Amable</b> 4501/7749 Faraday Twp./Canton de Faraday Hastings Co./Cité d'Hastings	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Lake La Muir Lac La Muir</b> 4550/7835 Bishop Twp./Canton de Bishop Nipissing Dist./Dist. de Nipissing	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>Lake Lavielle Lac Lavielle</b> 4551/7814 Anglin & Dickson Twps. Cantons d'Anglin et de Dickson Nipissing Dist./Dist. de Nipissing	Brook Trout <sup>4</sup> Truite mouchetée <sup>4</sup>										
	Whitfish <sup>4</sup> Grand corégone <sup>4</sup>										
	Lake Trout <sup>4</sup> Truite de lac <sup>4</sup>										
<b>Le Grou Lake Lac Le Grou</b> 4551/7964 E Mills Twp./Canton d'E. Mills Parry Sound Dist./Dist. de Parry Sound	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Leonard Lake Lac Leonard</b> 4504/7927 Monck Twp./Canton de Monck Muskoka D. M./Mun. rég. de Muskoka	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Limerick Lake Lac Limerick</b> 4453/7737 Limerick Twp./Canton de Limerick Hastings Co./Cité d'Hastings	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
	Lake Trout <sup>4</sup> Truite de lac <sup>4</sup>										
	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>										
<b>Lingham Lake Lac Lingham</b> 4446/7725 Grimsthorpe Twp./Canton de Grimsthorpe Hastings Co./Cité d'Hastings	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>										
<b>Little Credit River Rivière Little Credit</b> 4350/7953 Caledon Twp./Canton de Caledon Peel R. M./Mun. rég. de Peel	Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Little MyKiss Lake Lac Little MyKiss</b> 4541/7814 Preston Twp./Canton de Preston Nipissing Dist./Dist. de Nipissing	Splake <sup>3</sup> Truite moulac <sup>3</sup>										
	Brook Trout <sup>3</sup> Truite mouchetée <sup>3</sup>										
<b>Little Silver Lake Lac Little Silver</b> 4448/7630 S. Sherbrooke Twp./Canton de S. Sherbrooke Lanark Co./Cité de Lanark	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>										
	Smallmouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Bluegill <sup>1</sup> Crapet arlequin <sup>1</sup>										
<b>Livingstone Lake Lac Livingstone</b> 4522/7843 Livingstone Twp./Canton de Livingstone Haliburton Co./Cité d'Haliburton	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>Long Lake Lac Long</b> 4448/7615 N. Burgess Twp./Canton de N. Burgess Lanark Co./Cité de Lanark	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>										
<b>Long Lake Lac Long</b> 4542/7911 Proudfoot Twp./Canton de Proudfoot Parry Sound Dist./Dist. de Parry Sound	Lake Trout <sup>5</sup> Truite de lac <sup>5</sup>										
<b>Loon (Dudmon) Lake Lac Loon (Dudmon)</b> 4501/7823 Dudley & Monmouth Twps. Cantons de Dudley et de Monmouth Haliburton Co./Cité d'Haliburton	Lake Trout <sup>4</sup> Truite de lac <sup>4</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										



Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Lower Fletcher Lake</b> <b>Lac Lower Fletcher</b> 4521/7850 McClintock Twp./Canton de McClintock Haliburton Co./Cité d'Haliburton	Lake Trout <sup>1</sup> Truite de lac <sup>2</sup>										
<b>Lower Hay Lake</b> <b>Lac Lower Hay</b> 4524/7812 Sabine Twp./Canton de Sabine Nipissing Dist./Dist. de Nipissing	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Lower Paudash Lake</b> <b>Lac Lower Paudash</b> 4458/7801 Cardiff Twp./Canton de Cardiff Haliburton Co./Cité d'Haliburton	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
<b>Lower Rideau Lake</b> <b>Lac Lower Rideau</b> 4451/7607 N. & S. Elmsley Twps. Cantons de N. et S. Elmsley Lanark & Leeds Cos. Cités de Lanark et de Leeds	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>  Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Lucknow River</b> <b>Rivière Lucknow</b> 4357/8131 Kintloss Twp./Canton de Kintloss Bruce Co./Cité de Bruce	Brook Trout <sup>2</sup> Truite mouchetée <sup>2</sup>										
<b>Lutterworth Lake</b> <b>Lac Lutterworth</b> 4452/7850 Lutterworth Twp./Canton de Lutterworth Haliburton Co./Cité d'Haliburton	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>  White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>Lynn River</b> <b>Rivière Lynn</b> 4250/8020 Haldimand-Norfolk R. M. Mun. rég. d'Haldimand-Norfolk	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>  Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>  Pumpkinseed <sup>2</sup> Crapet-soleil <sup>2</sup>										
											
											

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Mary Lake Lac Mary</b> 4515/7915 Stephenson Twp Canton de Stephenson Muskoka D. M. Mun. du d. de Muskoka	Lake Trout <sup>1</sup> Truite de lac <sup>2</sup>										
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
	Rainbow Smelt <sup>2</sup> Éperlan arc-en-ciel <sup>2</sup>										
<b>Matchedash Lake Lac Matchedash</b> 4447/7929 Orillia & Matchedash Twp. Cantons de Orillia et de Matchedash Simcoe Co./Cité de Simcoe	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Mazinaw Lake Lac Mazinaw</b> 4455/7712 Abinger Twp./Canton d'Abinger Lennox & Addington Co. Cité de Lennox & Addington	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>McCann Lake Lac McCann</b> 4522/7854 McClintock Twp./Canton de McClintock Haliburton Co./Cité d'Haliburton	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>McCauley Lake Lac McCauley</b> 4533/7807 Airy & Murchison Twp. Cantons d'Airy et de Murchison Nipissing Dist./Dist. de Nipissing	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>McCraney Lake Lac McCraney</b> 4534/7854 McCraney Twp./Canton de McCraney Nipissing Dist./Dist. de Nipissing	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>McFadden Lake Lac McFadden</b> 4520/7851 McClintock Twp./Canton de McClintock Haliburton Co./Cité d'Haliburton	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										

<b>Mackie Lake Lac Mackie</b> 4526/7659 Miller Twp./Canton de Miller Frontenac Co./Cité de Frontenac	Smallmouth Bass¹ Achigan à petite bouche¹																		
<b>Madawaska Lake Lac Madawaska</b> 4528/7621 McNab Twp./Canton de McNab Renfrew Co./Cité de Renfrew	Walleye¹ Doré¹ Northern Pike¹ Brochet¹																		
<b>Magnetawan River Rivière Magnetawan</b> Poverty Bay/Baie Poverty 4541/7944 Croft Twp./Canton de Croft Parry Sound Dist./Dist. de Parry Sound	Smallmouth Bass¹ Achigan à petite bouche¹																		
<b>Maitland River Rivière Maitland</b> between Wingham & Wroxeter entre Wingham et Wroxeter 4354/8114 Turnberry Twp./Canton de Turnberry Huron Co./Cité d'Huron	Smallmouth Bass² Achigan à petite bouche² Carp¹ Carpe¹ Rock Bass² Crapet de roche²																		
<b>Manitouwaba Lake Lac Manitouwaba</b> 4524/7942 Monteith Twp./Canton de Monteith Parry Sound Dist./Dist. de Parry Sound	Smallmouth Bass¹ Achigan à petite bouche¹																		
<b>Manitouwabing Lake Lac Manitouwabing</b> 4529/7954 McKellar Twp./Canton de McKellar Parry Sound Dist./Dist. de Parry Sound	Northern Pike¹ Brochet¹ Walleye¹ Doré¹																		
<b>Mari Lakes Lacs Mari</b> 4410/8103 Brant Twp./Canton de Brant Bruce Co./Cité de Bruce	Largemouth Bass² Achigan à grande bouche² Yellow Perch¹ Perchaude¹																		
<b>Martindale Pond Étang Martindale</b> 4311/7916 Grantham Twp./Canton de Grantham Niagara R. M./Mun. rég. de Niagara	Yellow Perch¹ Perchaude¹ Brown Bullhead² Barbotte brune²																		

15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)

<b>McGarvey Lake Lac McGarvey</b> 4526/7834 Lawrence Twp./Canton de Lawrence Haliburton Co./Cité d'Haliburton	Lake Trout¹ Truite de lac¹																		
<b>McKay Lake Lac McKay</b> 4503/7910 Draper Twp./Canton de Draper Muskoka D. M./Mun. du d. de Muskoka	White Sucker¹ Meunier noir¹																		
<b>McKenzie Lake Lac McKenzie</b> 4522/7801 Sabine Twp./Canton de Sabine Nipissing Dist./Dist. de Nipissing	Smallmouth Bass¹ Achigan à petite bouche¹																		
<b>McNab Lake Lac McNab</b> 4438/8104 Keppel Twp./Canton de Keppel Grey Co./Cité de Grey	Northern Pike¹ Brochet¹																		
<b>Meadow (Mead) Lake Lac Meadow (Mead)</b> 4522/7935 Monteith Twp./Canton de Monteith Parry Sound Dist./Dist. de Parry Sound	Largemouth Bass¹ Achigan à grande bouche¹																		
<b>Memesagamesing Lake/Lac Memesagamesing</b> 4600/8000 Hardy Twp./Canton d'Hardy Parry Sound Dist./Dist. de Parry Sound	Walleye¹ Doré¹ Smallmouth Bass¹ Achigan à petite bouche¹ Northern Pike¹ Brochet¹ White Sucker¹ Meunier noir¹ Lake Trout¹ Truite de lac¹																		
<b>Mephisto Lake Lac Mephisto</b> 4456/7735 Cashel Twp./Canton de Cashel Hastings Co./Cité d'Hastings	Lake Trout² Truite de lac² Smallmouth Bass¹ Achigan à petite bouche¹																		
<b>Methuen Lake Lac Methuen</b> 4443/7755 Methuen Twp./Canton de Methuen Peterborough Co./Cité de Peterborough	Smallmouth Bass¹ Achigan à petite bouche¹ Largemouth Bass¹ Achigan à grande bouche¹																		

15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Mill Lake Lac Mill</b> 4522/8000 McDougall Twp./Canton de McDougall Parry Sound Dist./Dist. de Parry Sound	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Millichamp Lake Lac Millichamp</b> 4519/7850 McClintock Twp./Canton de McClintock Haliburton Co./Cité d'Haliburton	Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>										
<b>Milne Reservoir Réservoir Milne</b> 4349/7913 Markham	Rock Bass <sup>1</sup> Crapet de roche <sup>1</sup>										
<b>Mink Lake Lac Mink</b> 4533/7703 Wilberforce Twp./Canton de Wilberforce Renfrew Co./Cité de Renfrew	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
<b>Miskoway Lake Lac Miskoway</b> 4539/8014 Burton Twp./Canton de Burton Parry Sound Dist./Dist. de Parry Sound	Smallmouth Bass <sup>6</sup> Achigan à petite bouche <sup>6</sup>										
	Cisco <sup>6</sup> Cisco de lac <sup>6</sup>										
	Lake Trout <sup>6</sup> Truite de lac <sup>6</sup>										
<b>Miskwabi Lake Lac Miskwabi</b> 4503/7819 Dudley Twp./Canton de Dudley Haliburton Co./Cité d'Haliburton	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Mississagagon Lake Lac Mississagagon</b> 4452/7705 Barrie Twp./Canton de Barrie Frontenac Co./Cité de Frontenac	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										








Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Mississippi River Rivière Mississippi</b> <i>Continued/Suite</i>	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
	Channel Catfish <sup>2</sup> Barbue de rivière <sup>2</sup>										
	Pumpkinseed <sup>2</sup> Crapet-soleil <sup>2</sup>										
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>										
<b>Moira Lake Lac Moira</b> 4430/7727 Huntingdon Twp./Canton d'Huntingdon Hastings Co./Cité d'Hastings	Walleye <sup>5</sup> Doré <sup>5</sup>										
	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>										
	Northern Pike <sup>5</sup> Brochet <sup>5</sup>										
<b>Moot Lake Lac Moot</b> 4509/7910 McLean Twp./Canton de McLean Muskoka D. M./Mun. du d. de Muskoka	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Largemouth Bass <sup>5</sup> Achigan à grande bouche <sup>5</sup>										
<b>Morrison Lake Lac Morrison</b> 4452/7927 Wood Twp./Canton de Wood Muskoka D. M./Mun. du d. de Muskoka	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Mountain Lake Lac Mountain</b> 4443/8041 St. Vincent Twp./Canton de St. Vincent Grey Co./Cité de Grey	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
<b>Mud Lake Lac Mud</b> 4601/8000 I.R. 9/Res. ind. 9 Parry Sound Dist./Dist. de Parry Sound	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Mud Lake Lac Mud</b> 4533/7710 Wilberforce & Grattan Twp. Cantons de Wilberforce et de Grattan Renfrew Co./Cité de Renfrew	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										

37

























Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Niger Lake Lac Niger</b> 4524/7851 McClintock Twp./Canton de McClintock Haliburton Co./Cité de Haliburton	Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>										
<b>Nine Mile Lake Lac Nine Mile</b> 4454/7935 Wood Twp./Canton de Wood Muskoka D. M./Mun. du d. Muskoka	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>										
<b>Lake Nipissing Lac Nipissing</b> French River/Rivière des Français 4610/7950 Nipissing Dist./Dist. de Nipissing	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Lake Nipissing Lac Nipissing</b> South River at Chapman Chute Rivière South à la chute Chapman 4606/7931 Parry Sound Dist./Dist. de Parry Sound	Walleye <sup>2</sup> Doré <sup>2</sup>										
<b>Lake Nipissing Lac Nipissing</b> Sturgeon River/Rivière Sturgeon 4619/7955 Nipissing Dist./Dist. de Nipissing	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
<b>Lake Nipissing Lac Nipissing</b> West Bay/Baie West 4610/8010 Nipissing Dist./Dist. de Nipissing	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Nunikani Lake Lac Nunikani</b> 4512/7844 Sherborne Twp./Canton de Sherborne Haliburton Co./Cité de Haliburton	Smallmouth Bass <sup>4</sup> Achigan à petite bouche <sup>4</sup>										
	Lake Trout <sup>6</sup> Truite de lac <sup>6</sup>										
<b>Oak Lake Lac Oak</b> 4436/7754 Methuen Twp./Canton de Methuen Peterborough Co./Cité de Peterborough	Smallmouth Bass <sup>4</sup> Achigan à petite bouche <sup>4</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Oastler Lake Lac Oastler</b> 4519/7958 Foley Twp./Canton de Foley Parry Sound Dist./Dist. de Parry Sound	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>										
<b>Oliphant (Long) Lake Lac Oliphant (Long)</b> 4542/7911 Proudfoot Twp./Canton de Proudfoot Parry Sound Dist./Dist. de Parry Sound	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>Oliver Lake Lac Oliver</b> 4531/7948 McKellar Twp./Canton de McKellar Parry Sound Dist./Dist. de Parry Sound	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Opeongo Lake Lac Opeongo</b> 4542/7823 Bower Twp./Canton de Bower Nipissing Dist./Dist. de Nipissing	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
<b>Opinicon Lake Lac Opinicon</b> 4434/7619 Bedford, Storrington & S. Crosby Twp. Cantons de Bedford, de Storrington et de S. Crosby Frontenac & Leeds Cos. Cités de Frontenac et de Leeds	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>										
	Brown Bullhead <sup>1</sup> Barbotte brune <sup>1</sup>										
	Bluegill <sup>1</sup> Crapet arlequin <sup>1</sup>										

Wistiwasing River at Wasi Falls  
Rivière Wistiwasing à la chute Wasi  
4612/7922  
Parry Sound Dist./Dist. de Parry Sound

Walleye <sup>5,9</sup>							
Dor <sup>6,9</sup>							
White Sucker <sup>5,9</sup>							
Meunier noir <sup>5,9</sup>							

General/Général  
4617/8000  
Nipissing Dist./Dist. de Nipissing

White Bass <sup>2</sup> Bar blanc <sup>2</sup>							
Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>							
Northern Pike <sup>2</sup> Brochet <sup>2</sup>							
Walleye <sup>2</sup> Doré <sup>2</sup>							
Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>							
Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>							





4510/7652  
N. Canonto Twp./Canton de N. Canonto  
Frontenac Co./Cte de Frontenac

[illegible]

























4520/7643  
Bagot Twp./Canton de Bagot  
Renfrew Co./Ct  de Renfrew

Walleye <sup>1</sup> Doré <sup>1</sup>								
---	--	--	--	---	---	---	--	--

4612/7913  
E. Ferris & Bonfield Twps.  
Cantons d'E. Ferris et de Bonfield  
Nipissing Dist./Dist. de Nipissing

Walleye <sup>1</sup> Doré <sup>1</sup>									
---	---	---	---	---	--	--	--	--	--

Jack's Lake/Lac de Jack  
4429/8000  
Sunnidale Twp./Canton de Sunnidale  
Simcoe Co./Cité de Simcoe








Walleye <sup>2</sup>										
Doré <sup>2</sup>										
Yellow Perch <sup>2</sup>										
Perchaude <sup>2</sup>										
Rainbow Trout <sup>2</sup>										
Truite arc-en-ciel <sup>2</sup>										

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)



















4538/7806  
Preston Twp./Canton de Preston  
Nipissing Dist./Dist. de Nipissing

Splake <sup>3</sup>								
Truite moulac <sup>3</sup>								



















4355/8006  
Mono Twp /Canton de Mono  
Dufferin Co /Ct  de Dufferin

Yellow Perch <sup>2</sup>								
Perchaude <sup>2</sup>								
Northern Pike <sup>2</sup>								
Brochet <sup>2</sup>								










4436/7948  
Flos & Medonte Twps.  
Cantons de Flos et de Medonte  
Simcoe Co./Cte de Simcoe

Largemouth Bass¹									
Achigan à grande bouche¹									
Northern Pike¹									
Brochet¹									














north of Trent University  
nord de l'université Trent  
4423/7814  
Douro Twp./Canton de Douro  
Peterborough Co./Cité de Peterborough

Rock Bass <sup>2</sup>								
Crapet de roche <sup>2</sup>								
Smallmouth Bass <sup>2</sup>								
Achigan à petite bouche <sup>2</sup>								
White Sucker <sup>1</sup>								
Meunier noir <sup>1</sup>								
Bluegill <sup>1</sup>								
Crapet arlequin <sup>1</sup>								

Little Lake, Peterborough  
Lac Little, Peterborough  
4418/7819  
N. Monaghan & Otonabee Twps.  
Cantons de N. Monaghan et d'Otonabee  
Peterborough Co./Cité de Peterborough

Smallmouth Bass <sup>1</sup>								
Achigan à petite bouche <sup>2</sup>								
Rock Bass <sup>2</sup>								
Crapet de roche <sup>2</sup>								
Bluegill <sup>1</sup>								
Crapet arlequin <sup>1</sup>								

Hwy. 7 to Rice Lake  
de l'autoroute 7 au lac Rice  
4414/7819  
Peterborough Co./Cité de Peterborough
































































Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>								
Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>								
Bluegill <sup>2</sup> Crapet arlequin <sup>2</sup>								
Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>								
Walleyes <sup>2</sup> Doré <sup>2</sup>								

Continued next page  
Suite page suivante











































































15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)



[illegible]

		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
Water Body/ Cours d'eau		Fish Species/ Espèces de poisson	15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)
<b>Ottawa River</b> <b>Rivière des Outaouais</b> <i>Continued/Suite</i>		Brown Bullhead <sup>1</sup> Barbotte brune <sup>1</sup>									
		Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>									
<b>Ottawa River</b> <b>Rivière des Outaouais</b> Duck Island/L'Île Duck 4529/7535 Gloucester Twp./Canton de Gloucester Ottawa-Carleton R. M. Mun. rég. d'Ottawa-Carleton		Black Crappie <sup>1</sup> Marigane noire <sup>1</sup>									
		Rock Bass <sup>1</sup> Crapet de roche <sup>1</sup>									
		Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>									
		Northern Pike <sup>1</sup> Brochet <sup>1</sup>									
		Walleye <sup>1</sup> Doré <sup>1</sup>									
		Carp <sup>2</sup> Carpe <sup>2</sup>									
		Brown Bullhead <sup>1</sup> Barbotte brune <sup>1</sup>									
<b>Ottawa River</b> <b>Rivière des Outaouais</b> Petrie Islands/L'Îles Petrie 4530/7531 Cumberland & Gloucester Twps. Cantons de Cumberland et Gloucester Ottawa-Carleton R. M. Mun. rég. d'Ottawa-Carleton		Sauger <sup>5</sup> Doré noir <sup>5</sup>									
		Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>									
		Walleye <sup>5</sup> Doré <sup>5</sup>									
		Northern Pike <sup>5</sup> Brochet <sup>5</sup>									
		Channel Catfish <sup>5</sup> Barbue de rivière <sup>5</sup>									
		Sturgeon <sup>5</sup> Esturgeon de lac <sup>5</sup>									



Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Otty Lake Lac Otty</b> 4451/7613 N. Burgess Twp./Canton de N. Burgess Lanark Co./Cité de Lanark	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>										
	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>										
<b>Oudaze Lake Lac Oudaze</b> 4527/7911 Chaffey Twp./Canton de Chaffey Muskoka D.M./Mun. du d. de Muskoka	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Oxtongue Lake Lac Oxtongue</b> 4522/7855 McClintock Twp./Canton de McClintock Haliburton Co./Cité de Haliburton	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Papineau Lake Lac Papineau</b> 4521/7749 Wicklow & Bangor Twps. Cantons de Wicklow et Bangor Hastings Co./Cité d'Hastings	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>										
<b>Park Lake Lac Park</b> 4502/7636 Dalhousie Twp./Canton de Dalhousie Lanark Co./Cité de Lanark	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
<b>Patterson Lake Lac Patterson</b> 4605/7947 Patterson Twp./Canton de Patterson Parry Sound Dist./Dist. de Parry Sound	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Paudash Lake Lac Paudash</b> 4458/7603 Cardiff Twp./Canton de Cardiff Haliburton Co./Cité d'Haliburton	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>										
	Yellow Perch <sup>6</sup> Perchaude <sup>6</sup>										

[illegible]















































<b>Peninsula Lake Lac Peninsula</b> 4520/7906 Chaffey Twp./Canton de Chaffey Muskoka D. M./Mun. du d. de Muskoka	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>																		
<b>Percy Lake Lac Percy</b> 4512/7822 Haliburton Twp./Canton d'Haliburton Haliburton Co./Cité d'Haliburton	Lake Trout <sup>4</sup> Truite de lac <sup>4</sup>																		
<b>Percy Reach Bief Percy</b> Trent River/Rivière Trent 4414/7747 Percy Twp./Canton de Percy Northumberland Co. Cité de Northumberland	Walleye <sup>2</sup> Doré <sup>2</sup>																		
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>																		
<b>Pickering Lake Lac Pickering</b> 4541/7918 Armour & Proudfoot Twps Cantons d'Armour et de Proudfoot Parry Sound Dist./Dist. de Parry Sound	Walleye <sup>5</sup> Doré <sup>5</sup>																		
	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>																		
	Northern Pike <sup>5</sup> Brochet <sup>5</sup>																		
<b>Pickering River Rivière Pickering</b> 4540/7918 Mowat Twp./Canton de Mowat Parry Sound Dist./Dist. de Parry Sound	Northern Pike <sup>1</sup> Brochet <sup>1</sup>																		
	Walleye <sup>1</sup> Doré <sup>1</sup>																		
<b>Pigeon Lake Lac Pigeon</b> 4427/7830 Victoria Co./Cité de Victoria	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>																		
	Walleye <sup>1</sup> Doré <sup>1</sup>																		
	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>																		
<b>Pike Lake Lac Pike</b> 4447/7621 N. Burgess Twp Canton de N. Burgess Lanark Co./Cité de Lanark	Walleye <sup>5</sup> Doré <sup>5</sup>																		
	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>																		
	Brown Bullhead <sup>5</sup> Barbotte brune <sup>5</sup>																		
	Northern Pike <sup>5</sup> Brochet <sup>5</sup>																		

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)



































































<b>Queenston Reservoir Réservoir Queenston</b> 4308/7905 Niagara R. M./Mun. rég. de Niagara	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>																		
<b>Rainy Lake Lac Rainy</b> 4532/7930 Ryerson Twp./Canton de Ryerson Parry Sound Dist./Dist. de Parry Sound	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>																		
<b>Raisin River Rivière Raisin</b> MacGillivray Bridge 4508/7439 Charlottenburg Twp Canton de Charlottenburg Glengarry Co./Cité de Glengarry	Walleye <sup>5,7,9</sup> Doré <sup>5,7,9</sup>																		
<b>Raven Lake Lac Raven</b> 4512/7841 Sherborne Twp./Canton de Sherborne Haliburton Co./Cité d'Haliburton	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>																		
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>																		
<b>Rebecca Lake Lac Rebecca</b> 4526/7902 Sinclair Twp./Canton de Sinclair Muskoka D. M./Mun. du d. de Muskoka	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>																		
	Lake Trout <sup>5</sup> Truite de lac <sup>5</sup>																		
<b>Red Chalk Lake Lac Red Chalk</b> 4511/7857 Ridout Twp./Canton de Ridout Muskoka D. M./Mun. du d. de Muskoka	Lake Trout <sup>5</sup> Truite de lac <sup>2</sup>																		
<b>Red Deer Lake Lac Red Deer</b> 4553/7914 Laurier Twp./Canton de Laurier Parry Sound Dist./Dist. de Parry Sound	Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>																		
<b>Red Pine Lake Lac Red Pine</b> 4512/7842 Sherborne Twp./Canton de Sherborne Haliburton Co./Cité d'Haliburton	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>																		
	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>																		
<b>Redrock Lake Lac Redrock</b> 4546/7828 Bower Twp./Canton de Bower Nipissing Dist./Dist. de Nipissing	Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>																		
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>																		

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Redstone Lake</b> 4511/7832 Guilford Twp./Canton de Guilford Haliburton Co./Cité d'Haliburton	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
<b>Restoule Lake</b> 4603/7946 Patterson Twp./Canton de Patterson Parry Sound Dist./Dist. de Parry Sound	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
<b>Rice Lake</b> eastern end/zone est 4414/7808 Peterborough Co./Cité de Peterborough	Carp <sup>2</sup> Carpe <sup>2</sup>										
	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>										
<b>Rice Lake</b> off Onabee River 4412/7810 Peterborough Co./Cité de Peterborough	Walleye <sup>2,3</sup> Doré <sup>2,3</sup>										
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>										
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>										
	Carp <sup>2,3</sup> Carpe <sup>2,3</sup>										
<b>Rideau River</b> <b>Rivière Rideau</b> Burrits Rapids to Manotick des rapides Burrits à Manotick 4506/7544 Ottawa-Carleton R. M. Mun. rég. d'Ottawa-Carleton	Brown Bullhead <sup>1</sup> Barbotte brune <sup>1</sup>										
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Rideau River Rivière Rideau</b> Smiths Falls to Merrickville de Smiths Falls à Merrickville 454/7555 Lanark & Leeds Cos Cités de Lanark et de Leeds	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>										
	<b>Robertson Lake Lac Robertson</b> 4504/7639 L'Avant Twp./Canton de L'Avant Lanark Co./Cité de Lanark	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>									
	Pumpkinseed <sup>1</sup> Crapet-soleil <sup>1</sup>										
	Rock Bass <sup>1</sup> Crapet de roche <sup>1</sup>										
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
	<b>Robin Lake Lac Robin</b> 4603/7958 I.R. 9/Rés. ind. 9 Parry Sound Dist./Dist. de Parry Sound	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>									
	<b>Robinson Lake Lac Robinson</b> 4455/7743 Limerick Twp./Canton de Limerick Hastings Co./Cité d'Hastings	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>									
<b>Rocky Saugeen River/Rivière Rocky Saugeen</b> 4418/8040 Glengiel, Euphrasia & Artemesia Twps. Cantons de Glengiel, d'Euphrasia et d'Artemesia Grey Co./Cité de Grey	Brook Trout <sup>4</sup> Truite mouchetée <sup>4</sup>										
	<b>Roger Lake Lac Roger</b> 4526/7845 Livingstone Twp./Canton de Livingstone Haliburton Co./Cité d'Haliburton	Brook Trout <sup>4</sup> Truite mouchetée <sup>2</sup>									

[illegible]

Lake Rosseau Lac Rosseau		Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>								
4510/7835 Cardwell Twp./Canton de Cardwell Muskoka D. M./Mun. du d. de Muskoka	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>									
<b>Rouge Marsh Marais Rouge</b>	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>									
4349/7907 Scarborough										
<b>Round Lake Lac Round</b>	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>									
4430/7753 Belmont Twp./Canton de Belmont Peterborough Co./Cité de Peterborough	Walleye <sup>2</sup> Doré <sup>2</sup>									
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>									
	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>									
<b>Round Lake Lac Round</b>	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>									
4528/7924 McMurrich Twp./Canton de McMurrich Parry Sound Dist./Dist. de Parry Sound										
<b>Round Lake Lac Round</b>	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>									
4536/7730 Richards & Hagarty Twp. Cantons de Richards et d'Hagarty Renfrew Co./Cité de Renfrew	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>									
	Walleye <sup>2</sup> Doré <sup>2</sup>									
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>									
<b>Round Island Lake Lac Round Island</b>	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>									
4544/7612 Dickson & Preston Twp. Cantons de Dickson et de Preston Nipissing Dist./Dist. de Nipissing										
<b>Ryan Lake Lac Ryan</b>	Splake <sup>2</sup> Truite moulac <sup>2</sup>									
4541/7806 Preston Twp./Canton de Preston Nipissing Dist./Dist. de Nipissing	Rainbow Trout <sup>2</sup> Truite arc-en-ciel <sup>1</sup>									

15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (30+)

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>St. Catharines — Water Intake Canal Chenal de prise d'eau de St. Catharines</b> 4310/7915 Niagara R. M./Mun. rég. de Niagara	White Crappie <sup>1</sup> Marigane blanche <sup>1</sup>										
<b>Lake St. John Lac St. John</b> 4441/7919 Rama Twp./Canton de Rama Simcoe Co./Cité de Simcoe	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>2</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>										
	Pumpkinseed <sup>1</sup> Crapet-soleil <sup>1</sup>										
<b>St. Nora Lake Lac St. Nora</b> 4509/7850 Stanhope & Sherborne Twp. Cantons de Stanhope et de Sherborne Haliburton Co./Cité d'Haliburton	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Lake St. Peter Lac St. Peter</b> 4519/7802 McClure Twp./Canton de McClure Hastings Co./Cité d'Hastings	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>Salerno Lake Lac Salerno</b> 4451/7829 Giamorgan Twp./Canton de Giamorgan Haliburton Co./Cité d'Haliburton	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Sand Lake Lac Sand</b> 4538/7911 Proudfoot Twp./Canton de Proudfoot Parry Sound Dist./Dist. de Parry Sound	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										













































































Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Lake Scugog Lac Scugog</b> 4410/7850 Durham R. M./M.R. de Durham	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>2</sup>										
	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>2</sup>										
<b>Scugog River Rivière Scugog</b> downstream of Lindsay en aval de Lindsay 4424/7845	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Carp <sup>2</sup> Carpe <sup>2</sup>										
	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>2</sup>										
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
<b>Second Depot Lake Lac Second Depot</b> 4433/7645 Hinchinbrooke Twp. Canton d'Hinchinbrooke Frontenac Co./Cité de Frontenac	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>2</sup>										
<b>Seymour Lake Lac Seymour</b> Trent River/Rivière Trent 4423/7749 Seymour Twp./Canton de Seymour Northumberland Co. Cité de Northumberland	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>2</sup>										
<b>Shabomeka Lake Lac Shabomeka</b> 4454/7708 Barrie Twp./Canton de Barrie Frontenac Co./Cité de Frontenac	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>2</sup>										
	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>2</sup>										

















































	15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75
<b>Sand Lake Lac Sand</b> 4434/7616 S. Crosby Twp./Canton de S. Crosby Leeds & Grenville Cos. Ctés de Leeds et de Grenville	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>								
	Bluegill <sup>2</sup> Crâpet arlequin <sup>2</sup>								
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>								
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>								
	Pumpkinseed <sup>2</sup> Crâpet-soleil <sup>2</sup>								
<b>Sand (Plevna) Lake Lac Sand (Plevna)</b> 4450/7702 Barrie & Clarendon Twps Cantons de Barrie et de Clarendon Frontenac Co./Cité de Frontenac	Walleye <sup>1</sup> Doré <sup>1</sup>								
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>								
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>								
<b>Sandy Lake #1 Lac Sandy N° 1</b> 4607/8003 I.R. 9/Res. ind. 9 Parry Sound Dist./Dist. de Parry Sound	Northern Pike <sup>1</sup> Brochet <sup>1</sup>								
<b>Sandy Lake #2 Lac Sandy N° 2</b> 4607/8002 I.R. 9/Res. ind. 9 Parry Sound Dist./Dist. de Parry Sound	Northern Pike <sup>1</sup> Brochet <sup>1</sup>								
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>								
<b>Saugeen River Rivière Saugeen</b> Denny's Dam/Barrage de Denny 4429/8119 Arran Twp./Canton d'Arran Bruce Co./Cité de Bruce	Smallmouth Bass <sup>4</sup> Achigan à petite bouche <sup>4</sup>								
	Rainbow Trout <sup>5</sup> Truite arc-en-ciel <sup>5</sup>								
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>								
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>								
	Chinook <sup>2,3</sup> Saumon chinook <sup>2,3</sup>								

[illegible]



[illegible]




























Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Speed River Rivière Speed</b> Guelph Dam/Barrage de Guelph 4334/8019 Guelph Twp./Canton de Guelph Wellington Co./Cité de Wellington	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>										
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
<b>Speed River Rivière Speed</b> Hespeler 4326/8019 N. Dumfries Twp. Canton de N. Dumfries Waterloo R. M./Mun. rég. de Waterloo	Carp <sup>2</sup> Carpe <sup>2</sup>										
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Steenburg Lake Lac Steenburg</b> 4450/7741 Tudor & Limerick Twp. Cantons de Tudor et de Limerick Hastings Co./Cité d'Hastings	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>										
	Walleye <sup>5</sup> Doré <sup>5</sup>										
	Northern Pike <sup>5</sup> Brochet <sup>5</sup>										
	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>										
<b>Stony Lake Lac Stony</b> 4433/7806 Burleigh & Dummer Twp. Cantons de Burleigh et de Dummer Peterborough Co./Cité de Peterborough	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>										
	Ling <sup>1</sup> Lotte <sup>1</sup>										
	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>										
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										

450/7716 Anglesea Twp./Canton d'Anglesea Lennox & Addington Co Cité de Lennox et d'Addington	Smallmouth Bass¹ Achigan à petite bouche¹ Northern Pike¹ Brochet¹	     							
<b>Slipper Lake Lac Slipper</b> 4517/7842 Havelock Twp./Canton d'Havelock Haliburton Co./Cité d'Haliburton	Lake Trout¹ Truite de lac¹ Brook Trout¹ Truite mouchetée¹	     							
<b>Smoke Lake Lac Smoke</b> 4531/7841 Peck Twp./Canton de Peck Nipissing Dist./Dist. de Nipissing	Ling² Lotte² Smallmouth Bass² Achigan à petite bouche² Lake Trout⁵ Truite de lac⁵ Whitefish⁵ Grand corégone⁵	     							
<b>Snigisi Lake Lac Snigisi</b> 4603/7959 I.R. 3/Rtes. ind. 9 Parry Sound Dist./Dist. de Parry Sound	Northern Pike¹ Brochet¹ Largemouth Bass¹ Achigan à grande bouche¹	     							
<b>Solitaire Lake Lac Solitaire</b> 4523/7901 Sinclair Twp./Canton de Sinclair Muskoka D.M./Mun. du d. de Muskoka	Lake Trout⁴ Truite de lac⁴	     							
<b>South Lake Lac South</b> 4455/7841 Snowden Twp./Canton de Snowden Haliburton Co./Cité d'Haliburton	Smallmouth Bass¹ Achigan à petite bouche² White Sucker² Meunier noir²	     							
<b>South Nation River Rivière South Nation</b> 4519/7507 Dundas, Stormont & Russell Cos Cités de Dundas, de Stormont et de Russell	Walleye⁴ Doré⁴ Sauger¹ Doré noir¹	     							
<b>Sparrow Lake Lac Sparrow</b> 4447/7924 Orillia Twp./Canton d'Orillia Simcoe Co./Cité de Simcoe	Smallmouth Bass¹ Achigan à petite bouche¹ Walleye¹ Doré¹ Largemouth Bass² Achigan à grande bouche²	     							

	15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30+)
<b>Muskie<sup>2</sup></b> <b>Maskinongé<sup>2</sup></b>									
<b>Sturgeon Lake Lac Sturgeon</b> 4428/7843 Fenelon Twp./Canton de Fenelon Victoria Co./Cité de Victoria									
Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>									
Walleye <sup>2</sup> Doré <sup>2</sup>									
Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>									
Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>									
Carp <sup>2</sup> Carpe <sup>2</sup>									
<b>Sydenham Lake Lac Sydenham</b> 4425/7633 Loughborough Twp. Canton de Loughborough Frontenac Co./Cité de Frontenac									
Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>									
Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>									
Black Crappie <sup>2</sup> Marigaine noire <sup>2</sup>									
Northern Pike <sup>1</sup> Brochet <sup>1</sup>									
<b>Sydenham River Rivière Sydenham</b> Dresden to Tupperville De Dresden à Tupperville 4235/8211 Camden & Chatham Twps. Cantons de Camden et de Chatham Kent Co./Cité de Kent									
Northern Pike <sup>1</sup> Brochet <sup>1</sup>									
Walleye <sup>4</sup> Doré <sup>4</sup>									
Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>									
White Bass <sup>2</sup> Bar blanc <sup>2</sup>									
Redhorse Sucker <sup>4</sup> Suceur rouge <sup>4</sup>									
<b>Sydenham River Rivière Sydenham</b> 4424/8055 Sullivan Twp./Canton de Sullivan Grey Co./Cité de Grey									
Brown Trout <sup>4</sup> Truite brune <sup>4</sup>									
<b>Sydenham River Rivière Sydenham</b> at Owen Sound & Owen Sound 4434/8056 Sydenham Twp./Canton de Sydenham Grey Co./Cité de Grey									
Chinook <sup>2</sup> Saumon chinook <sup>2</sup>									

[illegible]

















































	Fish Species/ Espèces de poisson	15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)
<b>Thames River</b> <b>Rivière Thames</b> Pottersburg Creek area Aux environs du ruisseau Pottersburg 4259/8111 London Twp./Canton de London Middlesex Co./Cité de Middlesex	Carp <sup>2,7</sup> Carpe <sup>2,7</sup>									
	White Sucker <sup>2,7</sup> Meunier noir <sup>2,7</sup>									
	Rock Bass <sup>2,7</sup> Craperet de roche <sup>2,7</sup>									
	Redhorse Sucker <sup>2</sup> Suceur rouge <sup>2</sup>									
<b>Thames River</b> <b>Rivière Thames</b> above Springbank Dam to below Fanshawe Dam en amont du barrage Springbank jusqu'en aval du barrage Fanshawe 4259/8114 London Twp./Canton de London Middlesex Co./Cité de Middlesex	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>									
	Carp <sup>2</sup> Carpe <sup>2</sup>									
	Rock Bass <sup>2</sup> Craperet de roche <sup>2</sup>									
<b>Thames River</b> <b>Rivière Thames</b> Greenway Park, London Parc Greenway, London 4258/8117 London Twp./Canton de London Middlesex Co./Cité de Middlesex	Smallmouth Bass <sup>2,9</sup> Achigan à petite bouche <sup>2,9</sup>									
<b>Thames River</b> <b>Rivière Thames</b> above Delaware to below Springbank Dam en amont de Delaware jusqu'à aval du barrage Springbank 4256/8118 Delaware, Westminster & Caradoc Twps. Cantons de Delaware, de Westminster et de Caradac Middlesex Co./Cité de Middlesex	Rock Bass <sup>2</sup> Craperet de roche <sup>2</sup>									
	Walleye <sup>2</sup> Doré <sup>2</sup>									
<b>Thames River</b> <b>Rivière Thames</b> 4219/8217 Tilbury E. Twp./Canton de Tilbury E. Kent Co./Cité de Kent	Walleye <sup>1</sup> Doré <sup>1</sup>									
	Freshwater Drum <sup>1</sup> Malachigan <sup>1</sup>									
	Channel Catfish <sup>2</sup> Barbue de rivière <sup>2</sup>									
	White Bass <sup>2</sup> Bar blanc <sup>2</sup>									





























































<b>Tea Lake Lac Tea</b> 4452/7939 Matchedash Twp. Canton de Matchedash Simcoe Co./Cité de Simcoe	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>  Walleye <sup>2</sup> Doré <sup>2</sup>									
<b>Tedious Lake Lac Tedious</b> 4510/7835 Guilford Twp./Canton de Guilford Haliburton Co./Cité d'Haliburton	White Sucker <sup>3</sup> Meunier noir <sup>3</sup>									
<b>Temperance Lake Lac Temperance</b> 4436/7553 Rear of Yonge & Escott Twp. Canton de Rear of Yonge & Escott Leeds Co./Cité de Leeds	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>  Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>									
<b>Thames River Rivière Thames</b> Middle Branch, above Thamesford Dam to below Pittcock Dam embranchement du milieu, en amont du barrage Thamesford jusqu'en aval du barrage Pittcock 4306/8052 N. W. & E. Oxford Twp. Cantons de N. W. et E. Oxford Oxford Co./Cité d'Oxford	Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>  Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>									
<b>Thames River Rivière Thames</b> downstream of Pitcock Reservoir en aval du réservoir Pitcock 4302/8053 W. Oxford Twp./Canton de W. Oxford Oxford Co./Cité d'Oxford	Northern Pike <sup>2</sup> Brochet <sup>2</sup>  Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>									
<b>Thames River Rivière Thames</b> downstream of St. Mary's en aval de St. Mary's 4313/8108 Blanshard Twp./Canton de Blanshard Perth Co./Cité de Perth	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>									
<b>Thames River Rivière Thames</b> North Branch, above Fanshawe Dam embranchement du nord, en amont du barrage Fanshawe 4305/8111 W. Nissouri Twp./Canton de W. Nissouri Middlesex Co./Cité de Middlesex	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>  Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>									

15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30-)
----------------	-----------------	------------------	------------------	------------------	------------------	------------------	------------------	---------------

Thames River Rivière Thames		Walleye <sup>2</sup> Doré <sup>2</sup>																		
Jeanettes Creek Ruisseau Jeanettes 4220/8225 Tilbury E. Twp./Canton de Tilbury E. Kent Co./Cte de Kent		White Crappie <sup>1</sup> Marigane blanche <sup>1</sup>																		
		White Bass <sup>1</sup> Bar blanc <sup>1</sup>																		
		Carp <sup>1</sup> Carpe <sup>1</sup>																		
		Gizzard Shad <sup>1</sup> Alose à gésier <sup>1</sup>																		
		Redhorse Sucker <sup>1</sup> Suceur rouge <sup>1</sup>																		
		Brown Bullhead <sup>1</sup> Barbotte brune <sup>1</sup>																		
		Black Crappie <sup>1</sup> Marigane noire <sup>1</sup>																		
		Freshwater Drum <sup>1</sup> Malachigan <sup>1</sup>																		
		Northern Pike <sup>1</sup> Brochet <sup>1</sup>																		
<b>Third Depot Lake Lac Third Depot</b>		Walleye <sup>2</sup> Doré <sup>2</sup>																		
4434/7647 Hinchinbrooke Twp. Canton d'Hinchinbrooke Frontenac Co./Cte de Frontenac		Northern Pike <sup>1</sup> Brochet <sup>1</sup>																		
<b>Three Mile Lake Lac Three Mile</b>		Walleye <sup>2</sup> Doré <sup>2</sup>																		
4535/7919 Armour Twp./Canton d'Armour Parry Sound Dist./Dist. de Parry Sound																				
<b>Three Mile Lake Lac Three Mile</b>		Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>2</sup>																		
4510/7927 Watt Twp./Canton de Watt Muskoka D. M./Mun. du d. de Muskoka		Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>2</sup>																		
		Walleye <sup>2</sup> Doré <sup>2</sup>																		
<b>Timberwolf Lake Lac Timberwolf</b>		Lake Trout <sup>6</sup> Truite de lac <sup>6</sup>																		
4541/7848 Hunter Twp./Canton d'Hunter Nipissing Dist./Dist. de Nipissing		Yellow Perch <sup>6</sup> Perchaude <sup>6</sup>																		

15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Tower Lake Lac Tower</b> 4555/7914 Laurier Twp./Canton de Laurier Parry Sound Dist./Dist. de Parry Sound	Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>										
<b>Trout Lake Lac Trout</b> east of North Bay/à l'est de North Bay 4618/7920 E. Ferris & Widdifield Twps Cantons d'E. Ferris et de Widdifield Nipissing Dist./Dist. de Nipissing	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>Trout Lake Lac Trout</b> 4535/8010 E. Burpee Twp./Canton d'E. Burpee Parry Sound Dist./Dist. de Parry Sound	Smallmouth Bass <sup>4</sup> Achigan à petite bouche <sup>4</sup>										
	Lake Trout <sup>4</sup> Truite de lac <sup>4</sup>										
	Cisco <sup>6</sup> Cisco de lac <sup>6</sup>										
<b>Turtle Lake Lac Turtle</b> Mattawa River/Rivière Mattawa 4618/7910 Bonfield & Phelps Twps Cantons de Bonfield et de Phelps Nipissing Dist./Dist. de Nipissing	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>Twelve Mile Lake Lac Twelve Mile</b> 4501/7843 Minden Twp./Canton de Minden Haliburton Co./Cité d'Haliburton	Lake Trout <sup>4</sup> Truite de lac <sup>4</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Unnamed Lake #420 Lac Innommé N° 420</b> 4531/7857 Finlayson Twp./Canton de Finlayson Muskoka D. M./Mun. du d. de Muskoka	Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>										
<b>Upper Beverley Lake Lac Upper Beverley</b> 4437/7605 Bastard Twp./Canton de Bastard Leeds Co./Cité de Leeds	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Waterford Lakes</b> <b>Lacs de Waterford</b> 4256/8019 Townsend Twp./Canton de Townsend Haldimand-Norfolk R. M. Mun. rég. d'Haldimand-Norfolk	Black Crappie <sup>1</sup> Marigane noire <sup>1</sup>										
	Carp <sup>1</sup> Carpe <sup>1</sup>										
	Channel Catfish <sup>2</sup> Barbue de rivière <sup>2</sup>										
	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>										
<b>(Lower) Welland River</b> <b>Rivière Welland</b> <b>(tronçon inférieur)</b> east of Port Robinson à l'est de Port Robinson 4303/7912 Thorold Twp./Canton de Thorold Niagara R. M./Mun. rég. de Niagara	Freshwater Drum <sup>2</sup> Malachigan <sup>2</sup>										
	Channel Catfish <sup>2</sup> Barbue de rivière <sup>2</sup>										
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Welland River</b> <b>Rivière Welland</b> Wellandport 4300/7929 Niagara R. M./Mun. rég. de Niagara	Channel Catfish <sup>2</sup> Barbue de rivière <sup>2</sup>										
	Carp <sup>2</sup> Carpe <sup>2</sup>										
	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>										
<b>Weslemkoon Lake</b> <b>Lac Weslemkoon</b> 4502/7725 Ashby & Effingham Twp. Cantons d'Ashby et d'Effingham Lennox & Addington Co. Cité de Lennox & d'Addington	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										

# Upper Rideau Lake Lac Upper Rideau

4441/7620  
N. Crosby Twp./Canton de N. Crosby  
Leeds Co./Cité de Leeds

Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>											
Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>											
Rock Bass <sup>1</sup> Crapet de roche <sup>1</sup>											
Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>											
Northern Pike <sup>1</sup> Brochet <sup>1</sup>											

# Urbach Lake Lac Urbach

4450/7749  
Wollaston Twp./Canton de Wollaston  
Hastings Co./Cité d'Hastings

Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>											
---	--	--	--	--	--	--	--	--	--	--	--

# Lake Vernon Lac Vernon

4520/7917  
Stisted Twp./Canton de Stisted  
Muskoka D. M./Mun. du d. de Muskoka

Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>											
Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>											
Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>											

# Wahwashkesh Lake Lac Wahwashkesh

4543/8002  
McKenzie Twp./Canton de McKenzie  
Parry Sound Dist./Dist. de Parry Sound

Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>											
--	--	--	--	--	--	--	--	--	--	--	--

# Wainfleet Marsh Marais Wainfleet

4255/7918  
Wainfleet Twp./Canton de Wainfleet  
Niagara R. M./Mun. rég. de Niagara

Carp <sup>4</sup> Carpe <sup>4</sup>											
---	--	--	--	--	--	--	--	--	--	--	--

# Walker Lake Lac Walker

4523/7905  
Sinclair Twp./Canton de Sinclair  
Muskoka D. M./Mun. du d. de Muskoka

Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>											
--	--	--	--	--	--	--	--	--	--	--	--

# Waseosa Lake Lac Waseosa

4524/7917  
Chaffey Twp./Canton de Chaffey  
Muskoka D. M./Mun. du d. de Muskoka

Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>											
Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>											
Brook Trout <sup>2</sup> Truite mouchetée <sup>2</sup>											

15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)

# West Lake Lac West

4356/7717  
Hallowell Twp./Canton d'Hallowell  
Prince Edward Co.  
Cité de Prince Edward

Walleye <sup>2</sup> Doré <sup>2</sup>											
Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>											
Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>											
Northern Pike <sup>2</sup> Brochet <sup>2</sup>											

# West Don River Rivière West Don

G. Ross Lord Reservoir  
Reservoir G. Ross Lord  
4344/7923  
North York

Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>											
Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>											

# West Humber River Rivière West Humber

Clareville Reservoir  
Reservoir Clareville  
4345/7940  
Toronto Twp./Canton de Toronto  
Peel R. M./Mun. rég. de Peel

Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>											
Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>											

# White Lake Lac White

4518/7631  
Darling Twp./Canton de Darling  
Lanark Co./Cité de Lanark

Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>											
Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>											
Northern Pike <sup>1</sup> Brochet <sup>1</sup>											
Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>											
Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>											

# White Lake Lac White

4450/7829  
Galway Twp./Canton de Galway  
Peterborough Co./Cité de Peterborough

Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>											
Muskie <sup>1</sup> Maskinongé <sup>1</sup>											













































# White Partridge Lake Lac White Partridge

4550/7806  
Niven Twp./Canton de Niven  
Nipissing Dist./Dist. de Nipissing

Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>											
Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>											

15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)







































































Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Whitefish Lake Lac Whitefish</b> 4432/7614 S. Crosby Twp./Canton de S. Crosby Leeds Co./Cité de Leeds	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>										
	Bluegill <sup>1</sup> Crapet arlequin <sup>1</sup>										
<b>Whitestone Lake Lac Whitestone</b> 4539/7952 Hagerman & Croft Twps Cantons d'Hagerman et de Croft Parry Sound Dist./Dist. de Parry Sound	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>4</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Widow Lake Lac Widow</b> 4509/7641 Lavant Twp./Canton de Lavant Lanark Co./Cité de Lanark	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>										
<b>Wildwood Lake Lac Wildwood</b> 4314/8102 Zorra Twp./Canton de Zorra Oxford Co./Cité d'Oxford	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>										
<b>Willow Creek Ruisseau Willow</b> west of George Lake ouest du lac George 4510/8135 St. Edmunds Twp./Canton de St. Edmunds Bruce Co./Cité de Bruce	Brown Trout <sup>2</sup> Truite brune <sup>2</sup>										
<b>Wolf Lake Lac Wolf</b> 4442/7732 Tudor Twp./Canton de Bedford Hastings Co./Cité d'Hastings	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>										
<b>Wolfe Lake Lac Wolfe</b> 4441/7630 Bedford Twp./Canton de Bedford Frontenac Co./Cité de Frontenac	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Wollaston Lake Lac Wollaston</b> 4451/7750 Wollaston Twp./Canton de Wollaston Hastings Co./Cité d'Hastings	Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>1</sup>										
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										

Wood Lake Lac Wood		Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>2</sup>								
4501/7905 Oakley Twp./Canton d'Oakley Muskoka D. M./Mun. du d. de Muskoka		Walleye <sup>1</sup> Doré <sup>2</sup>								
Woodcock Lake Lac Woodcock	4602/8004 I.R. 9/Rés. ind. 9 Parry Sound Dist./Dist. de Parry Sound	Walleye <sup>1</sup> Doré <sup>2</sup>								
		Northern Pike <sup>1</sup> Brochet <sup>2</sup>								
		Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>2</sup>								
		Largemouth Bass <sup>1</sup> Achigan à grande bouche <sup>2</sup>								
Woodland Lake Lac Woodland	4454/7933 Wood Twp./Canton de Wood Muskoka D. M./Mun. du d. de Muskoka	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>2</sup>								
		Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>2</sup>								
Young Lake Lac Young	4513/7933 Watt Twp./Canton de Watt Muskoka D. M./Mun. du d. de Muskoka	Lake Trout <sup>1</sup> Truite de lac <sup>2</sup>								

15-20  
(6-8)
20-25  
(8-10)
25-30  
(10-12)
30-35  
(12-14)
35-45  
(14-18)
45-55  
(18-22)
55-65  
(22-26)
65-75  
(26-30)
> 75  
> 30



15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 >75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) >(30)

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Abitibi River</b> <b>Rivière Abitibi</b> Island Falls 4935/6123 Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Sturgeon <sup>2</sup> Esturgeon de lac <sup>2</sup>										
		75-90 (30-35)	90-120 (35-40)	100-115 (40-45)	115-150 (45-60)						
<b>Abitibi River</b> <b>Rivière Abitibi</b> Abitibi Canyon/Gorge Abitibi 4952/6134 Cochrane Dist./Dist. de Cochrane	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Goldeye <sup>2</sup> Laquaiche aux yeux d'or <sup>2</sup>										
<b>Abitibi River</b> <b>Rivière Abitibi</b> Moose River/Rivière Moose 5103/8055 Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>6</sup> Brochet <sup>6</sup>										
	Walleye <sup>6</sup> Doré <sup>6</sup>										
		45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	75-90 (30-35)	90-100 (35-40)	100-115 (40-45)	115-150 (45-60)			
	Sturgeon <sup>5</sup> Esturgeon de lac <sup>5</sup>										
<b>Aegean Lake</b> <b>Lac Aegean</b> 5049/9449 Kenora Dist./Dist. de Kenora	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
<b>Agnes Lake</b> <b>Lac Agnes</b> 4816/9120 Rainy River Dist./Dist. de Rainy River	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										



Water Body/  
Cours d'eau

Fish Species/  
Espèces de poisson

Fish size in centimetres (inches)  
Longueur du poisson en centimètres (pouces)

**Anima Nipissing Lake**  
**Lac Anima Nipissing**

4714/7967  
Bngstocke Twp./Canton de Bngstocke  
Timiskaming Dist./Dist. de Timiskaming

Walleye<sup>1</sup>  
Doré<sup>1</sup>

**Anjigami Lake**  
**Lac Anjigami**

4750/8436  
Restoule, Redsky  
& Neboisauquet Twps  
Cantons de Restoule,  
de Redsky et de Neboisauquet  
Algoma Dist./Dist. d'Algoma

Walleye<sup>4</sup>  
Doré<sup>4</sup>  
Northern Pike<sup>4</sup>  
Brochet<sup>4</sup>

**Apungsisagen (Lower Steeprock) Lake**  
**Lac Apungsisagen**

4846/9141  
Freeborn Twp./Canton de Freeborn  
Rainy River Dist./Dist. de Rainy River

Walleye<sup>2</sup>  
Doré<sup>2</sup>  
Northern Pike<sup>2</sup>  
Brochet<sup>2</sup>

**Aquatuk Lake**  
**Lac Aquatuk**

5422/8433  
Kenora Dist./Dist. de Kenora

Northern Pike<sup>2</sup>  
Brochet<sup>2</sup>

**Ara Lake**  
**Lac Ara**

5033/8728  
Thunder Bay Dist./Dist. de Thunder Bay

Walleye<sup>6</sup>  
Doré<sup>6</sup>  
Northern Pike<sup>6</sup>  
Brochet<sup>6</sup>



































































White Sucker<sup>6</sup>  
Meunier noir<sup>6</sup>  
Whitfish<sup>6</sup>  
Grand corégone<sup>6</sup>

Yellow Perch<sup>6</sup>  
Perchaude<sup>6</sup>  
Cisco<sup>6</sup>  
Cisco de lac<sup>6</sup>




















































**Aramis Lake**  
**Lac Aramis**





















































4844/9123  
Rainy River Dist./Dist. de Rainy River



































Walleye<sup>2</sup>  
Doré<sup>2</sup>  
Northern Pike<sup>2</sup>  
Brochet<sup>2</sup>

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)
<b>Audrey Lake Lac Audrey</b> 4927/8203 Beardmore & Machin Twps Cantons de Beardmore et de Machin Cochrane Dist./Dist. de Cochrane	Walleye/ Doré <sup>1</sup>									
	Northern Pike/ Brochet <sup>1</sup>									
<b>Austen Lake Lac Austen</b> 4803/8103 Hincks Twp./Canton d'Hincks Timiskaming Dist./Dist. de Timiskaming	Walleye/ Doré <sup>1</sup>									
<b>Avery Lake Lac Avery</b> 4940/9222 Avery Twp./Canton d'Avery Kenora Dist./Dist. de Kenora	Northern Pike/ Brochet <sup>1</sup>									
<b>Badesdawa Lake Lac Badesdawa</b> 5145/8945 Kenora Dist./Dist. de Kenora	Northern Pike <sup>3</sup> Brochet <sup>3</sup>									
	Redhorse Sucker <sup>4</sup> Suceur rouge <sup>5</sup>									
	Longnose Sucker <sup>1</sup> Meunier rouge <sup>1</sup>									
	Whitefish <sup>1</sup> Grand corégone <sup>5</sup>									
	Walleye <sup>5</sup> Doré <sup>5</sup>									
	Cisco <sup>5</sup> Cisco de lac <sup>5</sup>									
<b>Bad Vermillion Lake Lac Bad Vermillion</b> 4844/9240 Rainy River Dist./Dist. de Rainy River	Northern Pike <sup>1</sup> Brochet <sup>1</sup>									
	Walleye <sup>1</sup> Doré <sup>1</sup>									
<b>Baker Lake Lac Baker</b> 4930/8022 Tweed Twp./Canton de Tweed Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>									
	Walleye <sup>1</sup> Doré <sup>1</sup>									
<b>Ball Lake Lac Ball</b> 5018/9400 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1,9</sup> Brochet <sup>1,9</sup>									






































		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Barrel Lake Lac Barrel</b> 4939/9131 Kenora Dist./Dist. de Kenora	Walleye¹ Doré¹										
	Whitefish¹ Grand corégone¹										
	Cisco¹ Cisco de lac¹										
<b>Barton Lake Lac Barton</b> 5200/9406 Kenora Dist./Dist. de Kenora	Northern Pike¹ Brochet¹										
	Walleye¹ Doré¹										
<b>Basswood Lake Lac Basswood</b> 4805/9135 Rainy River Dist./Dist. de Rainy River	Walleye¹ Doré¹										
	Lake Trout¹ Truite de lac¹										
<b>Batwing Lake Lac Batwing</b> 4826/9010 Thunder Bay Dist./Dist. de Thunder Bay	Walleye¹ Doré¹										
<b>Bauldry (Scott) Lake Lac Bauldry (Scott)</b> 4806/8439 Esquewa Twp./Canton d'Esquewa Algoma Dist./Dist. d'Algoma	Lake Trout² Truite de lac²										
<b>Bay Lake Lac Bay</b> 4721/7951 Coleman Twp./Canton de Coleman Timiskaming Dist./Dist. de Timiskaming	Walleye¹ Doré¹										
	Northern Pike¹ Brochet¹										
<b>Bear Lake Lac Bear</b> 4612/8127 Roosevelt & Dieppe Twps. Cantons de Roosevelt et de Dieppe Sudbury Dist./Dist. de Sudbury	Lake Trout⁴ Truite de lac⁴										
<b>Bearskin Lake Lac Bearskin</b> 5345/9142 Kenora Dist./Dist. de Kenora	Walleye¹ Doré¹										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Big Trout Lake Lac Big Trout</b> Bug River Rivière Bug 5343/9006 Kenora Dist./Dist. de Kenora	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Longnose Sucker <sup>2</sup> Meunier rouge <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>1</sup>										
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>Big Trout Lake Lac Big Trout</b> near Fawn River près de la rivière Fawn 5345/9020 Kenora Dist./Dist. de Kenora	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>										
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
<b>Big Trout Lake Lac Big Trout</b> near village près du village 5350/9000 Kenora Dist./Dist. de Kenora	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>1</sup>										
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
<b>Bigshell Lake Lac Bigshell</b> 5124/9426 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>Bigwater Lake Lac Bigwater</b> 4837/8118 Murphy Twp./Canton de Murphy Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										



























































<b>Beaton Lake Lac Beaton</b> 4853/8448 Gourlay & Breckenridge Twp. Cantons de Gourlay de Breckenridge Algoma Dist./Dist. d'Algoma	Northern Pike <sup>1</sup> Brochet <sup>1</sup>																
<b>Beaver Lake Lac Beaver</b> 4657/8051 Fraleck Twp./Canton de Fraleck Sudbury Dist./Dist. de Sudbury	Lake Trout <sup>6</sup> Truite de lac <sup>5</sup>																
<b>Beavertrap Lake Lac Beavertrap</b> 4901/8727 Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>1</sup> Doré <sup>1</sup> Northern Pike <sup>1</sup> Brochet <sup>1</sup>																
<b>Bellows Lake Lac Bellows</b> 4619/8220 Deagle Twp./Canton de Deagle Algoma Dist./Dist. d'Algoma	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>																
<b>Bending Lake Lac Bending</b> 4919/9208 Kenora Dist./Dist. de Kenora	Lake Trout <sup>6</sup> Truite de lac <sup>5</sup> Walleye <sup>6</sup> Doré <sup>6</sup> Northern Pike <sup>6</sup> Brochet <sup>6</sup>																
<b>Bennet Lake Lac Bennet</b> 4948/8218 Guilfoyle Twp./Canton de Guilfoyle Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup> Northern Pike <sup>1</sup> Brochet <sup>1</sup>																
<b>Big Basswood Lake Lac Big Basswood</b> 4619/8324 Day Twp./Canton de Day Algoma Dist./Dist. d'Algoma	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>																
<b>Big Sawbill Lake Lac Big Sawbill</b> 4854/9300 Rainy River Dist./Dist. de Rainy River	Northern Pike <sup>1</sup> Brochet <sup>1</sup>																

15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)

<b>Bigwood Lake Lac Bigwood</b> 4651/8105 Sudbury Dist./Dist. de Sudbury	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup> Walleye <sup>1</sup> Doré <sup>1</sup>															
<b>Billy Lake Lac Billy</b> 4538/7807 Preston Twp./Canton de Preston Nipissing Dist./Dist. de Nipissing	Rainbow Trout <sup>3</sup> Truite arc-en-ciel <sup>3</sup> Splake <sup>3</sup> Truite moulac <sup>3</sup>															
<b>Biscotasi Lake Lac Biscotasi</b> 4719/8207 Biscotasi Twp./Canton de Biscotasi Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup> Walleye <sup>1</sup> Doré <sup>1</sup>															
<b>Biscotasing Lake Lac Biscotasing</b> 4717/8206 Margaret Twp./Canton de Margaret Sudbury Dist./Dist. de Sudbury	Walleye <sup>1</sup> Doré <sup>1</sup>															
<b>Black Beaver Lake Lac Black Beaver</b> 4724/8430 Greenwood Twp./Canton de Greenwood Algoma Dist./Dist. d'Algoma	Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup> Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>															
<b>Black Birch Lake Lac Black Birch</b> 5230/8450 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>															
<b>Black River Rivière Black</b> 4842/8038 Walker Twp./Canton de Walker Timiskaming Dist./Dist. de Timiskaming	Walleye <sup>1</sup> Doré <sup>1</sup>															
<b>Black River Rivière Black</b> 4839/8613 Pic Twp./Canton de Pic Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>1</sup> Doré <sup>1</sup>															
<b>Black River Rivière Black</b> Hwy. 614/Autoroute 614 4850/8555 Pic Twp./Canton de Pic Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>1</sup> Doré <sup>1</sup>															

15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Black Sturgeon Lake Lac Black Sturgeon</b> 4920/8853 Thunder Bay Dist./Dist. de Thunder Bay	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Black Trout Lake Lac Black Trout</b> 4803/8450 Bailloquet Twp./Canton de Bailloquet Algoma Dist./Dist. d'Algoma	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>Blackwater River Rivière Blackwater</b> mouth/embouchure 4931/8809 Kitto Twp./Canton de Kitto Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Blue Lake Lac Blue</b> 4919/8115 Cochrane Dist./Dist. de Cochrane	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>Blueberry Lake Lac Blueberry</b> 5009/9444 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>										
<b>Bluesucker Lake Lac Bluesucker</b> 4710/8037 Dundee Twp./Canton de Dundee Sudbury Dist./Dist. de Sudbury	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>Bolster Lake Lac Bolster</b> 5130/8844 Thunder Bay Dist./Dist. de Thunder Bay	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Bridgeland Lake</b> <b>Lac Bridgeland</b> 4626/8329 Bridgeland Twp./Canton de Bridgeland Algoma Dist./Dist. d'Algoma	Brook Trout¹ Truite mouchetée¹										
<b>Bright Lake</b> <b>Lac Bright</b> 4616/8318 Day, Gladstone & Bright Towns Cantons de Day, de Gladstone et de Bright Algoma Dist./Dist. d'Algoma	Walleye¹ Doré¹										
	Northern Pike¹ Brochet¹										
<b>Brock Lake</b> <b>Lac Brock</b> 5221/8941 Kenora Dist./Dist. de Kenora	Walleye¹ Doré¹										
<b>Bruce Lake</b> <b>Lac Bruce</b> 5949/9320 Kenora Dist./Dist. de Kenora	Walleye² Doré²										
	Northern Pike² Brochet²										
	White Sucker² Meunier noir²										
<b>Brunswick Lake</b> <b>Lac Brunswick</b> 4858/8323 Byng, Cromiech & Ericson Towns Cantons de Byng, de Cromiech et d'Ericson Algoma Dist./Dist. d'Algoma	Walleye² Doré²										
	Northern Pike² Brochet²										
<b>Buck Lake</b> <b>Lac Buck</b> 4926/9431 Kenora Dist./Dist. de Kenora	Lake Trout¹ Truite de lac¹										
<b>Burns Lake</b> <b>Lac Burns</b> 4636/8307 Varley Twp./Canton de Varley Algoma Dist./Dist. d'Algoma	Lake Trout¹ Truite de lac¹										







<b>Chilton Lake Lac Chilton</b> 5225/9033 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>																		
<b>Chin Lake Lac Chin</b> 4913/8042 Laughton Twp./Canton de Laughton Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>																		
<b>Chub Lake Lac Chub</b> 4845/9155 Rainy River Dist./Dist. de Rainy River	Walleye <sup>2</sup> Doré <sup>2</sup>																		
<b>Chukini River Rivière Chukini</b> upstream of Keg Lake en aval de lac Keg 5102/9343 Kenora Dist./Dist. de Kenora	Walleye <sup>6</sup> Doré <sup>6</sup>																		
	Northern Pike <sup>6</sup> Brochet <sup>6</sup>																		
<b>Cigar Lake Lac Cigar</b> 4841/8558 Bomby Twp./Canton de Bomby Thunder Bay Dist./Dist. de Thunder Bay	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>																		
<b>Claire Lake Lac Claire</b> 4937/8437 Arnott Twp./Canton d'Arnott Algoma Dist./Dist. d'Algoma	Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>																		
<b>Clarice Lake Lac Clarice</b> 4820/7932 Pontiac Twp./Canton de Pontiac Timiskaming Dist./Dist. de Timiskaming	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>																		
<b>Clay Lake Lac Clay</b> 5003/9330 Redvers Twp./Canton de Redvers Kenora Dist./Dist. de Kenora	Walleye <sup>8,9</sup> Doré <sup>8,9</sup>																		
	Northern Pike <sup>8,9</sup> Brochet <sup>8,9</sup>																		
	Whitefish <sup>8,9</sup> Grand corégone <sup>8,9</sup>																		
	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>																		
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>																		

15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)

<b>Confederation Lake Lac Confederation</b> 5105/9244 Dent Twp./Canton de Dent Kenora Dist./Dist. de Kenora	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>																		
<b>Constance Lake Lac Constance</b> I.R. 92/Rés. ind. 92 4948/8409 Studholme Twp./Canton de Studholme Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>5</sup> Brochet <sup>5</sup>																		
	White Sucker <sup>5</sup> Meunier noir <sup>5</sup>																		
	Yellow Perch <sup>5</sup> Perchaude <sup>5</sup>																		
<b>Cooper Lake Lac Cooper</b> 4903/8259 Oscar Twp./Canton d'Oscar Algoma Dist./Dist. d'Algoma	Northern Pike <sup>1</sup> Brochet <sup>1</sup>																		
<b>Coppell Lake Lac Coppell</b> 4931/8349 Lowther Twp./Canton de Lowther Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>																		
<b>Cordick Lake Lac Cordick</b> 5238/8953 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>																		
<b>Cordingley Lake Lac Cordingley</b> 5015/8639 Alpha Twp./Canton d'Alpha Thunder Bay Dist./Dist. de Thunder Bay	Northern Pike <sup>1</sup> Brochet <sup>1</sup>																		
<b>Corner Lakes Lacs aux Coins</b> 5018/7941 Cochrane Dist./Dist. de Cochrane	Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>																		
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>																		
<b>Cosgrave Lake Lac Cosgrave</b> 4914/8756 Thunder Bay Dist./Dist. de Thunder Bay	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>																		
<b>Cox Lake Lac Cox</b> 4916/8821 Thunder Bay Dist./Dist. de Thunder Bay	Northern Pike <sup>1</sup> Brochet <sup>1</sup>																		

15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Crerar Lake</b> <b>Lac Crerar</b> 5135/8915 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup> Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Crooked Lake</b> <b>Lac Crooked</b> 4820/8351 Stover & Bracklin Twps Cantons de Stover et de Bracklin Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup> Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Crooked Pine Lake</b> <b>Lac Crooked Pine</b> 4847/9104 Trotter & Weaver Twps Cantons de Trotter et de Weaver Rainy River Dist./Dist. de Rainy River	Walleye <sup>2</sup> Doré <sup>2</sup> Northern Pike <sup>2</sup> Brochet <sup>2</sup> Cisco <sup>1</sup> Cisco de lac <sup>1</sup>										
<b>Crossecho Lake</b> <b>Lac Crossecho</b> 4953/9224 Echo Twp./Canton d'Echo Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Crosswise Lake</b> <b>Lac Crosswise</b> 4724/7939 Coleman Twp./Canton de Coleman Timiskaming Dist. Dist. de Timiskaming	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup> Yellow Perch <sup>6</sup> Perchaude <sup>6</sup> White Sucker <sup>5</sup> Meunier noir <sup>5</sup> Northern Pike <sup>5</sup> Brochet <sup>5</sup>										
<b>Crystal Lake</b> <b>Lac Crystal</b> 5102/9424 Kenora Dist./Dist. de Kenora	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>Culverson Lake</b> <b>Lac Culverson</b> 5220/9338 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>DeCoursey Lake</b> <b>Lac DeCoursey</b> 4859/8914 Thunder Bay Dist./Dist. de Thunder Bay	Walleye¹ Doré¹ Whitefish¹ Grand corégone¹										
<b>Deer Lake</b> <b>Lac Deer</b> General/Général 5240/9415 Kenora Dist./Dist. de Kenora	Northern Pike¹ Brochet¹ Walleye¹ Doré¹										
<b>Deer Lake</b> <b>Lac Deer</b> east end/est 5237/9406 Kenora Dist./Dist. de Kenora	Walleye¹ Doré¹ Northern Pike¹ Brochet¹										
<b>Deer Lake</b> <b>Lac Deer</b> west end/ouest 5237/9425 Kenora Dist./Dist. de Kenora	Walleye¹ Doré¹										
<b>Delaney Lake</b> <b>Lac Delaney</b> 5005/9403 Kenora Dist./Dist. de Kenora	White Sucker¹ Meunier noir¹ Smallmouth Bass¹ Achigan à petite bouche¹ Rock Bass¹ Crapet de roche¹ Ling¹ Lotte¹ Lake Trout¹ Truite de lac¹ Whitefish¹ Grand corégone¹ Northern Pike¹ Brochet¹										
<b>De Lesseps Lake</b> <b>Lac De Lesseps</b> 5043/9042 Kenora Dist./Dist. de Kenora	Walleye¹ Doré¹										

# **Cutler Lake Lac Cutler**

4611/6156  
Harrow & McKinnon Twp.  
Cantons d'Harrow et de McKinnon  
Manitoulin Dist./Dist. de Manitoulin

Walleye<sup>1</sup>  
Doré<sup>1</sup>



# **The Dalles Les Dalles**

Winnipeg River/Rivière Winnipeg  
4954/8433  
Kenora Dist./Dist. de Kenora

Walleye<sup>2</sup>  
Doré<sup>2</sup>



Northern Pike<sup>2</sup>  
Brochet<sup>2</sup>



Yellow Perch<sup>2</sup>  
Perchaude<sup>2</sup>



Redhorse Sucker<sup>1</sup>  
Suceur rouge<sup>1</sup>



White Sucker<sup>2</sup>  
Meunier noir<sup>2</sup>



Sauger<sup>2</sup>  
Doré noir<sup>2</sup>



Cisco<sup>2</sup>  
Cisco de lac<sup>2</sup>



Brown Bullhead<sup>1</sup>  
Barbotte brune<sup>1</sup>



Rock Bass<sup>1</sup>  
Crapet de roche<sup>1</sup>



Whitefish<sup>1</sup>  
Grand corégone<sup>1</sup>



# **Darkwater Lake Lac Darkwater**

4961/9100  
Kenora Dist./Dist. de Kenora

Northern Pike<sup>6</sup>  
Brochet<sup>6</sup>



Walleye<sup>6</sup>  
Doré<sup>6</sup>



White Sucker<sup>6</sup>  
Meunier noir<sup>6</sup>



# **Darrel Lake Lac Darrel**

4620/8307  
Patton Twp./Canton de Patton  
Algoma Dist./Dist. d'Algoma

Yellow Perch<sup>1</sup>  
Perchaude<sup>1</sup>



# **Davies Lake Lac Davies**

4819/8442  
Dumas Twp./Canton de Dumas  
Algoma Dist./Dist. d'Algoma

Walleye<sup>1</sup>  
Doré<sup>1</sup>



Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>



# **Denyes Lake Lac Denyes**

4750/8247  
Raney & Denyes Twp.  
Cantons de Raney et de Denyes  
Sudbury Dist./Dist. de Sudbury

Walleye<sup>1</sup>  
Doré<sup>1</sup>



Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>



# **Departure Lake Lac Departure**

4915/8148  
Haggar Twp./Canton d'Haggar  
Cochrane Dist./Dist. de Cochrane

Walleye<sup>1</sup>  
Doré<sup>1</sup>



Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>



# **Deschenes Lake Lac Deschenes**

4723/8131  
Hennessy Twp./Canton d'Hennessy  
Sudbury Dist./Dist. de Kenora

Walleye<sup>1</sup>  
Doré<sup>1</sup>



Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>



# **Devonshire Lake Lac Devonshire**

4848/8055  
McCart & Newmarket Twp.  
Cantons de McCart et de Newmarket  
Cochrane Dist./Dist. de Cochrane

Walleye<sup>1</sup>  
Doré<sup>1</sup>



Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>



# **Dobie Lake Lac Dobie**

5127/9103  
Kenora Dist./Dist. de Kenora

Walleye<sup>1</sup>  
Doré<sup>1</sup>



# **Dog Lake Lac Dog**

near Missinaibi  
près de Missinaibi  
4817/8408  
Algoma Dist./Dist. d'Algoma

Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>



Walleye<sup>1</sup>  
Doré<sup>1</sup>



# **Dog Lake Lac Dog**

northwest of Thunder Bay  
nord-ouest de Thunder Bay  
4846/8932  
Thunder Bay Dist./Dist. de Thunder Bay

Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>



# **Dogtooth Lake Lac Dogtooth**

4943/9410  
Coyle & Lemay Twp.  
Canton de Coyle et de Lemay  
Kenora Dist./Dist. de Kenora

Whitefish<sup>2</sup>  
Grand corégone<sup>2</sup>




































































White Sucker<sup>2</sup>  
Meunier noir<sup>2</sup>












































15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)





































15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Dominion Lake Lac Dominion</b> 5004/9122 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Donald Lake Lac Donald</b> 5102/9455 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Donaldson Lake Lac Donaldson</b> 5202/9444 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Donnegana Lake Lac Donnegana</b> 4722/8135 Inverness & Hennessy Twp Cantons d'Inverness et d'Hennessy Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Donnelly Lake Lac Donnelly</b> 5230/9052 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Dora Lake Lac Dora</b> 4911/8058 Blount Twp./Canton de Blount Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Doucette Lake Lac Doucette</b> 4856/8038 Mortimer Twp./Canton de Mortimer Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Douglas Lake Lac Douglas</b> 4944/8221 Guilfoyle Twp./Canton de Guilfoyle Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Eagle Lake Lac Eagle</b> south of Eagle River au sud de la rivière Eagle 4942/9313 Aubrey & Temple Twp. Cantons d'Aubrey et de Temple Kenora Dist./Dist. de Kenora	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>										
<b>Eaglehead Lake Lac Eaglehead</b> 4902/8912 Thunder Bay Dist./Dist. de Thunder Bay	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>East Lake Lac East</b> 5344/9317 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Echo Lake Lac Echo</b> 4634/8359 Kehoe Twp./Canton de Kehoe Algoma Dist./Dist. d'Algoma	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Eddie Lake Lac Eddie</b> 4924/8115 Marven Twp./Canton de Marven Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Eden Lake Lac Eden</b> 5040/9459 Kenora Dist./Dist. de Kenora	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
	Ling <sup>1</sup> Lotte <sup>1</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
<b>Eleanor Lake Lac Eleanor</b> 4945/8232 Weichel Twp./Canton de Weichel Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										



Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Endelman Lake</b> <b>Lac Endelman</b> 4913/8003 Kenning Twp./Canton de Kenning Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Endikai Lake</b> <b>Lac Endikai</b> 4635/8302 Albanel Twp./Canton d'Albanel Algoma Dist./Dist. d'Algoma	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup> Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Eskwanonwatin Lake</b> <b>Lac Eskwanonwatin</b> 4911/8837 Adamson Twp./Canton d'Adamson Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Esmee Lake</b> <b>Lac Esmee</b> 4857/8228 Seaton Twp./Canton de Seaton Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Esnagami Lake</b> <b>Lac Esnagami</b> 5019/8650 Esnagami Twp./Canton d'Esnagami Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>6</sup> Doré <sup>6</sup> Northern Pike <sup>2</sup> Brochet <sup>6</sup>										
	Cisco <sup>6</sup> Cisco de lac <sup>6</sup>										
	Whitefish <sup>6</sup> Grand corégone <sup>6</sup>										
	Yellow Perch <sup>6</sup> Perchaude <sup>6</sup>										
	White Sucker <sup>6</sup> Meunier noir <sup>6</sup>										
<b>Esnagi Lake</b> <b>Lac Esnagi</b> 4836/8433 Mosambik, Cudney, Tiston & Pearkes Twp. Cantons de Mosambik, de Cudney, de Tiston et de Pearkes Algoma Dist./Dist. d'Algoma	Walleye <sup>1</sup> Doré <sup>1</sup> Northern Pike <sup>2</sup> Brochet <sup>1</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Fawn Lake</b> <b>Lac Fawn</b> 5349/9034 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Fernow Lake</b> <b>Lac Fernow</b> 4955/8605 Fernow Twp./Canton de Fernow Thunder Bay Dist./Dist. de Thunder Bay	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup> Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Fields Lake</b> <b>Lac Fields</b> 4919/8524 Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>1</sup> Doré <sup>1</sup> Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Fife Lake</b> <b>Lac Fife</b> 4738/8454 Alarie Twp./Canton d'Alarie Algoma Dist./Dist. d'Algoma	Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>										
<b>Findlay Lake</b> <b>Lac Findlay</b> 4901/8019 Findlay Twp./Canton de Findlay Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Finlayson Lake</b> <b>Lac Finlayson</b> 4855/9134 Rainy River Dist./Dist. de Rainy River	Northern Pike <sup>2</sup> Brochet <sup>2</sup> Walleye <sup>2</sup> Doré <sup>2</sup>										
<b>Fire Hill Lake</b> <b>Lac Fire Hill</b> 4901/8808 Cornwall Twp./Canton de Cornwall Thunder Bay Dist./Dist. de Thunder Bay	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Five Mile Lake</b> <b>Lac Five Mile</b> 4734/8316 Kalen & Reaney Twp. Cantons de Kalen et de Reaney Sudbury Dist./Dist. de Sudbury	Walleye <sup>1</sup> Doré <sup>1</sup> Northern Pike <sup>1</sup> Brochet <sup>1</sup>										

























































































































Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Frederick House Lake Lac Frederick House</b> 4839/8055 Evelyn & Dundonald Twp. Cantons d'Evelyn et de Dundonald Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>4</sup> Doré <sup>4</sup>										
	Goideye <sup>4</sup> Laguiche aux yeux d'or <sup>4</sup>										
<b>Frederick House River Rivière Frederick House</b> Food's Landing/Débarcadere Flood 4911/8109 Leitch Twp./Canton de Leitch Cochrane Dist./Dist. de Cochrane	Walleye <sup>4</sup> Doré <sup>4</sup>										
	Northern Pike <sup>4</sup> Brochet <sup>4</sup>										
<b>French River Rivière des Français</b> 4556/8054 Parry Sound Dist./Dist. de Parry Sound	Ling <sup>2</sup> Lotte <sup>2</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Whitfish <sup>2</sup> Grand corégone <sup>2</sup>										
<b>(Lower) French River Rivière des Français (tronçon inf.)</b> 4605/8010 I.R. 9/Rés. ind. 9 Parry Sound Dist./Dist. de Parry Sound	Walleye <sup>1</sup> Doré <sup>1</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>(Upper) French River Rivière des Français (tronçon sup.)</b> 4610/7950 I.R. 9/Rés. ind. 9 Parry Sound Dist./Dist. de Parry Sound	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Fungus Lake Lac Fungus</b> 4819/8458 Dahl Twp./Canton de Dahl Algoma Dist./Dist. d'Algoma	Walleye <sup>1</sup> Doré <sup>1</sup>										



























































Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Ghost (Talon) Lake Lac Ghost (Talon)</b> 5043/9445 Kenora Dist./Dist. de Kenora	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
<b>Gifford Lake Lac Gifford</b> 5143/8740 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Giroux Lake Lac Giroux</b> 4722/7940 Coleman Twp./Canton de Coleman Timiskaming Dist./Dist. de Timiskaming	Northern Pike <sup>6</sup> Brochet <sup>6</sup>										
<b>Gong Lake Lac Gong</b> 4705/8332 Handelman Twp./Canton d'Handelman Algoma Dist./Dist. d'Algoma	Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>										
	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>Gooseneck Lake Lac Gooseneck</b> 5002/9448 Kenora Dist./Dist. de Kenora	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Gorden Lake Lac Gorden</b> 4625/8350 Plummer & Johnson Twps. Cantons de Plummer et de Johnson Algoma Dist./Dist. d'Algoma	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Redhorse Sucker <sup>1</sup> Suceur rouge <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										






























Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Grandeur Lake</b> <b>Lac Grandeur</b> 4619/8236 Estan Twp./Canton d'Estan Algoma Dist./Dist. d'Algoma	Lake Trout <sup>1</sup> Truite de lac <sup>2</sup>										
<b>Granitehill Lake</b> <b>Lac Granitehill</b> 4906/8515 Drew Twp./Canton de Drew Algoma Dist./Dist. d'Algoma	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Grant Lake</b> <b>Lac Grant</b> 5026/9456 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>										
<b>Grassy Lake</b> <b>Lac Grassy</b> 4840/9242 Rainy River Dist./Dist. de Rainy River	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Grassy Narrows Lake</b> <b>Lac Grassy Narrows</b> 5009/9359 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Mooneye <sup>1</sup> Laquaque argentée <sup>1</sup>										
	Sauger <sup>1</sup> Doré noir <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>										
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Griffin Lake</b> <b>Lac Griffin</b> 4855/8223 Griffin Twp./Canton de Griffin Cochrane Dist./Dist. de Cochrane	Walleye¹ Doré¹										
<b>Grist Lake</b> <b>Lac Grist</b> 5215/9357 Kenora Dist./Dist. de Kenora	Walleye¹ Doré¹										
<b>Groundhog Lake</b> <b>Lac Groundhog</b> 4806/8215 Keith Twp./Canton de Keith Sudbury Dist./Dist. de Sudbury	Walleye¹ Doré¹										
	Northern Pike¹ Brochet¹										
<b>Groundhog River</b> <b>Rivière Groundhog</b> Ten Mile Rapids/Rapides Ten Mile 4905/8205 MacVicar & Stringer Twps. Cantons de MacVicar et de Stringer Cochrane Dist./Dist. de Cochrane	Walleye¹ Doré¹										
	Northern Pike¹ Brochet¹										
<b>Groundhog River</b> <b>Rivière Groundhog</b> between Whist Falls & Mattagam River entre les chutes Whist et la rivière Mattagam 4936/8158 Tucker Twp./Canton de Tucker Cochrane Dist./Dist. de Cochrane	Walleye¹ Doré¹										
	Sturgeon² Esturgeon de lac²										
<b>Groundhog River</b> <b>Rivière Groundhog</b> 4943/8158 Clay Twp./Canton de Clay Cochrane Dist./Dist. de Cochrane	Sturgeon¹ Esturgeon de lac¹										
<b>Guernsey Lake</b> <b>Lac Guernsey</b> 5103/9309 Kenora Dist./Dist. de Kenora	Northern Pike¹ Brochet¹										
	Walleye¹ Doré¹										

[illegible][illegible]

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Hampton Lake Lac Hampton</b> 5217/9334 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Hanlan Lake Lac Hanlan</b> 4950/8348 Hanlan Twp./Canton d'Hanlan Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Hansen Lake Lac Hansen</b> 5056/9443 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Harris Lake Lac Harris</b> 4935/8050 Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Hawk Lake Lac Hawk</b> 4804/8434 Esquewa Twp./Canton d'Esquewa Algoma Dist./Dist. d'Algoma	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Hawley Lake Lac Hawley</b> north of Sutton L./nord du lac Sutton 4530/8439 Kenora Dist./Dist. de Kenora	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Longnose Sucker <sup>1</sup> Meunier rouge <sup>1</sup>										
<b>Hawley Lakes Lacs Hawley</b> south of Sandy L./sud du lac Sandy 5240/9303 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Hays Lake Lac Hays</b> 4848/8711 Piske Twp./Canton de Piske Thunder Bay Dist./Dist. de Thunder Bay	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Highbrush Lake Lac Highbrush</b> 4745/8333 Caverley Twp./Canton de Caverley Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
<b>Hopper Lake Lac Hopper</b> 4959/7951 Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Horseshoe Lake Lac Horseshoe</b> 5214/9046 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Horwood Lake Lac Horwood</b> 4800/8220 Horwood Twp./Canton d'Horwood Sudbury Dist./Dist. de Sudbury	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Howard Lake Lac Howard</b> 4814/7949 Arnold Twp./Canton d'Arnold Timiskaming Dist./Dist. de Timiskaming	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
<b>Hubert Lake Lac Hubert</b> 4719/8427 Larson Twp./Canton de Larson Algoma Dist./Dist. d'Algoma	Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>										
	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>Indian Lake Lac Indian</b> south of Biscotasi L. sud du lac Biscotasi 4707/8208 McPhail & Earl Twps. Cantons de McPhail et d'Earl Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										

<b>Hayward Lake Lac Hayward</b> 4834/8558 Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>1</sup> Doré <sup>1</sup>																			
<b>Hazelwood Lake Lac Hazelwood</b> 4835/8919 Gorham Twp./Canton de Gorham Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>2</sup> Doré <sup>2</sup>																			
<b>Hazen Lake Lac Hazen</b> 4753/8137 Hazen Twp./Canton d'Hazen Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>																			
	Walleye <sup>1</sup> Doré <sup>1</sup>																			
<b>Helen Lake Lac Helen</b> 4905/8815 Thunder Bay Dist./Dist. de Thunder Bay	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>																			
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>																			
<b>Heron Lake Lac Heron</b> 4856/9240 Rainy River Dist./Dist. de Rainy River	Northern Pike <sup>1</sup> Brochet <sup>1</sup>																			
<b>Herrick Lake Lac Herrick</b> 4835/8556 Thunder Bay Dist./Dist. de Thunder Bay	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>																			
	Whitefish <sup>6</sup> Grand corégone <sup>6</sup>																			
	Walleye <sup>6</sup> Doré <sup>6</sup>																			
	Northern Pike <sup>6</sup> Brochet <sup>6</sup>																			
<b>Hidden Lake Lac Hidden</b> 4843/8049 McCart Twp./Canton de McCart Cochrane Dist./Dist. de Cochrane	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>																			
<b>High Lake Lac High</b> 4942/9508 Ewart Twp./Canton d'Ewart Kenora Dist./Dist. de Kenora	Lake Trout <sup>6</sup> Truite de lac <sup>6</sup>																			
	Northern Pike <sup>6</sup> Brochet <sup>6</sup>																			

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

<b>Indian Lake Lac Indian</b> northwest of Smooth Rock Falls nord-ouest de Smooth Rock Falls 4923/8148 Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>																			
	Walleye <sup>1</sup> Doré <sup>1</sup>																			
<b>Indian Lake Lac Indian</b> south of Ball Lake/sud du lac Ball 5014/9405 Kenora Dist./Dist. de Kenora	Walleye <sup>2</sup> Doré <sup>2</sup>																			
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>																			
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>																			
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>																			
<b>Iron Lake Lac Iron</b> 4704/7955 Chambers Twp./Canton de Chambers Nipissing Dist./Dist. de Nipissing	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>																			
<b>Iron Lake Lac Iron</b> 4657/8021 Alton Twp./Canton d'Alton Sudbury Dist./Dist. de Sudbury	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>																			
<b>Irwin Lake Lac Irwin</b> 5134/9503 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>																			
<b>Island Lake Lac Island</b> 4833/8052 German Twp./Canton de German Cochrane Dist./Dist. de Cochrane	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>																			
<b>Island Lake Lac Island</b> 4948/9420 Haycock Twp./Canton d'Haycock Kenora Dist./Dist. de Kenora	Walleye <sup>2</sup> Doré <sup>2</sup>																			
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>																			
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>																			
<b>Island Dam Lake Lac Island Dam</b> 4916/8637 Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>1</sup> Doré <sup>1</sup>																			

15-20  
(6-8)

20-25  
(8-10)

25-30  
(10-12)

30-35  
(12-14)

35-45  
(14-18)

45-55  
(18-22)

55-65  
(22-26)

65-75  
(26-30)

> 75  
> (30)



































































15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)





























































Jowj Lake Lac Jowjey		Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>	Walleye <sup>1</sup> Doré <sup>1</sup>	Northern Pike <sup>1</sup> Brochet <sup>1</sup>
4822/8144 Carscailen & Whitesides Twps. Cantons de Carscailen et de Whitesides Cochrane Dist./Dist. de Cochrane				
<b>Kabinakagami Lake Lac Kabinakagami</b>	Walleye <sup>1</sup>			
4854/8425 Algoma Dist./Dist. d'Algoma	Northern Pike <sup>1</sup> Brochet <sup>1</sup>			
<b>Kagawong Lake Lac Kagawong</b>	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>			
4549/6218 Billings, Campbell & Allan Twps. Cantons de Billings, de Campbell et d'Allan Mantoulin Dist./Dist. de Mantoulin	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>			
<b>Kagianigami Lake Lac Kagianigami</b>	Walleye <sup>1</sup> Doré <sup>1</sup>			
5057/8750 Thunder Bay Dist./Dist. de Thunder Bay	Northern Pike <sup>1</sup> Brochet <sup>1</sup>			
<b>Kagiano Lake Lac Kagiano</b>	Walleye <sup>1</sup> Doré <sup>1</sup>			
4916/8626 Thunder Bay Dist./Dist. de Thunder Bay	Northern Pike <sup>1</sup> Brochet <sup>1</sup>			
<b>Kaginu Lake Lac Kaginu</b>	Walleye <sup>6</sup> Doré <sup>6</sup>			
4906/8547 Gertrude Twp./Canton de Gertrude Thunder Bay Dist./Dist. de Thunder Bay	Yellow Perch <sup>6</sup> Perchaude <sup>6</sup>			
	White Sucker <sup>6</sup> Meunier noir <sup>6</sup>			
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>			
<b>Kam River Rivière Kam</b>	Walleye <sup>4</sup> Doré <sup>4</sup>			
Hwy 61/Autoroute 61 4821/8919 Neening Twp./Canton de Neening Thunder Bay Dist./Dist. de Thunder Bay	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>			
<b>Kamiskotia Lake Lac Kamiskotia</b>	Northern Pike <sup>1</sup> Brochet <sup>1</sup>			
4834/8138 Robb Twp./Canton de Robb Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>			

[illegible]



Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Kenetogami Lake Lac Kenetogami</b> 4747/8138 Stetham Twp./Canton de Stetham Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Kennedy Lake Lac Kennedy</b> 5234/9336 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Kenogami Lake Lac Kenogami</b> 4806/8014 Grenfell & Eby Twps. Cantons de Grenfell et d'Eby Timiskaming Dist./Dist. de Timiskaming	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
<b>Kenogami River Rivière Kenogami</b> at Kabnikagami River à la rivière Kabnikagami 5025/8420 Cochrane Dist./Dist. de Cochrane	Sturgeon <sup>2</sup> Esturgeon de lac <sup>2</sup>										
<b>Kenogaming Lake Lac Kenogaming</b> 4806/8155 Regan Twp./Canton de Regan Sudbury Dist./Dist. de Sudbury	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Kenogamisis Lake Lac Kenogamisis</b> 4942/8653 Ashmore Twp./Canton d'Ashmore Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>6</sup> Doré <sup>6</sup>										
	Yellow Perch <sup>6</sup> Perchaude <sup>6</sup>										
	Northern Pike <sup>6</sup> Brochet <sup>6</sup>										
	Whitefish <sup>6</sup> Grand corégone <sup>6</sup>										































































Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Kilburn Lake Lac Kilburn</b> 5043/9428 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Killala Lake Lac Killala</b> 4905/8632 Thunder Bay Dist./Dist. de Thunder Bay	Lake Trout <sup>2</sup> Truite mouchetée <sup>2</sup>										
<b>Kindogan Lake Lac Kindogan</b> 4731/8318 Kalen Twp./Canton de Kalen Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Kinloch Lake Lac Kinloch</b> 5200/9103 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Kirkness Lake Lac Kirkness</b> 5132/9356 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Kishikas Lake Lac Kishikas</b> 5208/9200 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Knight Lake Lac Knight</b> 5010/8017 Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Kukagami Lake Lac Kukagami</b> 4644/8033 Kelly & Davis Twps. Cantons de Kelly et de Davis Sudbury Dist./Dist. de Sudbury	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										

<b>Kenogamisis Lake</b> <b>Lac Kenogamisis</b> western arm/bras ouest 4942/8057 Thunder Bay Dist./Dist. de Thunder Bay	Yellow Perch <sup>6</sup> Perchaude <sup>6</sup>										
	Whitefish <sup>6</sup> Grand corégone <sup>6</sup>										
	Redhorse Sucker <sup>6</sup> Suceur rouge <sup>6</sup>										
	White Sucker <sup>6</sup> Meunier noir <sup>6</sup>										
	Cisco <sup>6</sup> Cisco de lac <sup>6</sup>										
	Walleye <sup>6</sup> Doré <sup>6</sup>										
<b>Kenogamissi Lake</b> <b>Lac Kenogamissi</b> 4815/8133 Timiskaming Dist./Dist. de Timiskaming	Northern Pike <sup>6</sup> Brochet <sup>6</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
<b>Kesagami Lake</b> <b>Lac Kesagami</b> 5023/8015 Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Kesagami River</b> <b>Rivière Kesagami</b> Cook's Pond/Bassin de Cook 4957/8018 Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
<b>Keys Lake</b> <b>Lac Keys</b> 5002/9401 Kenora Dist./Dist. de Kenora	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Ling <sup>1</sup> Lotte <sup>1</sup>										
	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>										

15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)

<b>Kwagama Lake</b> <b>Lac Kwagama</b> 4727/8435 Greenwood Twp./Canton de Greenwood Algoma Dist./Dist. d'Algoma	Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>										
<b>Kwinkwaga Lake</b> <b>Lac Kwinkwaga</b> 4848/8520 Flood & Magone Twps. Cantons de Flood et de Magone Thunder Bay & Algoma Dist. Dist. de Thunder Bay et d'Algoma	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>Labitche Lake</b> <b>Lac Labitche</b> 4659/8214 Durban Twp./Canton de Durban Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>La Cloche Lake</b> <b>Lac La Cloche</b> 4610/8204 Harrow Twp./Canton d'Harrow Sudbury Dist./Dist. de Sudbury	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Lac La Croix</b> 4821/9209 Rainy River Dist./Dist. de Rainy River	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Lac La France</b> 4920/8028 Bragg Twp./Canton de Bragg Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Lady Evelyn Lake</b> <b>Lac Lady Evelyn</b> 4720/8010 Leo, Dane & Medina Twps. Cantons de Leo, de Dane et de Medina Timiskaming Dist./Dist. de Timiskaming	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Lang Lake</b> <b>Lac Lang</b> southeast of Espanola sud-est d'Espanola 4610/8140 Curtain Twp./Canton de Curtain Sudbury Dist./Dist. de Sudbury	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Lang Lake</b> <b>Lac Lang</b> north of Spanish/nord de Spanish 4616/8219 Shedden Twp./Canton de Shedden Algoma Dist./Dist. d'Algoma	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										

15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Lang Lake Lac Lang</b> northwest of L. St. Joseph nord-ouest du lac St. Joseph 5135/9130 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Larder Lake Lac Larder</b> 4805/7938 McGarry Twp./Canton de McGarry Timiskaming Dist./Dist. de Timiskaming	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
<b>Laundrie Lake Lac Laundrie</b> 4707/8052 Hewsey Twp./Canton d'Hewsey Sudbury Dist./Dist. de Sudbury	Lake Trout <sup>4</sup> Truite de lac <sup>4</sup>										
<b>Lillabelle Lake Lac Lillabelle</b> 4906/8102 Glackmeyer Twp. Canton de Glackmeyer Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>6</sup> Brochet <sup>6</sup>										
	Yellow Perch <sup>5</sup> Perchaude <sup>5</sup>										
<b>Lingman Lake Lac Lingman</b> 5346/9252 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Linn Lake Lac Linn</b> 5346/9252 Bomby Twp./Canton de Bomby Thunder Bay Dist./Dist. de Thunder Bay	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Lisgar Lake Lac Lisgar</b> 4648/8232 Lisgar Twp./Canton de Lisgar Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Little Abitibi Lake Lac Little Abitibi</b> 4924/8033 Sangster Twp./Canton de Sangster Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Little Manitouwadge Lake/Lac Little Manitouwadge</b> 4908/8548 Gertrude Twp./Canton de Gertrude Thunder Bay Dist./Dist. de Thunder Bay	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
<b>Little Missinaibi Lake Lac Little Missinaibi</b> 4813/8338 Clifton Abbey & Chaplin Twps Cantons de Clifton d'Abbey et de Chaplin Sudbury Dist./Dist. de Sudbury	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Little Mose Lake Lac Little Mose</b> 4908/8546 Gemmell Twp./Canton de Gemmell Thunder Bay Dist./Dist. de Thunder Bay	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Little Sachigo Lake Lac Little Sachigo</b> 5409/9211 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Little Serpent Lake Lac Little Serpent</b> 4618/8220 Deagle Twp./Canton de Deagle Algoma Dist./Dist. d'Algoma	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Little Sturgeon Lake Lac Little Sturgeon</b> 4912/8855 Thunder Bay Dist./Dist. de Thunder Bay	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Little Tomiko Lake Lac Little Tomiko</b> 4633/7927 Stewart Twp./Canton de Stewart Nipissing Dist./Dist. de Nipissing	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>										









**Matchett Lake  
Lac Matchett**

5213/9323  
Kenora Dist./Dist. de Kenora

Walleye<sup>1</sup>  
Doré<sup>1</sup>

Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>



**Mather Lake  
Lac Mather**

5050/9500  
Kenora Dist./Dist. de Kenora


Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>



**Matinenda Lake  
Lac Matinenda**

4622/9257  
Juliette, Timmermans  
Scarfe & Mack Twps.  
Cantons de Juliette, de  
Timmermans, de Scarfe et de Mack  
Algoma Dist./Dist. d'Algoma


Lake Trout<sup>1</sup>  
Truite de lac<sup>1</sup>  
Smallmouth Bass<sup>1</sup>  
Achigan à petite bouche<sup>1</sup>  
Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>



**Mattagami Lake  
Lac Mattagami**

4752/8135  
Sudbury Dist./Dist. de Sudbury

Walleye<sup>1</sup>  
Doré<sup>1</sup>  
Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>  
Whitefish<sup>1</sup>  
Grand corégone<sup>1</sup>



**Mattagami River  
Rivière Mattagami**

Sandy Falls  
4831/8127  
Mountjoy Twp./Canton de Mountjoy  
Cochrane Dist./Dist. de Cochrane

Walleye<sup>2</sup>  
Doré<sup>2</sup>



**Mattagami River  
Rivière Mattagami**

downstream of Sturgeon Falls  
en aval de Sturgeon Falls  
4849/8129  
Mahaffy Twp./Canton de Mahaffy  
Cochrane Dist./Dist. de Cochrane

Walleye<sup>2</sup>  
Doré<sup>2</sup>



**Mattagami River  
Rivière Mattagami**

Loon Rapids/Rapides Loon  
4905/8134  
Bradburn Twp./Canton de Bradburn  
Cochrane Dist./Dist. de Cochrane


Walleye<sup>1</sup>  
Doré<sup>1</sup>



**Mawn Lake  
Lac Mawn**

4908/8914  
Thunder Bay Dist./Dist. de Thunder Bay

Whitefish<sup>1</sup>  
Grand corégone<sup>1</sup>  
Yellow Perch<sup>1</sup>  
Perchaude<sup>1</sup>  
White Sucker<sup>1</sup>  
Meunier noir<sup>1</sup>



**Max Lake  
Lac Max**

4903/8923  
Thunder Bay Dist./Dist. de Thunder Bay

White Sucker<sup>1</sup>  
Meunier noir<sup>1</sup>  
Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>



**Maxwell Lake  
Lac Maxwell**

4933/8211  
Gurney Twp./Canton de Gurney  
Cochrane Dist./Dist. de Cochrane


Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>



**Maynard Lake  
Lac Maynard**

5022/9354  
Kenora Dist./Dist. de Kenora

Whitefish<sup>2</sup>  
Grand corégone<sup>2</sup>  
Northern Pike<sup>2</sup>  
Brochet<sup>2</sup>  
Walleye<sup>2</sup>  
Doré<sup>2</sup>  
White Sucker<sup>1</sup>  
Meunier noir<sup>1</sup>  
Sauger<sup>1</sup>  
Doré noir<sup>1</sup>  
Ling<sup>1</sup>  
Lotte<sup>1</sup>



**McCarroll Lake  
Lac McCarroll**

4626/8356  
Meredith & Aberdeen  
Additional Twps.  
Cantons de Meredith et  
et d'Aberdeen/Additional  
Algoma Dist./Dist. d'Algoma

Lake Trout<sup>1</sup>  
Truite de lac<sup>1</sup>



**McCarthy Lake  
Lac McCarthy**

4619/8228  
Proctor Twp./Canton de Proctor  
Algoma Dist./Dist. d'Algoma

Walleye<sup>2</sup>  
Doré<sup>2</sup>



15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)









[illegible][illegible]

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Negwazu Lake Lac Negwazu</b> 4828/8500 McGowan & Ashley Twp. Cantons de McGowan et d'Ashley Algoma Dist./Dist. d'Algoma	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Nellie Lake Lac Nellie</b> 4848/8048 Calvert & Aurora Twp. Cantons de Calvert et d'Aurora Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Nelson Lake Lac Nelson</b> 4827/9032 Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Nemegosenda Lake Lac Nemegosenda</b> 4800/8307 Chewett Twp./Canton de Chewett Sudbury Dist./Dist. de Sudbury	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Nepahwin Lake Lac Nepahwin</b> 4627/8058 McKim Twp./Canton de McKim Sudbury Dist./Dist. de Sudbury	Yellow Perch <sup>6</sup> Perchaude <sup>6</sup>										
<b>Nepewassi Lake Lac Nepewassi</b> 4622/8038 Burwash, Hendrie & Hawley Twp. Cantons de Burwash, d'Hendrie et d'Hawley Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Net Lake Lac Net</b> 4706/7946 Strathly Twp./Canton de Strathly Nipissing Dist./Dist. de Nipissing	Cisco <sup>6</sup> Cisco de lac <sup>6</sup>										
	Lake Trout <sup>6</sup> Truite de lac <sup>6</sup>										
<b>Nettogami Lake Lac Nettogami</b> 5013/8034 Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Lake Nipigon Lac Nipigon</b> Outer Barn Island area Région de l'île Outer Barn 5002/8840 Thunder Bay Dist./Dist. de Thunder Bay	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>Lake Nipigon Lac Nipigon</b> South Bay/Baie South 4926/8825 Thunder Bay Dist./Dist. de Thunder Bay	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>Lake Nipigon Lac Nipigon</b> Wabnosh Bay/Baie Wabnosh 5002/8855 Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Sauger <sup>1</sup> Doré noir <sup>1</sup>										
<b>Lake Nipissing Lac Nipissing</b> French River/Rivière des Français 4610/7950 Nipissing Dist./Dist. de Nipissing	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Lake Nipissing Lac Nipissing</b> South River at Chapman Chute Rivière South à la chute Chapman 4606/7931 Parry Sound Dist./Dist. de Parry Sound	Walleye <sup>2</sup> Doré <sup>2</sup>										
<b>Lake Nipissing Lac Nipissing</b> Sturgeon River/Rivière Sturgeon 4619/7955 Nipissing Dist./Dist. de Nipissing	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
<b>Lake Nipissing Lac Nipissing</b> West Bay/Baie West 4610/8010 Nipissing Dist./Dist. de Nipissing	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>										

4828/8058  
Cody Twp /Canton de Cody  
Cochrane Dist /Dist de Cochrane

Mooneye<sup>1</sup>  
Laquaiche argentée<sup>2</sup>

Walleye<sup>2</sup>  
Doré<sup>2</sup>Northern Pike<sup>2</sup>  
Brochet<sup>2</sup>

Sauger<sup>1</sup>  
Doré noir<sup>1</sup>

5253/9153  
Kenora Dist./Dist. de Kenora

Whitefish<sup>2</sup>  
Grand corégone<sup>2</sup>

Walleye<sup>2</sup>  
Doré<sup>2</sup>

Northern Pike<sup>2</sup>  
Brochet<sup>2</sup>

4843/9120  
Rainy River Dist /Dist. de Rainy River

Walley  
Doré<sup>1</sup>

Smallmouth Bass<sup>1</sup>  
Achigan à petite bouche<sup>1</sup>

Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>

Hall Island area/Région de l'île Hall  
4957/8820  
Thunder Bay Dist./Dist. de Thunder Bay

Lake Trout<sup>2</sup>  
Truite de lac<sup>2</sup>

Kelvin Island area/Région de l'île Kelvin  
4950/8838  
Thunder Bay Dist./Dist. de Thunder Bay

Lake Trout<sup>2</sup>  
Truite de lac<sup>3</sup>

Ombabika Bay/Bare Ombabika  
5012/8815  
Thunder Bay Dist./Dist. de Thunder Bay

Walleye<sup>2</sup>  
Doré<sup>2</sup>

Longnose Sucker<sup>4</sup>  
Meunier rouge<sup>4</sup>

Sauger<sup>4</sup>  
Doré noir<sup>4</sup>

Cisco<sup>4</sup>  
Cisco de lac<sup>4</sup>

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

Wistiwasing River at Wasi Falls  
Rivière Wistiwasing aux chutes Wasi  
4612/7922

Walleye<sup>5.9</sup>  
Dore<sup>5.9</sup>

White Sucker<sup>5,9</sup>  
Meunier noir<sup>5,9</sup>

4617/8000  
Nipissing Dist./Dist. de Nipissing

White Bass  
Bar blanc<sup>2</sup>

Yellow Perch<sup>2</sup>  
Perchaude<sup>2</sup>

Northern Pike  
Brochet<sup>2</sup>Walleye<sup>2</sup>  
Doré<sup>2</sup>

Brown Bullhead<sup>2</sup>  
Barbotte brune<sup>2</sup>

Smallmouth Bass<sup>2</sup>  
Achigan à petite bouche<sup>2</sup>

4704/8332  
McIlveen Twp./Canton de McIlveen  
Algoma Dist./Dist. d'Algoma

Lake Trout<sup>1</sup>  
Truite de lac

5250/9040  
Kenora Dist./Dist. de Kenora

Whitefish<sup>2</sup>  
Grand corégone<sup>2</sup>

Walleye<sup>2</sup>  
Doré<sup>2</sup>

### North Driftwood

Northern Pike  
Brochet<sup>1</sup>

at Hwy 11/Autoroute 11  
4911/8126  
Calder Twp./Canton de Calder  
Cochrane Dist./Dist. de Cochrane

at Moose R./à la riv. Moose  
5108/8043  
Cochrane Dist./Dist. de Cochrane

Northern Pike  
Brochet<sup>1</sup>

4720/8427  
Larson Twp./Canton de Larson  
Algoma Dist./Dist d'Algoma

Brook Trout<sup>1</sup>  
Truite mouchetée<sup>1</sup>

Lake Trout<sup>2</sup>  
Truite de lac

15-20	20-25	25-30	30-35	35-45	45-55	55-65	65-75	> 75
(6-8)	(8-10)	(10-12)	(12-14)	(14-18)	(18-22)	(22-26)	(26-30)	> (30)

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>North Raft Lake Lac North Raft</b> 5430/8446 Kenora Dist./Dist. de Kenora	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>North Scot Lake Lac North Scot</b> 4959/9503 Noyon Twp./Canton de Noyon Kenora Dist./Dist. de Kenora	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
<b>North Spirit Lake Lac North Spirit</b> 5231/9255 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>North Tweed Lake Lac North Tweed</b> 4936/8017 Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Nurse Lake Lac Nursey</b> 4754/8125 Nurse Twp./Canton de Nursey Sudbury Dist./Dist. de Sudbury	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Nym Lake Lac Nym</b> 4842/9126 Rainy River Dist./Dist. de Rainy River	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>Oak Lake Lac Oak</b> 5026/9350 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
	Mooneye <sup>1</sup> Laquaiche argentée <sup>1</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Opakopa Lake</b> <b>Lac Opakopa</b> 5254/9132 Kenora Dist./Dist. de Kenora	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
<b>Opasatika Lake</b> <b>Lac Opasatika</b> 4904/8306 Opasatika Twp./Canton d'Opasatika Algoma Dist./Dist. d'Algoma	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
<b>Opasquia Lake</b> <b>Lac Opasquia</b> 5318/9334 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Goideye <sup>1</sup> Laquaiche aux yeux d'or <sup>1</sup>										
<b>Opeepesway Lake</b> <b>Lac Opeepesway</b> 4737/8215 Osway & Huffman Twp. Cantons d'Osway et d'Huffman Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
<b>Opikengen Lake</b> <b>Lac Opikengen</b> 5140/8804 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Opinnagau River</b> <b>Rivière Opinnagau</b> at Opinnagau L./au lac Opinnagau 5355/8358 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
<b>Opishing Lake</b> <b>Lac Opishing</b> 4817/8151 Keefer & Hillary Twp. Cantons de Keefer et d'Hillary Timiskaming Dist./Dist. de Timiskaming	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										





Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)							
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)
<b>Paguchi Lake</b> <b>Lac Paguchi</b> 4934/9132 Kenora Dist./Dist. de Kenora	Whitefish <sup>1</sup>								
	Grand corégone <sup>1</sup>								
	Lake Trout <sup>1</sup>								
	Traite de lac <sup>1</sup>								
<b>Pagwachuan Lake</b> <b>Lac Pagwachuan</b> 4943/8606 Thunder Bay Dist./Dist. de Thunder Bay	Northern Pike <sup>1</sup>								
	Brochet <sup>1</sup>								
	Lake Trout <sup>1</sup>								
	Traite de lac <sup>1</sup>								
<b>Pakashkan Lake</b> <b>Lac Pakashkan</b> 4921/9015 Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>1</sup>								
	Doré <sup>1</sup>								
	Yellow Perch <sup>1</sup>								
	Perchaude <sup>1</sup>								
<b>Pakhoan Lake</b> <b>Lac Pakhoan</b> 5220/9201 Kenora Dist./Dist. de Kenora	Whitefish <sup>1</sup>								
	Grand corégone <sup>1</sup>								
	Walleye <sup>1</sup>								
	Doré <sup>1</sup>								
<b>Pakwash Lake</b> <b>Lac Pakwash</b> 5045/9330 Kenora Dist./Dist. de Kenora	Walleye <sup>2</sup>								
	Doré <sup>2</sup>								
	White Sucker <sup>2</sup>								
	Meunier noir <sup>2</sup>								
<b>Pan Lake</b> <b>Lac Pan</b> 4851/8558 Thunder Bay Dist./Dist. de Thunder Bay	Northern Pike <sup>1</sup>								
	Brochet <sup>1</sup>								
	Lake Trout <sup>1</sup>								
	Traite de lac <sup>1</sup>								































Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)							
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)
<b>Pekagoning Lake</b> <b>Lac Pekagoning</b> 4909/9211 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup>								
	Brochet <sup>1</sup>								
	Walleye <sup>1</sup>								
	Doré <sup>1</sup>								
<b>Penassi Lake</b> <b>Lac Penassi</b> 4745/8054 Van Hise & Rankin Twp. Canton de Van Hise et de Rankin Timiskaming Dist./Dist. de Timiskaming	Lake Trout <sup>2</sup>								
	Traite de lac <sup>2</sup>								
	Walleye <sup>1</sup>								
	Doré <sup>1</sup>								
<b>Peneltion Lake</b> <b>Lac Peneltion</b> 4906/8305 Opasatika Twp./Canton d'Opasatika Algoma Dist./Dist. d'Algoma	Smallmouth Bass <sup>1</sup>								
	Achigan à petite bouche <sup>1</sup>								
	Northern Pike <sup>1</sup>								
	Brochet <sup>1</sup>								
<b>Percy Lake</b> <b>Lac Percy</b> 4946/9406 Coyile Twp./Canton de Coyile Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup>								
	Brochet <sup>1</sup>								
	Walleye <sup>1</sup>								
	Doré <sup>1</sup>								
<b>Petersen Lake</b> <b>Lac Petersen</b> 5057/9347 Heyson Twp./Canton d'Heyson Kenora Dist./Dist. de Kenora	White Sucker <sup>2</sup>								
	Meunier noir <sup>2</sup>								
	Northern Pike <sup>1</sup>								
	Brochet <sup>1</sup>								
<b>Peterson Lake</b> <b>Lac Peterson</b> 4723/7940 Coleman Twp./Canton de Coleman Timiskaming Dist./Dist. de Timiskaming	White Sucker <sup>1</sup>								
	Meunier noir <sup>1</sup>								
	Northern Pike <sup>1</sup>								
	Brochet <sup>1</sup>								
<b>Petit Lake</b> <b>Lac Petit</b> 4857/9216 Rairy River Dist./Dist. de Rairy River	Walleye <sup>1</sup>								
	Doré <sup>1</sup>								
	Whitefish <sup>1</sup>								
	Grand corégone <sup>1</sup>								



Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Pickle Lake Lac Pickle</b> 5128/9015 Ponstford Twp./Canton de Ponstford Kenora Dist./Dist. de Kenora	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
<b>Pickwick Lake Lac Pickwick</b> 4900/9306 Rainy River Dist./Dist. de Rainy River	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
<b>Pic River Rivière Pic</b> below Black River confluence en bas de confluent de la rivière Black 4837/8617 Pic Twp./Canton de Pic Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Pierce Lake Lac Pierce</b> 5409/9256 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Pierre Lake Lac Pierre</b> 4930/8045 McQuibban Twp./Canton de McQuibban Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Pigeon Lake Lac Pigeon</b> 4743/8103 Knight Twp./Canton de Knight Timiskaming Dist./Dist. de Timiskaming	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Pilgrim Lake Lac Pilgrim</b> 4711/8041 Dundee & Selkirk Twps. Cantons de Dundee et de Selkirk Sudbury Dist./Dist. de Sudbury	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Powell Lake Lac Powell</b> 4902/8259 Oscar Twp./Canton d'Oscar Algoma Dist./Dist. d'Algoma	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Prairie Lake Lac Prairie</b> 4902/8643 Thunder Bay Dist./Dist. de Thunder Bay	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Prairie Bee Lake Lac Prairie Bee</b> 4755/8351 Peters & Druliettes Twps. Cantons de Peters et de Druliettes Sudbury Dist./Dist. de Sudbury	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Pratt Lake Lac Pratt</b> 4857/8230 Seaton Twp./Canton de Seaton Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Pringle Lake Lac Pringle</b> 5132/9328 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Pullan Lake Lac Pullan</b> 5349/9248 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Quetico Lake Lac Quetico</b> 4834/9155 Rainy River Dist./Dist. de Rainy River	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>Quirke Lake Lac Quirke</b> 4628/8233 Buckles Twp./Canton de Buckles Algoma Dist./Dist. d'Algoma	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										












































Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (5-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Rainy River</b> <b>Rivière à la Pluie</b> downstream of Fort Frances en aval de Fort Frances 4836/9328 Rainy River Dist./Dist. de Rainy River	White Sucker <sup>2,7</sup> Meunier noir <sup>2,7</sup>										
	Walleye <sup>7,7</sup> Doré <sup>7,7</sup>										
	Smallmouth Bass <sup>7</sup> Achigan à petite bouche <sup>2</sup>										
<b>Rainy River</b> <b>Rivière à la Pluie</b> Long Sault Rapids Rapides Long Sault 4838/9405 Rainy River Dist./Dist. de Rainy River	Walleye <sup>7,7</sup> Doré <sup>7,7</sup>										
	White Sucker <sup>2,7</sup> Meunier noir <sup>2,7</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>7</sup>										
<b>Rainy River</b> <b>Rivière à la Pluie</b> Manitou Rapids/Rapides Manitou 4838/9355 Rainy River Dist./Dist. de Rainy River	Sturgeon <sup>1,8,9</sup> Esturgeon de lac <sup>7,8,9</sup>	75-90 (30-35)	90-100 (35-40)	100-115 (40-45)	115-150 (45-60)						
<b>Rainy River</b> <b>Rivière à la Pluie</b> near Rainy River and Baudette près de Rainy River et de Baudette 4843/9436 Rainy River Dist./Dist. de Rainy River	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Ramsay Lake</b> <b>Lac Ramsay</b> north of Manitouwadge nord de Manitouwadge 4927/8547 Thunder Bay Dist./Dist. de Thunder Bay	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Ramsay Lake</b> <b>Lac Ramsey</b> west of Biscotasi L. ouest du lac Biscotasi 4713/8215 Elizabeth Twp./Canton d'Elizabeth Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)								
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)
<b>Red Lake Lac Red</b> 5103/9349 Dome Twp./Canton de Dome Kenora Dist./Dist. de Kenora	Walleye¹ Doré¹									
<b>Red Cedar Lake Lac Red Cedar</b> 4645/7954 McCallum Twp./Canton de McCallum Nipissing Dist./Dist. de Nipissing	Cisco¹ Cisco de lac¹  Northern Pike¹ Brochet¹  Walleye¹ Doré¹  Ling¹ Lotte¹									
<b>Red Rock Lake Lac Red Rock</b> 4619/8317 Gladstone Twp./Canton de Gladstone Algoma Dist./Dist. d'Algoma	Northern Pike¹ Brochet¹  Walleye² Doré²  White Sucker² Meunier noir²									
<b>Redpine Lake Lac Redpine</b> 4936/8432 Arnott Twp./Canton d'Arnott Algoma Dist./Dist. d'Algoma	Lake Trout² Truite de lac²									
<b>Redstone River Rivière Redstone</b> mouth/embranchure 4827/8102 Cody Twp./Canton de Cody Cochrane Dist./Dist. de Cochrane	Walleye¹ Doré¹									
<b>Regal Lake Lac Regal</b> 4636/8305 Varley Twp./Canton de Varley Algoma Dist./Dist. d'Algoma	Lake Trout¹ Truite de lac¹									
<b>Regan Lake Lac Regan</b> 4714/8047 Ellis Twp./Canton d'Ellis Sudbury Dist./Dist. de Sudbury	Lake Trout¹ Truite de lac¹									



Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Rock Island Lake Lac Rock Island</b> 4635/7931 Notman Twp./Canton de Notman Nipissing Dist./Dist. de Nipissing	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
<b>Roughrock Lake Lac Roughrock</b> 5006/9446 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>										
	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Round Lake Lac Round</b> 4801/8002 Otto & Marquis Twp. Cantons d'Otto et de Marquis Timiskaming Dist./Dist. de Timiskaming	Ling <sup>2</sup> Lotte <sup>2</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Rous Lake Lac Rous</b> 4841/8601 Lecours Twp./Canton de Lecours Thunder Bay Dist./Dist. de Thunder Bay	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Routine Lake Lac Routine</b> 5025/9457 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>St. Joseph Lake</b> <b>Lac St. Joseph</b> 4948/B402 Stoddart Twp./Canton de Stoddart Cochrane Dist./Dist. de Cochrane	Whitefish¹ Grand corégone¹										
	Northern Pike¹ Brochet¹										
<b>Lake St. Joseph</b> <b>Lac St. Joseph</b> Soules Bay/Baie Soules 5103/9026 Thunder Bay Dist./Dist. de Thunder Bay	Walleye² Doré²										
	White Sucker³ Meunier noir³										
	Northern Pike⁴ Brochet⁴										
<b>Lake St. Joseph</b> <b>Lac St. Joseph</b> 5105/9035 Kenora Dist./Dist. de Kenora	Walleye² Doré²										
	Northern Pike² Brochet²										
<b>Lac Ste Thérèse</b> 4947/B339 Casgrain Twp./Canton de Casgrain Cochrane Dist./Dist. de Cochrane	Walleye¹ Doré¹										
	Northern Pike¹ Brochet¹										
<b>Sand Lake</b> <b>Lac Sand</b> near Minak⁵/près de Minak 5005/9439 Kenora Dist./Dist. de Kenora	Walleye¹ Doré¹										
	Northern Pike¹ Brochet¹										
	Whitefish¹ Grand corégone¹										
	White Sucker¹ Meunier noir¹										
	Yellow Perch¹ Perchaude¹										
	Ling¹ Lotte¹										
	Sauger¹ Doré noir¹										
	Smallmouth Bass¹ Achigan à petite bouche¹										

Rufus Lake Lac Rufus		Northern Pike <sup>1</sup> Brochet <sup>1</sup>						   	
4909/8305 Opasatika Twp./Canton d'Opasatika Algoma Dist./Dist. d'Algoma		Walleye <sup>1</sup> Doré <sup>1</sup>				   			
<b>Rush Lake Lac Rush</b>		Whitefish <sup>1</sup> Grand corégone <sup>1</sup>				 			
4747/8211 Genoa & Marion Twps. Cantons de Genoa et de Marion Sudbury Dist./Dist. de Sudbury		Northern Pike <sup>1</sup> Brochet <sup>1</sup>						  	
<b>Rushbrook Lake Lac Rushbrook</b>		Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>		  					
4644/8154 Ouelette Twp./Canton d'Ouelette Sudbury Dist./Dist. de Sudbury									
<b>Lac aux Sables</b>		Lake Trout <sup>4</sup> Truite de lac <sup>4</sup>				   			
4647/8220 Monestime, Foucault, Lefebvre & Fontaine Twps./Cantons de Monestime, de Foucault, de Lefebvre et de Fontaine Algoma Dist./Dist. d'Algoma									
<b>Saddle Lake Lac Saddle</b>		Brook Trout <sup>2</sup> Truite mouchetée <sup>2</sup>		   					
4657/8347 Lamming Twp./Canton de Lamming Algoma Dist./Dist. d'Algoma									
<b>Saganash Lake Lac Saganash</b>		Walleye <sup>1</sup> Doré <sup>1</sup>		   					
4904/8235 Fenton Twp./Canton de Fenton Cochrane Dist./Dist. de Cochrane									
<b>St. Amand Lake Lac St. Amand</b>		Walleye <sup>1</sup> Doré <sup>1</sup>				 			
4942/8246 Burritt & Neely Twps. Cantons de Burritt et de Neely Cochrane Dist./Dist. de Cochrane									
<b>St. Anthony Lake Lac St. Anthony</b>		Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>				   			
4758/7943 Skead Twp./Canton de Skead Timiskaming Dist./Dist. de Timiskaming		Whitefish <sup>1</sup> Grand corégone <sup>1</sup>		   					

15-20 (6-8)    20-25 (8-10)    25-30 (10-12)    30-35 (12-14)    35-45 (14-18)    45-55 (18-22)    55-65 (22-26)    65-75 (26-30)    > 75 (>30)

[illegible]


























































Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Sapawe Lake Lac Sapawe</b> 4846/9121 McCauley & Hutchinson Twp. Cantons de McCauley et d'Hutchinson Rainy River Dist./Dist. de Rainy River	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>										
<b>Sasaginaga Lake Lac Sasaginaga</b> 4724/7942 Coleman Twp./Canton de Coleman Timiskaming Dist./Dist. de Timiskaming	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
	Cisco <sup>2</sup> Cisco de lac <sup>2</sup>										
<b>Savoy Lake Lac Savoy</b> 4916/9100 Chartrand Twp./Canton de Chartrand Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
<b>Saymo Lake Lac Saymo</b> 4659/8331 McIlveen Twp./Canton de McIlveen Algoma Dist./Dist. d'Algoma	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>Scarfe Lake Lac Scarfe</b> 4616/8302 Scarfe Twp./Canton de Scarfe Algoma Dist./Dist. d'Algoma	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Schewabik Lake Lac Schewabik</b> 4813/8310 Copperfield Twp./Canton de Copperfield Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Schryburt Lake Lac Schryburt</b> 5235/8935 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Sesekinika Lake Lac Sesekinika</b> 4811/8014 Maisonville Twp./Canton de Maisonville Timiskaming Dist./Dist. de Timiskaming	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
<b>Setting Net Lake Lac Setting Net</b> 5247/9336 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Lac Seul</b> 5020/9230 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Lac Seul</b> Vaughan Bay/Baie Vaughan 5015/9218 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Severn River Rivière Severn</b> Fort Severn 5559/8738 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
<b>Shabu Lake Lac Shabu</b> 5120/9258 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Shack Lake Lac Shack</b> 4857/8231 Seaton Twp./Canton de Seaton Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Shackleton Lake Lac Shackleton</b> 4918/8156 Shackleton Twp./Canton de Shackleton Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										

















































[illegible]

Shaco Lake Lac Shaco		Northern Pike <sup>1</sup> Brochet <sup>1</sup>									
4815/9032 Thunder Bay Dist./Dist. de Thunder Bay											
Shakwa Lake Lac Shakwa		Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>									
4646/8159 Oshell Twp./Canton d'Oshell Algoma Dist./Dist. d'Algoma											
Shannon Lake Lac Shannon		Walleye <sup>1</sup> Doré <sup>1</sup>									
4948/8324 Shannon Twp./Canton de Shannon Cochrane Dist./Dist. de Cochrane		Northern Pike <sup>1</sup> Brochet <sup>1</sup>									
Sherman Lake Lac Sherman		Northern Pike <sup>1</sup> Brochet <sup>1</sup>									
5430/9125 Kenora Dist./Dist. de Kenora											
Shillabeer Lake Lac Shillabeer		Northern Pike <sup>1</sup> Brochet <sup>1</sup>									
4906/8844 Thunder Bay Dist./Dist. de Thunder Bay											
Shining Tree Lake Lac Shining Tree		Walleye <sup>1</sup> Doré <sup>1</sup>									
4733/8104 Leonard Twp./Canton de Leonard Timiskaming Dist./Dist. de Timiskaming											
Shirley Lake Lac Shirley		Northern Pike <sup>8</sup> Brochet <sup>8</sup>									
4927/8027 Tweed Twp./Canton de Tweed Cochrane Dist./Dist. de Cochrane											
Silcox Lake Lac Silcox		Walleye <sup>1</sup> Doré <sup>1</sup>									
5145/9323 Kenora Dist./Dist. de Kenora		Northern Pike <sup>1</sup> Brochet <sup>1</sup>									
Sill Lake Lac Sill		Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>									
4646/8415 Van Koughnet Twp. Canton de Van Koughnet Algoma Dist./Dist. de d'Algoma											

15-20 (6-8)    20-25 (8-10)    25-30 (10-12)    30-35 (12-14)    35-45 (14-18)    45-55 (18-22)    55-65 (22-26)    65-75 (26-30)    > 75 > 75

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Snowshoe Lake Lac Snowshoe</b> <i>Continued/Suite</i>	Cisco Cisco de lac <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
<b>Solace Lake Lac Solace</b> 4711/8042 Seikurk Twp./Canton de Seikurk Sudbury Dist./Dist. de Sudbury	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>Sothman Lake Lac Sothman</b> 4754/8116 Sothman Twp./Canton de Sothman Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>South Anvil Lake Lac South Anvil</b> 4703/8332 McIvreen Twp./Canton de McIvreen Algoma Dist./Dist. de Algoma	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>South Floodwood Lake/Lac South Floodwood</b> 4922/8019 Bragg Twp./Canton de Bragg Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>South Scot Lake Lac South Scot</b> 4956/9503 Noyon Twp./Canton de Noyon Kenora Dist./Dist. de Kenora	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
<b>Spangle Lake Lac Spangle</b> 4837/8553 Bomby Twp./Canton de Bomby Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>3</sup> Doré <sup>3</sup>										
	Northern Pike <sup>3</sup> Brochet <sup>3</sup>										

























































Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Stoddart Lake</b> <b>Lac Stoddart</b> 4948/8358 Stoddart Twp./Canton de Stoddart Cochrane Dist./Dist. de Cochrane	Walleye¹ Doré¹										
	Northern Pike¹ Brochet¹										
<b>Stouffer Lake</b> <b>Lac Stouffer</b> 4703/8042 Turner Twp./Canton de Turner Sudbury Dist./Dist. de Sudbury	Northern Pike¹ Brochet¹										
<b>Stranger Lake</b> <b>Lac Stranger</b> 5015/9131 Kenora Dist./Dist. de Kenora	Northern Pike¹ Brochet¹										
<b>Stratton Lake</b> <b>Lac Stratton</b> 4612/8140 Foster Twp./Canton de Foster Sudbury Dist./Dist. de Sudbury	Northern Pike¹ Brochet¹										
<b>Stull Lake</b> <b>Lac Stull</b> 5424/9234 Kenora Dist./Dist. de Kenora	Walleye¹ Doré¹										
<b>Sturgeon Lake</b> <b>Lac Sturgeon</b> 5000/9045 Kenora Dist./Dist. de Kenora	Walleye¹ Doré¹										
	White Sucker¹ Meunier noir¹										
<b>Sturgeon Lake</b> <b>Lac Sturgeon</b> 4954/9057 Kenora Dist./Dist. de Kenora	Northern Pike² Brochet²										
	White Sucker² Meunier noir²										
	Walleye² Doré²										
<b>Sturgeon Lake</b> <b>Lac Sturgeon</b> Cobb Bay/Baie Cobb 4967/9100 Kenora Dist./Dist. de Kenora	Walleye¹ Doré¹										
	Northern Pike¹ Brochet¹										
	White Sucker¹ Meunier noir¹										

[illegible]

[illegible]

		Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>											
<b>Tetu Lake Lac Tetu</b> 5011/9502 Kenora Dist./Dist. de Kenora	Walleye <sup>A,9</sup> Doré <sup>A,9</sup>												
	Northern Pike <sup>A,9</sup> Brochet <sup>A,9</sup>												
	Sauger <sup>1</sup> Doré noir <sup>1</sup>												
	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>												
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>												
	Sturgeon <sup>1</sup> Esturgeon de lac <sup>1</sup>												
	Whitefish <sup>A,9</sup> Grand corégone <sup>A,9</sup>												
<b>Theatre Lake Lac Theatre</b> 5030/9140 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>												
<b>Therault Lake Lac Therault</b> 4640/8018 James Twp./Canton de James Sudbury Dist./Dist. de Sudbury	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>												
<b>Thistle Lake Lac Thistle</b> 4640/8001 Thistle Twp./Canton de Thistle Nipissing Dist./Dist. de Nipissing	Walleye <sup>1</sup> Doré <sup>1</sup>												
	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>												
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>												
<b>Thorning Lake Lac Thorning</b> 4926/8055 Inglis & Thorning Twps. Cantons d'Inglis et de Thorning Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>												
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>												

15-20  
(6-8)
20-25  
(8-10)
25-30  
(10-12)
30-35  
(12-14)
35-45  
(14-18)
45-55  
(18-22)
55-65  
(22-26)
65-75  
(26-30)
> 75  
(30-)

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>(Middle)</b> <b>Three Duck Lake</b> <b>Lac Three Duck</b> <b>(tronçon du milieu)</b> 4732/8154 Chester Twp./Canton de Chester Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Threecorner Lake</b> <b>Lac Threecorner</b> 4725/8145 Vrooman Twp./Canton de Vrooman Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Threenarrows Lake</b> <b>Lac Threenarrows</b> 4606/8127 Roosevelt & Stalin Twps. Cantons de Roosevelt et de Stalin Sudbury Dist./Dist. de Sudbury	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>Thunder Lake</b> <b>Lac Thunder</b> 4947/9240 Zealand Twp./Canton de Zealand Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Lake Trout <sup>9</sup> Truite de lac <sup>2</sup>										
<b>Timber Lake</b> <b>Lac Timber</b> 4630/7903 Butler Twp./Canton de Butler Nipissing Dist./Dist. de Nipissing	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
	Round Whitefish <sup>1</sup> Ménomini rond <sup>1</sup>										
<b>Lake Timiskaming</b> <b>Lac Témiscamingue</b> 4652/7915 Timiskaming Dist./Dist. de Timiskaming	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>										
	Sauger <sup>1</sup> Doré noir <sup>1</sup>										
	Mooneye <sup>1</sup> Laquaiche argentée <sup>1</sup>										

Fish size in centimetres (inches)  
Longueur du poisson en centimètres (pouces)

Water Body/  
Cours d'eau

Fish Species/  
Espèces de poisson

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

## Toothpick Lake Lac Toothpick

Continued/Suite

White Sucker<sup>1</sup>  
Meunier noir<sup>1</sup>

Ling<sup>1</sup>  
Lotte<sup>1</sup>

Smallmouth Bass<sup>1</sup>  
Achigan à petite bouche<sup>1</sup>

## Torrance Lake Lac Torrance

4943/8205  
Hopkins & Torrance Twp.  
Cantons d'Hopkins et de Torrance  
Cochrane Dist./Dist. de Cochrane

Walleye<sup>1</sup>  
Doré<sup>1</sup>

Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>

## Trapline Lake Lac Trapline

5030/9457  
Kenora Dist./Dist. de Kenora

Northern Pike<sup>2</sup>  
Brochet<sup>2</sup>

Walleye<sup>2</sup>  
Doré<sup>2</sup>

White Sucker<sup>2</sup>  
Meunier noir<sup>2</sup>

Cisco<sup>1</sup>  
Cisco de lac<sup>1</sup>

## Trapnarrows Lake Lac Trapnarrows

4923/B732  
Thunder Bay Dist./Dist. de Thunder Bay

Walleye<sup>1</sup>  
Doré<sup>1</sup>

## Treeby Lake Lac Treeby

4752/8451  
Rabazoo Twp./Canton de Rabazo  
Algoma Dist./Dist. d'Algoma

Lake Trout<sup>1</sup>  
Truite de lac<sup>1</sup>

## Triangular Lake Lac Triangulaire

5129/8758  
Kenora & Thunder Bay Dists.  
Districts de Kenora et de Thunder Bay

Walleye<sup>1</sup>  
Doré<sup>1</sup>

## Trident Lake Lac Trident

5044/9501  
Kenora Dist./Dist. de Kenora


















































Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>





Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Tupman Lake Lac Tupman</b> 4855/9304 Rainy River Dist./Dist. de Rainy River	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Turtle Lake Lac Turtle</b> Mattawa River/Rivière Mattawa 4618/7910 Bonfield & Phelps Twp. Cantons de Bonfield et de Phelps Nipissing Dist./Dist. de Nipissing	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>Turtle Lake Lac Turtle</b> 4857/9157 Rainy River Dist./Dist. de Rainy River	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Tutu Lake Lac Tutu</b> 5205/9228 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Tweed Lake Lac Tweed</b> 4934/8018 Tweed Twp./Canton de Tweed Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Two River Lake Lac Two River</b> 5352/9127 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Umfreville Lake Lac Umfreville</b> 5018/9445 Kenora Dist./Dist. de Kenora	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Sauger <sup>1</sup> Doré noir <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
















Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Upper Windigo Lake Lac Upper Windigo</b> 5230/9135 Kenora Dist./Dist. de Kenora	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
<b>Venetion Lake Lac Venetion</b> 4656/8017 Botha Twp./Canton de Botha Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Vermilion Lake Lac Vermilion</b> 4630/8126 Fairbank Twp./Canton de Fairbank Sudbury Dist./Dist. de Sudbury	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
<b>Victoria Lake Lac Victoria</b> 4811/7953 Morrissette Twp./Canton de Morrissette Timiskaming Dist./Dist. de Timiskaming	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
<b>Wabagishik Lake Lac Wabagishik</b> 4618/8135 Foster & Nairn Twp. Cantons de Foster et de Nairn Sudbury Dist./Dist. de Sudbury	Smallmouth Bass <sup>3</sup> Achigan à petite bouche <sup>3</sup>										
<b>Wabatongushi Lake Lac Wabatongushi</b> 4826/8413 Simpson, Challenger & Glasgow Twp. Cantons de Simpson, de Challenger et de Glasgow Algoma Dist./Dist. d'Algoma	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
<b>Wabcock Lake Lac Wabcock</b> 4914/8223 Swanson Twp./Canton de Swanson Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										

Cisco <sup>1</sup> Cisco de lac <sup>1</sup>	 								
Ling <sup>1</sup> Lotte <sup>1</sup>			    						
Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>			  						
Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>									
<b>Unnamed Lake Lac Innommé</b> south of Silver Fox Lake sud du lac Silver Fox 5033/9449 Kenora Dist./Dist. de Kenora	Walleye <sup>2</sup> Doré <sup>2</sup>	    							
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>				   				
	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>	   							
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>				  				
<b>Unnamed Lake #2 Lac Innommé N° 2</b> 5122/9425 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>				  				
<b>Unnamed Lake #3 Lac Innommé N° 3</b> 5005/9122 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>				  				
	Walleye <sup>1</sup> Doré <sup>1</sup>				  				
<b>Unnamed Lake #4 Lac Innommé N° 4</b> 4905/8639 Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>1</sup> Doré <sup>1</sup>		   						
<b>Upper Kesagami Lake Lac Upper Kesagami</b> 4940/8017 Cochrane Dist./Dist. de Cochrane	Walleye <sup>6</sup> Doré <sup>6</sup>			  					
<b>Upper &amp; Lower Ross Lakes Lacs Upper Ross et Lower Ross</b> 4854/8720 Thunder Bay Dist./Dist. de Thunder Bay	Brook Trout <sup>6</sup> Truite mouchetée <sup>6</sup>	     							

15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)




















### Wabigoon Lake Lac Wabigoon

4944/9240  
Kenora Dist./Dist. de Kenora

Walleye <sup>1</sup> Doré <sup>1</sup>			    						
Northern Pike <sup>1</sup> Brochet <sup>1</sup>			      						
Whitefish <sup>1</sup> Grand corégone <sup>1</sup>			  						
















### Wabigoon River Rivière Wabigoon

at Segise Lake/au lac Segise  
5009/9339  
Kenora Dist./Dist. de Kenora

Whitefish <sup>2</sup> Grand corégone <sup>2</sup>			  						
Northern Pike <sup>2</sup> Brochet <sup>2</sup>			     						
Walleye <sup>2</sup> Doré <sup>2</sup>			      						
White Sucker <sup>1</sup> Meunier noir <sup>1</sup>			  						






### Wabikoba Lake Lac Wabikoba

4847/8545  
Thunder Bay Dist./Dist. de Thunder Bay

Northern Pike <sup>1</sup> Brochet <sup>1</sup>			     						
Walleye <sup>1</sup> Doré <sup>1</sup>			   						
Cisco <sup>1</sup> Cisco de lac <sup>1</sup>			    						











### Waboosekon Lake Lac Waboosekon

4923/8612  
Thunder Bay Dist./Dist. de Thunder Bay

Walleye <sup>1</sup> Doré <sup>1</sup>										
Northern Pike <sup>1</sup> Brochet <sup>1</sup>										

### Wakami Lake Lac Wakami

4729/8251  
Kelsey & Symington Twp.  
Cantons de Kelsey et de Symington  
Sudbury Dist./Dist. de Sudbury

Whitefish <sup>1</sup> Grand corégone <sup>1</sup>			 						
Walleye <sup>1</sup> Doré <sup>1</sup>			   						
Northern Pike <sup>1</sup> Brochet <sup>1</sup>			   						

### Wakwayowkastic Lake Lac Wakwayowkastic

4936/8019  
Cochrane Dist./Dist. de Cochrane

Walleye <sup>6</sup> Doré <sup>6</sup>			   						
Northern Pike <sup>6</sup> Brochet <sup>6</sup>			      						

15-20 (6-8) 20-25 (8-10) 25-30 (10-12) 30-35 (12-14) 35-45 (14-18) 45-55 (18-22) 55-65 (22-26) 65-75 (26-30) > 75 (> 30)

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Walleye Lake Lac Walleye</b> 5034/9446 Kenora Dist./Dist. de Kenora	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
<b>Wanapitei Lake Lac Wanapitei</b> 4645/8045 Sudbury Dist./Dist. de Sudbury	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
<b>Wangoon Lake Lac Wangoon</b> 4750/8334 Strathern Twp./Canton de Strathern Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
<b>Wanzatika Lake Lac Wanzatika</b> 4967/8306 Sweet & Goldwin Twp. Cantons de Sweet et de Goldwin Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Wasicho Lake Lac Wasicho</b> 4926/8011 Newman Twp./Canton de Newman Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Watabeag Lake Lac Watabeag</b> 4814/8033 Nordica Twp./Canton de Nordica Timiskaming Dist./Dist. de Timiskaming	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>Watersnake Lake Lac Watersnake</b> 4918/8201 Shackleton Twp./Canton de Shackleton Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Wenasaga Lake Lac Wenasaga</b> 5044/9310 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Wendigo Lake Lac Wendigo</b> 4752/7943 Bayly Twp./Canton de Bayly Timiskaming Dist./Dist. de Timiskaming	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
<b>Wenebegan Lake Lac Wenebegan</b> 4723/8306 Birch, Lynch, Langlois & Bounsall Twp. Cantons de Birch, de Lynch, de Langlois et de Bounsall Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Werner Lake Lac Werner</b> 5027/9454 Kenora Dist./Dist. de Kenora	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
<b>Weshaygo Lake Lac Weshaygo</b> 4726/8314 Hutcheon Twp./Canton d'Hutcheon Sudbury Dist./Dist. de Sudbury	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
<b>West Kabenung Lake Lac West Kabenung</b> 4816/8503 Killins & Knicely Twp. Cantons de Killins et de Knicely Algoma Dist./Dist. d'Algoma	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>West Larkin Lake Lac West Larkin</b> 4905/8446 Larkin Twp./Canton de Larkin Algoma Dist./Dist. d'Algoma	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										























































Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>White Otter Lake Lac White Otter</b> near Hillsport 4928/8533 Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>White River Rivière White</b> at Frank Creek/au ruisseau Frank 4838/8546 Brothers Twp./Canton de Brothers Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>1</sup> Doré <sup>1</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
<b>White River Rivière White</b> south of Hemlock/sud d'Hémlock 4832/8559 Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>1</sup> Doré <sup>1</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
<b>Whitepine Lake Lac Whitepine</b> 4717/8650 McLeod Twp./Canton de McLeod Sudbury Dist./Dist. de Sudbury	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>Whitepine Lake Lac Whitepine</b> 4656/8037 McConnell Twp./Canton de McConnell Sudbury Dist./Dist. de Sudbury	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>Whitesand Lake Lac Whitesand</b> 4851/8724 Kilraine Twp./Canton de Kilraine Thunder Bay Dist./Dist. de Thunder Bay	Lake Trout <sup>6</sup> Truite de lac <sup>6</sup>										
	Smallmouth Bass <sup>6</sup> Achigan à petite bouche <sup>6</sup>										
	Whitefish <sup>6</sup> Grand corégone <sup>6</sup>										
<b>Whitestone Lake Lac Whitestone</b> 5157/9157 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Whitewater Lake Lac Whitewater</b> 4632/8109 Rayside & Snider Twps. Cantons de Rayside et de Snider Sudbury Dist./Dist. de Sudbury	Brown Bullhead <sup>5</sup> Barbotte brune <sup>5</sup>										
	Northern Pike <sup>5</sup> Brochet <sup>5</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Windermere Lake Lac Windermere</b> 4758/8347 Drumheller, Bliss & Gilliland Twps Cantons de Drumheller de Bliss et de Gilliland Sudbury Dist./Dist. de Sudbury	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
<b>Windigo Lake Lac Windigo</b> 5235/9132 Kenora Dist./Dist. de Kenora	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
<b>Windigokan Lake Lac Windigokan</b> 4942/8751 Irwin Twp./Canton d'Irwin Thunder Bay Dist./Dist. de Thunder Bay	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Windy Lake Lac Windy</b> 4636/8127 Cascaden & Dowling Twps Cantons de Cascaden et de Dowling Sudbury Dist./Dist. de Sudbury	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Winisk River Rivière Winisk</b> mouth/embouchure 5617/8505 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
	White Sucker <sup>1</sup> Meunier noir <sup>1</sup>										
	Whitefish <sup>1</sup> Grand corégone <sup>1</sup>										
	Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>										
	Longnose Sucker <sup>1</sup> Meunier rouge <sup>1</sup>										
	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>										










































Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Lake of the Woods Lac des Bois</b> Bigstone Bay/Baie Bigstone 4940/9420 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Sauger <sup>1</sup> Doré noir <sup>1</sup>										
<b>Lake of the Woods Lac des Bois</b> Big Traverse Bay/Baie Big Traverse 4900/9440 Kenora Dist./Dist. de Kenora	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Sauger <sup>2</sup> Doré noir <sup>2</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										
<b>Lake of the Woods Lac des Bois</b> Bishop Bay/Baie Bishop 4928/9446 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Sauger <sup>1</sup> Doré noir <sup>1</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>2</sup>										
<b>Lake of the Woods Lac des Bois</b> Deadbroke Channel Chenal Deadbroke 4930/9429 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Sauger <sup>1</sup> Doré noir <sup>1</sup>										
<b>Lake of the Woods Lac des Bois</b> Four Mile Bay/Baie Four Mile 4853/9440 Kenora Dist./Dist. de Kenora	Yellow Perch <sup>4</sup> Perchaude <sup>4</sup>										
	White Sucker <sup>2,7</sup> Meunier noir <sup>2,7</sup>										
	Walleye <sup>2,7</sup> Doré <sup>2,7</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
<b>Lake of the Woods Lac des Bois</b> Little Traverse Bay/Baie Little Traverse 4922/9503 Kenora Dist./Dist. de Kenora	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Sauger <sup>2</sup> Doré noir <sup>2</sup>										
	Walleye <sup>2</sup> Doré <sup>2</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Wright Lake Lac Wright</b> 5119/9057 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Yorston Lake Lac Yorston</b> 4703/8032 Seagram & Clary Twp. Cantons de Seagram et de Clary Sudbury Dist./Dist. de Sudbury	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
	Smallmouth Bass <sup>1</sup> Achigan à petite bouche <sup>1</sup>										
<b>Yorston River Rivière Yorston</b> Pool/Bassin 4707/8034 Sudbury Dist./Dist. de Sudbury	Brook Trout <sup>1</sup> Truite mouchetée <sup>1</sup>										
	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
<b>Zadi Lake Lac Zadi</b> 4942/8241 Neely Twp./Canton de Neely Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Zigzag Lake Lac Zigzag</b> 5029/8920 Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Zinger Lake Lac Zinger</b> 4925/8044 Potter Twp./Canton de Potter Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Lake 12J-9 Lac 12J-9</b> Stoney Lake/Lac Stoney 4857/8038 Mortimer Twp./Canton de Mortimer Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Lake 15 Lac 15</b> Camp 14 4846/8232 Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										









































Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Lake 21G-103</b> <b>Lac 21G-103</b> 5000/8036 Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Lake 21I-04</b> <b>Lac 21I-04</b> 5004/8019 Cochrane Dist./Dist. de Cochrane	Northern Pike <sup>6</sup> Brochet <sup>6</sup>										
<b>Lake 21I-63</b> <b>Lac 21I-63</b> Serpent Lakes/Lacs Serpent 5001/8011 Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Lake 23L-54</b> <b>Lac 23L-54</b> 5016/7935 Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Lake 53H-1</b> <b>Lac 53H-1</b> 5322/8910 Kenora Dist./Dist. de Kenora	Walleye <sup>1</sup> Doré <sup>1</sup>										
<b>Lake 53H-3</b> <b>Lac 53H-3</b> 5310/8938 Kenora Dist./Dist. de Kenora	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										
<b>Lake #108</b> <b>Lac N° 108</b> 4930/8022 Tweed Twp./Canton de Tweed Cochrane Dist./Dist. de Cochrane	Walleye <sup>1</sup> Doré <sup>1</sup>										
	Northern Pike <sup>1</sup> Brochet <sup>1</sup>										

[illegible]










**Fort Erie**  
4254/7855  
Niagara R. M./Mun. rég. de Niagara

Rainbow Smelt <sup>2</sup> Éperlan arc-en-ciel <sup>2</sup>							
Freshwater Drum <sup>3</sup> Malachigan <sup>3</sup>							
Yellow Perch <sup>4</sup> Perchaude <sup>4</sup>							
Rock Bass <sup>5</sup> Crapet de roche <sup>5</sup>							
White Bass <sup>5</sup> Bar blanc <sup>5</sup>							
Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>							
Rainbow Trout <sup>5</sup> Truite arc-en-ciel <sup>5</sup>							
Redhorse Sucker <sup>1</sup> Suceur rouge <sup>1</sup>							

4258/7857  
Niagara R. M./Mun. rég. de Niagara




















Smallmouth Bass <sup>5</sup>								
Achigan à petite bouche <sup>5,7</sup>								
Yellow Perch <sup>2,7</sup>								
Perchaude <sup>2,7</sup>								
White Sucker <sup>2,7</sup>								
Meunier noir <sup>1,7</sup>								
Rainbow Trout <sup>2,7</sup>								
Truite arc-en-ciel <sup>2,7</sup>								

4300/7902  
Niagara R. M./Mun. rég. de Niagara

Yellow Perch <sup>5</sup> Perchaude <sup>6</sup>							
Rainbow Trout <sup>5</sup> Truite arc-en-ciel <sup>6</sup>							
White Sucker <sup>5</sup> Meunier noir <sup>6</sup>							

**Queenston-Whirlpool**  
4307/7904

Niagara R. M./Mun. rég. de Niagara

American Eel <sup>1,2</sup>									
Anguille d'Amérique <sup>1,2</sup>									
Rainbow Trout <sup>1,2</sup>									
Truite arc-en-ciel <sup>1,2</sup>									
Yellow Perch <sup>1,2</sup>									
Perchaude <sup>1,2</sup>									
Walleye <sup>1</sup>									
Doré <sup>1</sup>									

Continued top right  
Suite colonne de droite

































































15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

**Port Weller  
Niagara-on-the-Lake &  
Port Weller**
























































4315/7910  
Niagara R. M./Mun. rég. de Niagara

Rainbow Smelt®  
Eperlan arc-en-ciel<sup>12</sup>

4312/7919  
Niagara R. M./Mun. rég. de Niagara

Brown Trout <sup>6,7,8,9</sup>										
Truite brune <sup>5,7,8,9</sup>										
White Bass <sup>2,7</sup>										
Bar blanc <sup>2,7</sup>										
Brown Bullhead <sup>2</sup>										
Barbotte brune <sup>2</sup>										
Gizzard Shad <sup>2</sup>										
Alose à gésier <sup>2</sup>										
Yellow Perch <sup>2</sup>										
Perchaude <sup>2</sup>										
Channel Catfish <sup>2</sup>										
Barbue de rivière <sup>2</sup>										
Coho <sup>2,7</sup>										
Saumon coho <sup>2,7</sup>										
Lake Trout <sup>5,7,8,9</sup>										
Truite de lac <sup>5,7,8,9</sup>										
Rainbow Trout <sup>7,9</sup>										
Truite arc-en-ciel <sup>7,9</sup>										
Freshwater Drum <sup>2</sup>										
Malachigan <sup>2</sup>										
Carp <sup>2</sup>										
Carpe <sup>2</sup>										
Northern Pike <sup>2</sup>										
Brochet <sup>2</sup>										
Rainbow Smelt <sup>6</sup>										
Éperlan arc-en-ciel <sup>6</sup>										
White Perch <sup>2</sup>										
Bar-perche <sup>2</sup>										
Chinook <sup>8,9</sup>										
Saumon chinook <sup>8,9</sup>										

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Hearn Generating Station - Outer Harbour Centrale électrique Hearn - Port extérieur</b> 4339/7920 Toronto	Carp <sup>2</sup> Carpe <sup>2</sup>										
	White Bass <sup>5</sup> Bar blanc <sup>5</sup>										
	White Perch <sup>5</sup> Bar-perche <sup>5</sup>										
	Yellow Perch <sup>5</sup> Perchaude <sup>5</sup>										
	Rainbow Trout <sup>5</sup> Truite arc-en-ciel <sup>5</sup>										
	Brown Trout <sup>5</sup> Truite brune <sup>5</sup>										
	Gizzard Shad <sup>5</sup> Alose à gésier <sup>5</sup>										
	Northern Pike <sup>5</sup> Brochet <sup>5</sup>										
	Rainbow Smelt <sup>5,7</sup> Éperlan arc-en-ciel <sup>5,7</sup>										
	<b>Toronto Islands - Inner Harbour Îles de Toronto - Port intérieur</b> 4350/7925 Toronto	Rainbow Smelt <sup>2</sup> Éperlan arc-en-ciel <sup>2</sup>									
Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>											
White Sucker <sup>8</sup> Meunier noir <sup>8</sup>											
Northern Pike <sup>8</sup> Brochet <sup>8</sup>											
Carp <sup>8</sup> Carpe <sup>8</sup>											
<b>Ashbridges Bay Baie Ashbridges</b> 4340/7919 Toronto		Rainbow Smelt <sup>5</sup> Éperlan arc-en-ciel <sup>5</sup>									
	White Sucker <sup>5</sup> Meunier noir <sup>5</sup>										
	Brown Trout <sup>2</sup> Truite brune <sup>2</sup>										

**Credit River/Rivière Credit**

4333/7935

Peel R. M./Mun. rég. de Peel

Chinook<sup>5,7,8,9</sup>Saumon chinook<sup>5,7,8,9</sup>White Sucker<sup>1</sup>Meunier noir<sup>1</sup>Coho<sup>5,7,8,9</sup>Saumon coho<sup>5,7,8,9</sup>White Bass<sup>2</sup>Bar blanc<sup>2</sup>Rainbow Trout<sup>5,7,8,9</sup>Truite arc-en-ciel<sup>5,7,8,9</sup>Lake Trout<sup>7,8</sup>Truite de lac<sup>5,7,8</sup>Brown Trout<sup>5,7,8,9</sup>Truite brune<sup>5,7,8,9</sup>**Marie Curtis Park****Parc Marie Curtis**

4334/7934

Etobicoke

White Sucker<sup>2</sup>Meunier noir<sup>2</sup>**Long Branch**

4335/7932

Toronto

White Sucker<sup>2</sup>Meunier noir<sup>2</sup>Lake Trout<sup>2</sup>Truite de lac<sup>2</sup>**Humber River mouth****Embouchure de la****rivière Humber**

4338/7928

Toronto

Brown Trout<sup>4</sup>Truite brune<sup>4</sup>**Humber Bay area****Région de la baie Humber**

4337/7927

Toronto

Rainbow Smelt<sup>1,7</sup>Éperlan arc-en-ciel<sup>5,7</sup>Lake Trout<sup>2,7</sup>Truite de lac<sup>2,7</sup>White Sucker<sup>5,7</sup>Meunier noir<sup>5,7</sup>Rainbow Trout<sup>2,7</sup>Truite arc-en-ciel<sup>2,7</sup>Yellow Perch<sup>2</sup>Perchaude<sup>2</sup>15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)**Scarborough Bluffs****Falaises de Scarborough**

4342/7914

Toronto

Lake Trout<sup>5,7</sup>Truite de lac<sup>5,7</sup>White Sucker<sup>5</sup>Meunier noir<sup>5</sup>Yellow Perch<sup>2</sup>Perchaude<sup>2</sup>Brown Trout<sup>2</sup>Truite brune<sup>2</sup>**Lake Ontario #2****Lac Ontario N° 2****Rouge River mouth****Embouchure de la rivière Rouge**

4348/7907

Pickering Twp./Canton de Pickering

Durham R. M./Mun. rég. de Durham

Brown Bullhead<sup>5</sup>Barbotte brune<sup>5</sup>**Frenchman Bay****Baie Frenchman**

4349/7905

Durham R. M./Mun. rég. de Durham

Brown Bullhead<sup>2</sup>Barbotte brune<sup>2</sup>Carp<sup>2</sup>Carpe<sup>2</sup>Northern Pike<sup>2</sup>Brochet<sup>2</sup>Yellow Perch<sup>2</sup>Perchaude<sup>2</sup>**Pickering Generation Station****Centrale électrique Pickering**

4349/7903

Durham R. M./Mun. rég. de Durham

Rainbow Smelt<sup>2</sup>Éperlan arc-en-ciel<sup>2</sup>Brown Trout<sup>2</sup>Truite brune<sup>2</sup>White Bass<sup>2</sup>Bar blanc<sup>2</sup>Walleye<sup>2</sup>Doré<sup>2</sup>**Oshawa area****Région d'Oshawa**

4350/7848











































Durham R. M./Mun. rég. de Durham



















































Rainbow Trout<sup>5</sup>Truite arc-en-ciel<sup>5</sup>Coho<sup>2</sup>Saumon coho<sup>2</sup>Chinook<sup>2</sup>Saumon chinook<sup>2</sup>**Wilmot Creek/Ruisseau Wilmot**

4354/7836

Durham R. M./Mun. rég. de Durham

Rainbow Smelt<sup>5</sup>Éperlan arc-en-ciel<sup>5</sup>15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Ganaraska River Rivière Ganaraska Port Hope</b> 435/77818 Hope Twp./Canton d'Hope Northumberland Co. Cité de Northumberland	Rainbow Smelt <sup>1</sup> Éperlan arc-en-ciel <sup>1</sup>										
	Rainbow Trout <sup>1,7,8,9</sup> Truite arc-en-ciel <sup>1,7,8,9</sup>										
	Brown Trout <sup>8,9</sup> Truite brune <sup>8,9</sup>										
	Lake Trout <sup>8,9</sup> Truite de lac <sup>8,9</sup>										
	Chinook <sup>8,9</sup> Saumon chinook <sup>8,9</sup>										
	Coho <sup>8,9</sup> Saumon coho <sup>8,9</sup>										
<b>Lake Ontario #3 Lac Ontario N° 3 Gage Creek/Ruisseau Gage</b> 435/77816 Hope Twp./Canton d'Hope Northumberland Co. Cité de Northumberland	Rainbow Smelt <sup>1</sup> Éperlan arc-en-ciel <sup>1</sup>										
<b>Brighton</b> 4402/7744 Brighton Twp./Canton de Brighton Northumberland Co. Cité de Northumberland	Chinook <sup>8,9</sup> Saumon chinook <sup>8,9</sup>										
<b>Presquille Point Pointe Presquille</b> 4400/7741 Brighton Twp./Canton de Brighton Northumberland Co. Cité de Northumberland	Walleye <sup>2</sup> Doré <sup>2</sup>										
<b>Presquille Bay/Baie Presquille</b> 4401/7742 Northumberland Co. Cité de Northumberland	Largemouth Bass <sup>2</sup> Achigan à grande bouche <sup>2</sup>										
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
<b>Scotch Bonnet</b> 4354/7732 Prince Edward Co./Cité de Prince Edward	Lake Trout <sup>8,9</sup> Truite de lac <sup>8,9</sup>										
<b>Salmon Point/Pointe Salmon</b> 4351/7715 Athol Twp./Canton d'Athol Prince Edward Co./Cité de Prince Edward	American Eel <sup>2</sup> Anguille d'Amérique <sup>2</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Bay of Quinte/Baie de Quinte</b> <b>Hay Bay/Baie Hay</b> <i>Continued/Suite</i>	Walleye <sup>8,9</sup> Doré <sup>8,9</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
<b>Keith Shoal, Adolphus Reach</b> <b>Banc Keith, tronçon Adolphus</b> 4402/7659 N. Marysburgh Twp Canton de N. Marysburgh Prince Edward Co./Cité de Prince Edward	Walleye <sup>2</sup> Doré <sup>2</sup>										
<b>Pictou Bay/Baie Pictou</b> 4402/7707 Prince Edward Co./Cité de Prince Edward	Rainbow Smelt <sup>1</sup> Éperlan arc-en-ciel <sup>1</sup>										
<b>Bay of Quinte, Glenora to</b> <b>Upper Gap</b> <b>Baie de Quinte, de Glenora à</b> <b>Upper Gap</b> 4403/7657 N. Marysburgh Twp Canton de N. Marysburgh Prince Edward Co./Cité de Prince Edward	American Eel <sup>2</sup> Anguille d'Amérique <sup>2</sup>										
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
<b>Lake Ontario #6</b> <b>Lac Ontario N° 6</b> <b>Prince Edward Bay, Long Point</b> <b>Baie Prince Edward,</b> <b>Pointe Long</b> 4357/7657 S. Marysburgh Twp Canton de S. Marysburgh Prince Edward Co./Cité de Prince Edward	American Eel <sup>2</sup> Anguille d'Amérique <sup>2</sup>										
<b>Nearshore, North Channel</b> <b>Près de la rive, chenal nord</b> 4412/7644	Walleye <sup>2</sup> Doré <sup>2</sup>										
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
	Chinook <sup>2</sup> Saumon chinook <sup>2</sup>										
	Brown Trout <sup>2</sup> Truite brune <sup>2</sup>										



Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Landon's Bay/Baie Landon</b> <i>Continued/suite</i>	Carp <sup>5</sup> Carpe <sup>5</sup>										
	Yellow Perch <sup>5</sup> Perchaude <sup>5</sup>										
	Rock Bass <sup>5</sup> Crapet de roche <sup>5</sup>										
	Pumpkinseed <sup>5</sup> Crapet-soleil <sup>5</sup>										
	American Eel <sup>5</sup> Anguille d'Amérique <sup>5</sup>										
<b>Lower Thousand Islands area Région inférieure des Mille îles</b> 4420/7600	Smallmouth Bass <sup>2</sup> Achigan à petite bouche <sup>2</sup>										
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	Walleye <sup>2,3</sup> Doré <sup>2,3</sup>										
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>										
<b>Grenadier Island area Environ de l'Île Grenadier</b> 4424/7552 Leeds Co./Cité de Leeds	Northern Pike <sup>5</sup> Brochet <sup>5</sup>										
	White Sucker <sup>5</sup> Meunier noir <sup>5</sup>										
	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>										
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>										
<b>Lily Bay/Baie Lily</b> 4434/7544 Elizabethtown Twp. Canton d'Elizabethtown Leeds Co./Cité de Leeds	Yellow Perch <sup>5</sup> Perchaude <sup>5</sup>										
	Northern Pike <sup>5</sup> Brochet <sup>5</sup>										
	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>										
	White Sucker <sup>5</sup> Meunier noir <sup>5</sup>										


Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)	
<b>Iroquois below dam Iroquois en bas du barrage</b> <i>Continued/Suite</i>	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>										
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>										
<b>Morrisburg</b> 4454/7511 Williamsburg Twp Canton de Williamsburg Dundas Co./Cité de Dundas	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>										
	Black Crappie <sup>2</sup> Marigane noire <sup>2</sup>										
	White Perch <sup>2</sup> Bar-perche <sup>2</sup>										
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
	Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>										
	American Eel <sup>2</sup> Anguille d'Amérique <sup>2</sup>										
	Carp <sup>2</sup> Carpe <sup>2</sup>										
<b>Upper Canada Migratory Bird Sanctuary Sanctuaire d'oiseaux Upper Canada</b> 4457/7504 Williamsburgh Twp. Canton de Williamsburgh Dundas Co./Cité de Dundas	Northern Pike <sup>5</sup> Brochet <sup>5</sup>										
	White Sucker <sup>6</sup> Meunier noir <sup>6</sup>										
	Smallmouth Bass <sup>5</sup> Achigan à petite bouche <sup>5</sup>										
	Yellow Perch <sup>6</sup> Perchaude <sup>6</sup>										
	Brown Bullhead <sup>6</sup> Barbotte brune <sup>6</sup>										
	Walleye <sup>5</sup> Doré <sup>5</sup>										







# Lake Erie Lac Érie



Fish size in centimetres (inches)  
Longueur du poisson en centimètres (pouces)

Water Body/  
Cours d'eau

Fish Species/  
Espèces de poisson

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

Fish size in centimetres (inches)  
Longueur du poisson en centimètres (pouces)

Water Body/  
Cours d'eau

Fish Species/  
Espèces de poisson

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

## Western Basin/Bassin Ouest

Continued/Suite

Carp<sup>2</sup>

Carpe<sup>2</sup>

Yellow Perch<sup>1</sup>

Perchaude<sup>1</sup>

Whitefish<sup>2</sup>

Grand corégone<sup>2</sup>

## Lake Erie #2 Lac Érie N° 2

Wheatley

4206/8227

Romney Twp./Canton de Romney  
Kent Co./Cité de Kent

Yellow Perch<sup>4</sup>

Perchaude<sup>4</sup>

Rainbow Smelt<sup>5</sup>

Eperlan arc-en-ciel<sup>5</sup>

Carp<sup>2</sup>

Carpe<sup>2</sup>

## Rondeau Bay/Baie Rondeau

4217/8153

Kent Co./Cité de Kent

Northern Pike<sup>2</sup>

Brochet<sup>2</sup>

Black Crappie<sup>2</sup>

Marigane noire<sup>2</sup>

White Crappie<sup>1</sup>

Marigane blanche<sup>1</sup>

Bluegill<sup>2</sup>

Crapet arlequin<sup>2</sup>

Largemouth Bass<sup>2</sup>

Achigan à grande bouche<sup>2</sup>

White Perch<sup>2</sup>

Bar-perche<sup>2</sup>

Channel Catfish<sup>2</sup>

Barbue de rivière<sup>2</sup>

Yellow Perch<sup>3</sup>

Perchaude<sup>3</sup>

Pumpkinseed<sup>2</sup>

Crapet-soleil<sup>2</sup>

Freshwater Drum<sup>2</sup>

Malachigan<sup>2</sup>

Carp<sup>2</sup>

Carpe<sup>2</sup>



		Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
Water Body/ Cours d'eau		Fish Species/ Espèces de poisson	15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 (30)
<b>Eastern Basin/Bassin Est</b>		Freshwater Drum <sup>2</sup> Malachigan <sup>2</sup>									
Continued/Suite		Brown Bullhead <sup>2</sup> Barbotte brune <sup>2</sup>									
		Pink Salmon <sup>2</sup> Saumon rose <sup>2</sup>									
<b>Detroit River Rivière Detroit</b>		Yellow Perch <sup>2,7</sup> Perchaude <sup>2,7</sup>									
<b>Fighting Island/Ile Fighting</b> 4213/8307 Essex Co./Cité d'Essex		Walleye <sup>2</sup> Doré <sup>2</sup>									
		Rock Bass <sup>1</sup> Crapet de roche <sup>2</sup>									
		White Bass <sup>2</sup> Bar blanc <sup>2</sup>									
		Freshwater Drum <sup>2</sup> Malachigan <sup>2</sup>									
		Northern Pike <sup>2</sup> Brochet <sup>2</sup>									
		Carp <sup>2</sup> Carpe <sup>2</sup>									
<b>Boblo Is. area Région de l'île Boblo</b> 4206/8307 Essex Co./Cité d'Essex		Walleye <sup>8,9</sup> Doré <sup>8,9</sup>									
		White Bass <sup>8,9</sup> Bar blanc <sup>8,9</sup>									
		Channel Catfish <sup>8,9</sup> Barbue de rivière <sup>8,9</sup>									
		Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>									
<b>Lake St. Clair Lac Sainte-Claire</b> 4228/8240 Essex & Kent Cos. Cités d'Essex et de Kent		Rock Bass <sup>2</sup> Crapet de roche <sup>2</sup>									
		Walleye <sup>2</sup> Doré <sup>2</sup>									
		Walleye <sup>5,7&amp;9</sup> Doré <sup>6,7&amp;9</sup>									
		White Bass <sup>5</sup> Bar blanc <sup>5</sup>									



Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>St. Clair River</b> <b>Rivière Sainte-Claire</b> Sarnia, downstream of Bluewater Bridge Sarnia, en aval du pont Bluewater 4258/8224 Lambton Co./Cité de Lambton	Northern Pike <sup>6</sup> Brochet <sup>6</sup>										
	Walleye <sup>6</sup> Doré <sup>6</sup>										
	Yellow Perch <sup>6</sup> Perchaude <sup>6</sup>										
	Carp <sup>6</sup> Carpe <sup>6</sup>										
	White Sucker <sup>6</sup> Meunier noir <sup>6</sup>										
<b>Ethyl Corp.</b> 4254/8227 Lambton Co./Cité de Lambton	Carp <sup>5</sup> Carpe <sup>5</sup>										
	White Sucker <sup>5</sup> Meunier noir <sup>5</sup>										
	Freshwater Drum <sup>5</sup> Malachigan <sup>5</sup>										
	Yellow Perch <sup>5</sup> Perchaude <sup>5</sup>										
	Walleye <sup>5</sup> Doré <sup>5</sup>										
<b>Stag Island/Île Stag</b> 4253/8228 Sarnia Twp./Canton de Sarnia Lambton Co./Cité de Lambton	Gizzard Shad <sup>2</sup> Alose à gésier <sup>2</sup>										
	Rock Bass <sup>5</sup> Crapet de roche <sup>5</sup>										
	Yellow Perch <sup>5</sup> Perchaude <sup>5</sup>										
	White Sucker <sup>6</sup> Meunier noir <sup>6</sup>										
	Walleye <sup>6</sup> Doré <sup>6</sup>										
	Freshwater Drum <sup>6</sup> Malachigan <sup>6</sup>										
<b>Lambton Generating Station</b> <b>Centrale Electrique Lambton</b> 4245/8229 Lambton Co./Cité de Lambton	Gizzard Shad <sup>2</sup> Alose à gésier <sup>2</sup>										
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										

4233/8240  
Sombra Twp./Canton de Sombra  
Lambton Co./Cte de Lambton

Perchaude<sup>2</sup>

White Bass  
Bar blanc<sup>2</sup>

Alose à oésier<sup>2</sup>Doré<sup>2</sup>Doré<sup>2</sup>

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-25) (26-30) > (30)



# Lake Huron

## Lac Huron



Fish size in centimetres (inches)  
Longueur du poisson en centimètres (pouces)

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

Water Body/  
Cours d'eau

Fish Species/  
Espèces de poisson

Fish size in centimetres (inches)  
Longueur du poisson en centimètres (pouces)

Water Body/  
Cours d'eau

Fish Species/  
Espèces de poisson

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

**Lake Huron H#2**  
**Lac Huron N° H2**  
west of Fitzwilliam Island  
ouest de l'île Fitzwilliam  
4527/8207  
Manitoulin Dist./Dist. de Manitoulin

Round Whitefish?  
Ménomini rond?  
Cisco?  
Cisco de lac?  
Ling?  
Lotte?

west of Cove Island  
ouest de l'île Cove  
4518/8157  
Bruce Co./Cité de Bruce

Lake Trout?  
Truite de lac?

west of St. Edmunds Twp.  
ouest du canton de  
St. Edmunds  
4510/8145  
Bruce Co./Cité de Bruce

Whitefish?  
Grand corégone?

west of Lindsay Twp.  
ouest du canton de Lindsay  
4500/8140  
Bruce Co./Cité de Bruce

Bloater?  
Cisco de fumage?

Tobermory to Dorcas Bay  
Tobermory à la baie Dorcas  
4511/8136  
St. Edmunds Twp.  
Canton de St. Edmunds  
Bruce Co./Cité de Bruce

Round Whitefish?  
Ménomini rond?

**Lake Huron H#3**  
**Lac Huron N° H3**  
Pike Bay/Baie Pike  
4452/8120  
Eastnor & Albemarle Twp.  
Cantons d'Eastnor et d'Albemarle  
Bruce Co./Cité de Bruce

Smallmouth Bass?  
Achigan à petite bouche?

Stokes Bay/Baie Stokes  
4458/8123  
Eastnor Twp./Canton d'Eastnor  
Bruce Co./Cité de Bruce

Carp?  
Carpe?

**Fishing Islands/Îles Fishing**  
4447/8119  
Bruce Co./Cité de Bruce

Chinook?  
Saumon chinook?  
Coho?  
Saumon coho?  
Brown Trout?  
Truite brune?



	Fish Species/ Espèces de poisson	15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)
<b>Douglas Point, Saugeen River</b> <b>Pointe Douglas,</b> <b>rivière Saugeen</b> 4425/8130 Bruce Co./Cité de Bruce	Smallmouth Bass <sup>3</sup> Achigan à petite bouche <sup>3</sup>									
	Rainbow Trout <sup>1</sup> Truite arc-en-ciel <sup>1</sup>									
	Chinook <sup>2,3</sup> Saumon chinook <sup>2,3</sup>									
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>									
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>									
	Carp <sup>2</sup> Carpe <sup>2</sup>									
	Walleye <sup>2</sup> Doré <sup>2</sup>									
	Channel Catfish <sup>2</sup> Barbus de rivière <sup>2</sup>									
<b>Lake Huron H#4</b> <b>Lac Huron N° H4</b> <b>Goderich</b> 4345/8143 Goderich Twp./Canton de Goderich Huron Co./Cité d'Huron	Longnose Sucker <sup>5</sup> Meunier rouge <sup>5</sup>									
<b>northwest of Grand Bend</b> <b>nord-ouest de Grand Bend</b> 4327/8156 Huron Co./Cité d'Huron	Bloater <sup>4</sup> Cisco de fumage <sup>4</sup>									
<b>Lake Huron H#5</b> <b>Lac Huron N° H5</b> <b>Pont Franck</b> 4313/8154 Bosanquet Twp./Canton de Bosanquet Lambton Co./Cité de Lambton	Yellow Perch <sup>1</sup> Perchaude <sup>1</sup>									
	Whitfish <sup>2</sup> Grand corégone <sup>2</sup>									
	Walleye <sup>1</sup> Doré <sup>1</sup>									
	Channel Catfish <sup>2</sup> Barbus de rivière <sup>2</sup>									
	Carp <sup>1</sup> Carpe <sup>1</sup>									

Fish size in centimetres (inches)  
Longueur du poisson en centimètres (pouces)

Water Body/  
Cours d'eau

Fish Species/  
Espèces de poisson

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

**Georgian Bay GB #1**  
**Baie Georgienne**  
**GB N° 1**

between Cape Smith &  
Lonely Island  
entre le cap Smith et  
l'île Lonely

4538/8130  
Mantoulin Dist./Dist. de Mantoulin

Bloater<sup>1</sup>  
Cisco de fumage<sup>4</sup>

**Rattlesnake Harbour,**  
**Fitzwilliam Island**  
**Havre Rattlesnake,**  
**île Fitzwilliam**

4532/8143  
Mantoulin Dist./Dist. de Mantoulin

Longnose Sucker<sup>2</sup>  
Meunier rouge<sup>2</sup>

**French River mouth**  
**Embouchure de la rivière**  
**des Français**

4556/8054  
Parry Sound Dist./Dist. de Parry Sound

Walleye<sup>2</sup>  
Doré<sup>2</sup>

**Georgian Bay GB #2**  
**Baie Georgienne**  
**GB N° 2**

Tobermory  
4516/8140  
St. Edmunds Twp.  
Canton de St. Edmunds  
Bruce Co./Cité de Bruce

Bloater<sup>2</sup>  
Cisco de fumage<sup>2</sup>

4525/8130  
St. Edmunds Twp.  
Canton de St. Edmunds  
Bruce Co./Cité de Bruce

Bloater<sup>1</sup>  
Cisco de fumage<sup>4</sup>

**Georgian Bay GB #3**  
**Baie Georgienne**  
**GB N° 3**

Byng Inlet to Champlain Island  
Crique Byng à l'île Champlain  
4548/8038  
Parry Sound Dist./Dist. de Parry Sound

Northern Pike<sup>2</sup>  
Brochet<sup>2</sup>

Walleye<sup>2</sup>  
Doré<sup>2</sup>

Chub<sup>2</sup>  
Chub<sup>2</sup>

Smallmouth Bass<sup>1</sup>  
Achigan à petite bouche<sup>2</sup>

**Sturgeon Bay/Baie Sturgeon**  
4536/8024  
Parry Sound Dist./Dist. de Parry Sound

Northern Pike<sup>1</sup>  
Brochet<sup>1</sup>



[illegible][illegible]




Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Lake Huron NC #1 Lac Huron NC N° 1</b> <b>Lake George, St. Marys River Lac George, Rivière St. Marys</b> 4611/8403 Algoma Dist./Dist. d'Algoma	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>										
	Yellow Perch <sup>2</sup> Perchaude <sup>2</sup>										
	Rainbow Trout <sup>2</sup> Truite arc-en-ciel <sup>2</sup>										
	Lake Trout <sup>1</sup> Truite de lac <sup>1</sup>										
	Walleye <sup>1</sup> Doré <sup>1</sup>										
	<b>St. Joseph Channel Chenal St. Joseph</b> 4619/8359 Algoma Dist./Dist. d'Algoma	Walleye <sup>2</sup> Doré <sup>2</sup>									
	Northern Pike <sup>2</sup> Brochet <sup>2</sup>										
<b>St. Joseph Island area Île St. Joseph</b> 4608/8347 Algoma Dist./Dist. d'Algoma	Walleye <sup>2,3</sup> Doré <sup>2,3</sup>										
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
<b>Blind River area Environs de Blind River</b> 4553/8327 Cobden Twp./Canton de Cobden Algoma Dist./Dist. d'Algoma	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
<b>Algoma Mills area Région de Algoma Mills</b> 4610/8250 Algoma Dist./Dist. d'Algoma	Chinook <sup>4</sup> Saumon chinook <sup>4</sup>										
	Channel Catfish <sup>4</sup> Barbue de rivière <sup>4</sup>										
	Pink Salmon <sup>4</sup> Saumon rose <sup>4</sup>										
<b>Lauzon River/Rivière Lauzon</b> 4611/8249 Long Twp./Canton de Long Algoma Dist./Dist. d'Algoma	Rainbow Smelt <sup>1</sup> Éperlan arc-en-ciel <sup>1</sup>										





# Lake Superior

## Lac Supérieur



Water Body/  
Cours d'eau

Fish Species/  
Espèces de poisson

Fish size in centimetres (inches)  
Longueur du poisson en centimètres (pouces)

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

Fish size in centimetres (inches)  
Longueur du poisson en centimètres (pouces)

15-20 20-25 25-30 30-35 35-45 45-55 55-65 65-75 > 75  
(6-8) (8-10) (10-12) (12-14) (14-18) (18-22) (22-26) (26-30) > (30)

Water Body/  
Cours d'eau

Fish Species/  
Espèces de poisson

**Bare Point area**  
**Région de la pointe Bare**

4823/8913  
MacGregor Twp./Canton de McGregor  
Thunder Bay Dist./Dist. de Thunder Bay

White Sucker<sup>2</sup>  
Meunier noir<sup>2</sup>

**Current River/Rivière Current**  
4827/8911  
Thunder Bay Dist./Dist. de Thunder Bay

Northern Pike<sup>2</sup>  
Brochet<sup>2</sup>

Walleye<sup>2</sup>  
Doré<sup>2</sup>

White Sucker<sup>2</sup>  
Meunier noir<sup>2</sup>

**Thunder Bay Harbour**  
**near Keiffer Terminal**  
**Havre de Thunder Bay**  
**près de terminal Keiffer**

4825/8913  
Thunder Bay Dist./Dist. de Thunder Bay

Chinook<sup>2</sup>  
Saumon chinook<sup>2</sup>

**Wild Goose Bay**  
**Baie Wild Goose**

4829/8905  
Thunder Bay Dist./Dist. de Thunder Bay

Lake Trout<sup>2,7</sup>  
Truite de lac<sup>2,7</sup>

Whitefish<sup>2</sup>  
Grand corégone<sup>2</sup>

Cisco<sup>2</sup>  
Cisco de lac<sup>2</sup>

Rainbow Trout<sup>3</sup>  
Truite arc-en-ciel<sup>3</sup>

**Pie Island/Île Pie**  
4813/8900  
Thunder Bay Dist./Dist. de Thunder Bay

Lake Trout<sup>2</sup>  
Truite de lac<sup>2</sup>

Siscowet<sup>2</sup>  
Siscowet<sup>2</sup>

Whitefish<sup>4</sup>  
Grand corégone<sup>4</sup>

**Hare Island/Île Hare**  
4819/8858  
Thunder Bay Dist./Dist. de Thunder Bay

Lake Trout<sup>2</sup>  
Truite de lac<sup>2</sup>

**near Caribou Island,**  
**Thunder Bay**  
**près de l'île Caribou,**  
**Thunder Bay**

4833/8846  
Thunder Bay Dist./Dist. de Thunder Bay

Lake Trout<sup>2</sup>  
Truite de lac<sup>2</sup>

Chinook<sup>2</sup>  
Saumon chinook<sup>2</sup>



Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Nipigon Bay/Baie Nipigon</b> <i>Continued/Suite</i>	Chinook <sup>8,9</sup> Saumon chinook <sup>8,9</sup>										
<b>Rossport</b> 4850/6731 Thunder Bay Dist./Dist. de Thunder Bay	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>										
<b>Lake Superior #4 Lac Supérieur N° 4</b> <b>Moss Island/Île Moss</b> 4839/6809 Thunder Bay Dist./Dist. de Thunder Bay	Cisco <sup>1</sup> Cisco de lac <sup>1</sup>										
<b>Lake Superior #5 Lac Supérieur N° 5</b> <b>Terrace Bay/Baie Terrace</b> 4847/6710 Thunder Bay Dist./Dist. de Thunder Bay	Pink Salmon <sup>2</sup> Saumon rose <sup>2</sup>										
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
	Rainbow Trout <sup>3</sup> Truite arc-en-ciel <sup>3</sup>										
<b>Aquasabon River Rivière Aquasabon</b> 4846/6710 Thunder Bay Dist./Dist. de Thunder Bay	Walleye <sup>2</sup> Doré <sup>2</sup>										
<b>Slate Islands/Îles Slate</b> 4840/6700 Thunder Bay Dist./Dist. de Thunder Bay	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>Jackfish Bay/Baie Jackfish</b> 4848/6659 Thunder Bay Dist./Dist. de Thunder Bay	Lake Trout <sup>2,7</sup> Truite de lac <sup>2,7</sup>										
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
	Cisco <sup>2</sup> Cisco de lac <sup>2</sup>										
	White Sucker <sup>2</sup> Meunier noir <sup>2</sup>										

Water Body/ Cours d'eau	Fish Species/ Espèces de poisson	Fish size in centimetres (inches) Longueur du poisson en centimètres (pouces)									
		15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	> 75 > (30)	
<b>Michipicoten Bay Baie Michipicoten</b> 4757/6453 Algoma Dist./Dist. d'Algoma	Pink Salmon <sup>2</sup> Saumon rose <sup>2</sup>										
	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
	Whitefish <sup>2</sup> Grand corégone <sup>2</sup>										
	Cisco <sup>2</sup> Cisco de lac <sup>2</sup>										
	Rainbow Trout <sup>3</sup> Truite arc-en-ciel <sup>3</sup>										
	Chinook <sup>2</sup> Saumon chinook <sup>2</sup>										
<b>Old Woman River Rivière Old Woman</b> 4748/6454 Algoma Dist./Dist. d'Algoma	Rainbow Trout <sup>3</sup> Truite arc-en-ciel <sup>3</sup>										
	Siscowet <sup>3</sup> Siscowet <sup>3</sup>										
	Lake Trout <sup>3</sup> Truite de lac <sup>3</sup>										
	Rainbow Smelt <sup>1</sup> Éperlan arc-en-ciel <sup>1</sup>										
<b>Michipicoten Island Île Michipicoten</b> 4735/6550 Algoma Dist./Dist. d'Algoma	Lake Trout <sup>2</sup> Truite de lac <sup>2</sup>										
<b>Cape Gargantua off shore Cap Gargantua, loin du rivage</b> 4737/6522 Algoma Dist./Dist. d'Algoma	Lake Trout <sup>4</sup> Truite de lac <sup>4</sup>										
	Cisco <sup>4</sup> Cisco de lac <sup>4</sup>										
	Siscowet <sup>3</sup> Siscowet <sup>3</sup>										
<b>southeast of Michipicoten Island sud-est de l'île Michipicoten</b> 4730/6530 Algoma Dist./Dist. d'Algoma	Lake Trout <sup>4</sup> Truite de lac <sup>4</sup>										
<b>Cape Gargantua, nearshore Cap Gargantua, près du rivage</b> 4735/6505 Algoma Dist./Dist. d'Algoma	Cisco <sup>2</sup> Cisco de lac <sup>2</sup>										







Black Birch	61	Burns (Renfrew)	61	Clarice	65	Crosby	23	Hawk	76	Islington	78	Keg	79	L. Lavielle	32
Black Creek	17	Burnt Is.	139	Clay	65	Cross	23	Hawley (Kenora)	76	Ivanhoe	78	Keith Shoal	126	Le Grou	32
Black (Haliburton)	18	Burntush	63	Clear (Haliburton)	20	Crossecho	66	Hawley (Kenora)	76			Kemp	79	Leonard	32
Black (Lanark)	18	Burrows	63	Clear (Muskoka)	20	Crosswise	66	Hay Bay	127			Kenetogami	80	Litabellie	82
Black R. (Thunder Bay) (2)	61	Burt	63	Clear (Parry Sound)	20	Crotch	23	Hays	76			Kennebec	30	Lily Bay	128
Black R. (Timiskaming)	61	Byng Inlet	140	Clear (Parry Sound)	20	Crowe	23	Hayward	77			Kennedy	80	Limerick	32
Black Sturgeon	62			L. Clear (Renfrew)	21	Crown	23	Hazelwood	77			Kennisis	30	Lingham	32
Black Trout	62			Cleanwater (Muskoka)	21	Crystal (Kenora)	66	Hazen	77			Kenogami	80	Lingman	82
Blackwater R.	62			Cleanwater (Thunder Bay)	64	Crystal (Peterborough)	22	Head (Haliburton)	28			Kenogami	80	Linn	82
Blind R. area	144			Cleanwater West	64	Culverson	66	Head (Victoria)	29			Kenogaming	80	Usgar	82
Blue	62			Cleaver	64	Current R.	146	Healey	79			Kenogames (2)	80	Little Abitibi	82
Blue Chalk	18			Cliff	64	Cutler	67	Hearn Generating Str	124			Kenogamiss	81	Little Agawa	83
Blue Church Bay				Clinic	19			Heart	29			Kenogami	81	Little Cedar	83
Maillard	129			Cameron (Bruce)	19			Heeney	29			Kernick	31	Little Credit R.	32
Blue Jay Cr.	139			Cameron (Victoria)	19	Cloud Bay	147	Hein	77			Kerr	31	Little Crooked	32
Blue Rock	18			Camp	19	Coburn	64	Hein	77			Kesagami	81	Little Current area	145
Bluesberry	62			Campfire	63	Coldwater R. (mouth/		Heron	77			Kesagami R.	81	Little Dudson	33
Bluesucker	62			Canagagigue Cr. (2)	63	embouchure)	143	Herrick	77			Keys	81	Little French R.	33 & 83
Bobo	18			Canal	20	Cok	64	Hicks	77			Kettle Cr.	31	Little Gull (Haliburton)	33
Bobo Is.	134			Canisbay	20	Collingwood area	143	Hidden	77			Kilburn	80	Little Gull (Kenora)	83
Bots	18			Canoeshead	53	Collingwood Harbour	143	High	77			Kilaia	80	Little Hawk	33
Boileau	18			Cape Commodore	142	Colpoys Bay	142	Highbush	76			Kindogam	80	Little Jackfish R.	83
Boleau	18			Cape Gargantua	148	Commands	21	Hogan	79			Kingsville	133	Little Joe	83
Boister	62			Cape Rich	142	Commando	64	Holland Marsh Canals	29			Knioch	80	Little Kennis	33
Bonnechere	19			Cape Smith	140	Como	66	Holland R.	29			Knogami - see (voir)	81	Little Kenesagami	83
Bonner	63			Cape Smith	140	Conestogo R.	21	Hopper	76			Long (Timiskaming)	83	Little (Peterborough) -	
Borden	63			Caribou Is. (Algoma)	149	Confederation	65	Horn	30			Koshickw	31	see (voir) Otanabee R.	39
Boshkung	19			Caribou Is.	146	Consecon	21	Horseshoe (Kenora)	76			Kirkness	80	Little (Simcoe)	33
Botsford	63			(Thunder Bay)	146	Constance (Cochrane)	65	Horseshoe (Simcoe)	30			Kishikas	80	Little (Simcoe)	33
Bound	63			Caribou	20	Constance	22	Horseshoe Reef	139			Knight	80	Little Manitowadge	82
Bournout	63			Carpenter	63	Deschenes	22	Horwood	76			Koshong	31	Little Missinabie	82
Bovini	63			Cashel	20	Deschene	22	Howard	76			Kukagami	80	Little Moose	32
Bow	19			Castlebar	63	Devil	22	Hubert	76			Kushog (Haliburton)	31	Little Mykiss	32
Bowland	63			Catfish	64	Devonshire	134	Humber Bay area	125			Kushog (Timiskaming)	81	Little Sachgo	82
Brady	19			Cecabe	20	Dickie	23	Humber R.	23			see (voir)	81	Little Serpent	82
Bragg	63			Cedar Cr.	64	Dickie	23	Humber R.	23			Kamanskig	31	Little Silver	32
Brandy	19			Cedar	20	Dickie	23	Humber R.	23			Kamaskota	79	Little Sturge	82
Brant R.	63			Centennial	21	Dickson	23	Humber R.	23			Kamaskota R.	78	Little Tomiko	82
Brngeland	62			Central Basin (Lake Ene)	133	Dobie	65	Hunter Bay	30			Kam R.	79	Little Turtle	83
Bright	62			Centre	21	Doe	65	Hurds	149			(mouth/embouchure)	147	Livingstone	32
Brighton area	126			Chandos	21	Dog Harbour	149	L. Huron	138			Kamungishkamo	78	Lola	83
Brook	62			Chapleau R.	64	Dog (Algoma)	67	L. Huron North Channel	144			Kaneke	78	Long (Lanark)	32
Brook Cr.	124			Charleston	21	Dog (Frontenac)	67					Kapuchi	78	Long (Parry Sound)	32
Bruce	62			Charlton	64	Dog (Haliburton)	67					Kapuskasing	78	Long (Parry Sound) - see (voir)	
Brunswick	62			Chase	64	Dog (Thunder Bay)	23					Karchuk	78	Oliphant L.	36
Buchanan	19			Cheddar	21	Dogtooth	67					Kasakanta	78	Long (Thunder Bay)	83
Buck (Frontenac)	19			Cheepash R.	64	Dollars	23					Kashagawigamog	30	Long (Timiskaming)	83
Buck (Kenora)	62			Chemung	20	Dominion	68					Kashwakamak	30	Long (Timiskaming)	83
Buck (Muskoka)	18			Chesley	20	Donald	68					Kashabog	30	Long Branch	125
Buck (Parry Sound)	18			Chilton	65	Donaldson	68					Katchewanooka	30	Long Point Bay	134
Buck (Parry Sound)	18			Chin	65	Donnegana	68					Katodawa	78	Loon (Haliburton)	32
Buckhorn	18			Christian Is.	143	Donnelly	68					Kattawagami	79	Loon (Parry Sound)	33
Buckshot	18			Christie	20	Dora	68					Kawagami	30	Lonner	33
Buller	18			Chub	65	Dorcas Bay	138					Kawene	79	Lorain	83
Burden - see (voir)				Chukini R.	65	L. Dore	24					Kawingans R. (2)	79	Loughborough	33
Jacks L.	31			Cigar	65	Doucette	68					Keel	79	L. Louisa	33
Burlington Bay	124			Claire	65	Douglas	66					Keenoo	79	Louise (Cochrane)	84
Burlington Beach	124			Claireville Reservoir - see (voir)		Crooked	66								
Burns (Algoma)	62			West Humber R.	53	Crooked Pine	66								

Louise (Cochrane)	84	Margaret	85	Memesagamasing	35	Abrti R	56	Rock	101	Sandbar	103	Sheepard	47	Spratt Pt	143
Louise	84	Margot	85	Menako	89	Moose R. - see (voir)		Rock Island	102	Sandy #1	47	Sherborne	47	Sprule	107
Lower Water	85	Marie Curtis Park	125	Mephisto	35	N. French R	93	Roddy Saugeen R	44	Sandy #2	47	Sherman	105	Squeers	107
Lower Aukin	84	Manna	86	Mercer	89	Mooseskull	91	Roger	44	Sandy Is	141	Shillabeer	105	Stag Is	136
Lower Beverly	33	Mari	35	Mesomikenda	89	Moot	36	Rondeau Bay	132	Sandybeach	103	Shining Tree	105	Starnes	107
Lower Buchhorn	33	Marmion	86	Meta	89	Moray	91	L. Rousseau	45	Santoy	103	Shirley	105	Starvation	107
Lower Decapton	84	Marne	86	Methuen	35	Morris	90	Rossport	148	Sapere	104	Silcox	105	Steel	107
Lower Detour	84	Marquette	86	Michaud	89	Morsburg area	128	Rouge Marsh	45	Sasaginnaga	104	Silent	47	Steensburg	48
Lower Fletcher	34	Marshall	86	Michipicoten Bay	148	Morrison	36	Rouge R		Saubie R		Sill	105	Sinkish	107
Lower Gap	127	Marshall	86	Michipicoten Is	148	Mose	90	(mouthvembouchure)	125	(mouthvembouchure)	139	Silver Fox	106	Sirland	107
Lower Hay	34	Marien	86	Michipicoten R	89	Moseley	90	Roughrock	102	Saugen R	47	Silver	106	Stocco	48
Lower Ojokumika	85	Marndale Pond	35	Michiwakenda	88	Mosquito	90	Round (Parry Sound)	45	Saugen R		L. Simcoe	48	Stoddart	108
Lower Oshkagami	85	Martison	86	Middle Three Duck - see (voir)		Moss Is	148	Round (Peterborough)	45	(mouthvembouchure)	140	Sims	106	Stokes Bay	138
Lower Paudash	34	Mary	34	Three Duck L	110	Moulton Bay	135	Round (Renfrew)	45	Savoy	104	Sinclair	106	Stony	48
Lower Rideau	34	Mary Ward Shoals	143	Midland area	142	Mountain	36	Round (Timiskaming)	102	Saymo	104	Sinclair	106	Stouffer	108
Lower Ross	113	Matchedash Bay	143	Midland Park - see (voir)		L. of the Mountains	90	Round Island	45	Scarborough Bluffs	125	Sisseney	106	Stranger	108
Lower Sleeprock - see (voir)		Matchedash	34	Little L	33	Mozhabong	90	Rous	102	Scarle	104	Six Mile	48	Stratton	108
Apungasagan L	58	Matchett	87	Mijnemungshing	88	Mud (Parry Sound)	36	Routine	102	Shamheron - see (voir)		Skeleton (Muskoka)	48	Strawberry Ch.	145
Lower Thousand Is	128	Mather	87	Lac des Mille Lacs	88	Mud (Renfrew)	36	Rufus	103	Clear L	20	Skeleton (Timiskaming)	106	Stull	108
Lower Tweed	85	Mattenda	87	Mil	36	Murray (Algoma)	90	Rushbrook	103	Schewabik	104	Skinner	106	Sturgeon Bay	140
Lower Twin	85	Mattagam	87	Milchamp	36	Murray (Sudbury)	91	Rush	103	Schryburt	104	Skog	107	Sturgeon Bay (Simcoe)	142
Lowry - see (voir)		Mattagam R. (B)	87	Mils	88	Muskeg	37	Scott Bonnet	126	Scott Bonnet	126	Skoatamatta	148	Sturgeon (Kenora) (4)	108
Blue Rock L	18	Mattawa R. - see (voir)		Mine Reservoir	36	L. Muskoka	37	Scott	105	Scott - see (voir)		Slate Is	148	Sturgeon (Victoria)	49
Lucknow R	34	L. Talon	50	Minemoya	88	Muskat	37	S. Lac aux Sabies	103	Baudry L	60	Slipper (Algoma)	107	Sturgeon R. - see (voir)	
Lulu	85	Mattawa R. - see (voir)		Minisinkwa	88	Mykiss	37	Saddle	103	L. Scugog	46	Sipper (Haliburton)	49	L. Nipissing	38
Luttenworth	34	Turtle L	52	Minisc	89			Saganash	103	Scugog R	46	Smiley	107	Sucker	108
Lyell - see (voir) Cross L	23	Mattice	86	Ministik	89	N		Saganash	103	Scugog R	46	Smoke	49	Sumach	109
Lynn R	34	Mawn	87	Ministaki	89	Nabakowas	91	St. Amand	103	Seaborn	105	Snake Is	141	L. Superior	146
		Max	87	Mink	36	Nabdo	37	St. Anthony	103	Second Depot	46	Snigsi	49	Sup	109
		Maxwell	87	Minnow	89	Nabimina	91	St. Catharines	103	Seebor	105	Snook	107	Susanne	109
M		Maynard	87	Misma	89	Nagagami	91	Water Intake Canal	46	Segge - see (voir)		Snowdrift	107	Sutton	109
Macaulay	85	Mazniaw	34	Miskokway	36	Nagagamis	91	L. St. Clair	134	Wabigon R	113	Snowflake	107	Sutton R.	108
Macie	35	Mazniaw	34	Miskokway	36	Nagagamis	91	St. Clair (5)	136	Segun R		Snowflake	107	Swan	109
Macdewanson	85	McCann (Haliburton)	34	Miskwab	36	Nagron	91	L. St. Francis	130	(mouthvembouchure)	141	Snowshoe	107	Sweeney - see (voir)	
Madewaska	35	McCann (Parry Sound)		Miskwab	36	Namakin	91	L. St. John	46	Selkirk Park	134	Snug Harbour	141	Grass L	29
Madden	84	see (voir) Buck L	18	Mission R.	147	Nanticoke Cr.	134	St. Joseph Ch	144	Separation (Kenora)	105	Sole	106	Sydenham	49
Maggotte	84	McCarroll	87	Mission R.	147	Negawazu	92	St. Joseph Is	144	Separation (Timiskaming)	105	Soltman	106	Sydenham R. (3)	49
Maggis	84	McCarthy	87	Missa	89	Nelle	92	St. Joseph	102	(mouthvembouchure)	145	South Bay (Manitoulin)	139		
Magnetawan R	35	McCauley	34	Mississipi R	90	Nelson	92	St. Joseph	102	Seakinkia	104	South Bay (Muskoka)	143	T	
Magnet	84	McConnell	88	Mississagagon	36	Nemogensoda	92	L. St. Joseph (Kenora)	102	Setting Net	104	South Anvil	49	Tablerock	109
Magne R	84	McCrane	34	Mississagi R (2)	90	Nepahwin	92	L. St. Joseph	102	Sevren Sound	143	South Floodwood	106	Tadnac	50
Main Duck Is	127	McCulloch	88	Mississagusa	37	Nepewassin	92	(Thunder Bay)	102	Seymour	46	South Is	49	Takwata	108
Maitland area	129	McFadden	34	Mississipi	37	Net	92	L. St. Lawrence	129	Shabomaka	46	South Is	49	Talbot R	50
Maitland R	35	McGowan	35	Mississipi R (2)	37	Netogami	92	St. Lawrence R	127	Sand (Algoma)	103	Shack	104	Talbot R	50
Makokobatan	84	McGregor Bay	145	Mistago	90	Newboro	37	St. Marys R (2)	143	Sand (Cochrane)	103	Shackleton	104	Tedious	108
Makone	84	McIntosh	88	Mistinkon	90	Niagara-on-the-Lake	123	St. Nor	46	Sand (Frontenac)	47	Shaco	104	Tee	51
Maine Pt	149	McKay (Muskoka)	35	Moirs	36	Niagara R	123	L. St. Peter	46	Sand (Kenora)	102	Shawnee	105	Temperance	51
Maine Pt (Kenora)	84	McKay (Thunder Bay)	88	Mojut	90	Niger	38	L. St. Therese	102	Sand (Parry Sound)	46	Shannon	105	Terrace Bay	148
Maine Pt (Kenora)	85	McKenzie	35	Molson	90	Night Hawk	93	Salerno	46	Sand (Sudbury)	103	Sharbot (2)	47	Tetu	109
Manitou (Manitoulin)	85	McLester	88	Monnowanson	90	Nip	93	Salmon Pt	126	Sand Point	103	Shawenaga Inlet	141		
Manitou (Nipissing)	85	McNab	35	Montreal Is	149	Nine Mile	38	Sand (Algoma)	103						
Manitou R	139	Mead - see (voir)		Montreal R.	90	Nicobe	93	Sand (Cochrane)	103						
Manitouabe	35	Meadow L	35	Montreal R.	90	Nipigon Bay	147	Sand (Frontenac)	47						
Manitouwing	35	Meadow	35	(mouthvembouchure)	149	L. Nipigon (5)	93	Sand (Kenora)	102						
Manitouwing	85	Meadering	88	Moon R (2)	141	L. Nipissing (6)	38 & 92	Sand (Leeds)	102						
Manitowik	85	Meggs	88	Moose	91	Norcan	39	Sand (Parry Sound)	46						
Maple	85	Megsian	89	Moose R. (3)	91	Normandale Cr.	133	Sand (Sudbury)	103						
Marathon (s)	149	Melchett	89	Moose R. - see (voir)		North Anvil	93								



North Caribou	93	Oskawe	95	Pickereil R.	43	Pyette Pt.	142	Thames R (10)	51	U	Weller R (3)	52	Winnipeg R - see (voir)		
North Channel (L. Huron)	144	Osnaburgh	95	Pickering Generating		Q		Theatre	109	U	Weller	115	The Dalles	67	
North Channel (L. Ontario)	126	O'Sullivan	95	Station	125	Queenston Reservoir	43	Therlauff	109	Umfreville	112	Wenesaga	114	Wintering	117
North Driftwood R.	93	Otonabee R. (3)	39	Pickle	98	Quiesco	98	Third Depot	51	Unnamed	113	Wendigo	114	Wistwasing	117
North French R.	93	Ottawa R. (13)	40	Pickwick	98	Quirke	98	Thistle	109	Unnamed #2	113	Wenobegon	114	Wistwasing R.	
North Hubert	93	Other Is.	149	Pic R.	98	R		Thomas Bay,		Unnamed #3	113	Werner	114	(mouth/embouchure) -	
North Raft	94	Ottar	41	Pic R.		Raft	99	Manitoulin Is.	139	Unnamed #4	113	Weshayo	114	see (voir) L. Nipissing	39
North R.		Oty	42	(mouth/embouchure)	149	R		Thorning	109	Unnamed #420	52	Weslemkoon	52	Withers	117
(mouth/embouchure)	143	Oudaze	42	Picton Bay	126	Ragged Wood	99	Three Duck	110	Upper Beverley	52	West	53	Wizard	117
North Scot	94	Ouellet	95	Pie Is.	146	Rainy (Parry Sound)	99	Three Mile (Muskoka)	51	Upper Can. Migr. Bird		West Don R.	53	Wolf (Hastings)	54
North Spirit	94	Owen Sound	142	Pierce	98	Rainy (Rainy River) (6)	99	Three Mile (Parry Sound)	51	Sanctuary	128	West Humbler R.	53	Wolf (Sudbury)	117
North Tweed	94	Owlet	95	Pierre	98	Rainy (Rainy River) (6)	99	Threecorner	110	Upper Kesagami	113	West Kabening	114	Wolfe	54
Norway	39	Oxtongue	42	Pigeon Bay	147	Rainy R. (4)	100	Threennarrows	110	Upper Rideau	53	West Larkin	114	Wollaston	54
L. Nosbonsing	39	Ozhisk	95	Pigeon (Timiskaming)	98	Raisin R.	43	Thunder	110	Upper Ross	113	West Shining Tree	115	Wolverine	117
Nottawasaga Bay	142	P		Pigeon (Victoria)	43	Raisin R.	43	Thunder Bay Harbour (2)	147	Upper Windigo	112	Western Basin (L. Ene)	133	Wood	55
Nottawasaga R.	39	Paguchi	96	Pike Bay	138	(mouth/embouchure)	130	Timber	110	Urbach	53	Western Islands	143	Woodcock	55
(mouth/embouchure)	142	Pagwachuan	96	Pike	43	Ramsay	98	Timberwolf	51			Whalen	115	Woodland	55
Nunikan	38	Pakashikan	96	Pilgrim	98	Ramsay (Sudbury)	100	L. Timiskaming	110	V		Wheatley	132	Woods	55
Nursery	94	Pakhoan	96	Pine Bay	147	Ramsay (Sudbury)	101	Tobermory	140	Venetion	112	Whistle	115	Lake of the Woods (13)	117
Nym	94	Pakwash	96	Pine (Haliburton)	42	Ranger	101	Tochen	111	Vernion	112	White (Lanark)	53	Wright	118
		Pakwash	96	Pine (Muskoka)	42	Rapid	101	Tom	111	L. Vernon	53	White (Peterborough)	53		
		Panache	97	Pipe	99	Rattlesnake Harbour	140	Tom Chief	111	Victoria	112	White (Peterborough)		Y	
Pancake Bay	149	Pishdigi	99	Raven (Haliburton)	43	Raven (Sudbury)	101	Tomoko	111			see (voir) Dummer L.	25	Yorston	118
Pancake Is.	141	Pistol	99	Raven (Sudbury)	101	Raven (Timiskaming)	101	Tony	111			White (Thunder Bay)	115	Yorston R.	118
Pan	96	Pitcock Reservoir	42	Raven (Timiskaming)	101	Rawcourt	101	Toole	111			White Otter (Kenora)	115	Young Cr.	
Papakomeka	97	Pivabiska	99	Rawcourt	101	Reading	101	Toothpick	111			White Otter (Thunder Bay)	116	(mouth/embouchure)	133
Oba	95	Pievna - see (voir)		Rawcourt	101	Rebecca	43	Toronto Islands	124			White Partridge	53	Young	55
Obakamiga	95	Park	42	Saint (Frontenac)	47	Reaume	101	Torrance	110			White R. (2)	116		
Obaskaka	95	Parks	97	Pointe au Baril	141	Red	100	Tower	52			White R. area	149	Z	
Obushkong	95	Parry Sound	141	Point Edward	141	Red Cedar	100	Trapline	110			Whitefish (Algoma)	115	Zadi	118
Ogoki	95	Patten R.	97	Point Pelee	133	Red Pine	100	Trapnarrows	110			Whitefish (Leeds)	54	Zigzag	118
Oiseau R. - see (voir)		Patterson	42	Ponford	99	Red Chalk	43	Traverse Shoal	127			Whitefish (Sudbury)	115	Zinger	118
Eagle L.	69	Paudash (Haliburton)	42	Poplar	99	Red Deer	43	Treeby	110			Whitefish (Thunder Bay)	115		
Oke	95	Paudash (Sudbury)	97	Poggy	99	Red Pine	100	Trent R. - see (voir)				Whitepine (Sudbury)	116	L 12J-9	118
Old Woman R.		Peace	97	Porcupine	99	Red Rock	43	Percy Reach	43			Whitepine (Sudbury)	116	L 15	118
(mouth/embouchure)	148	Pebonishewi	97	Portage	42	Redpine	100	Trent R. - see (voir)				Whitesand	116	L 16H-96	119
Oliphant	38	Pedro	97	Port Credit	125	Redrock	43	Seymour L.	46			Whaleys	114	L 16H-97	119
Oliver	38	Pekagonging	96	Port Franks	140	Redstone	44	Trent R.				Wanapitei	114	L 17H-12	119
Onam	95	Pelee Is.	133	Port Lambton	143	Redstone R.	100	Trent R. (mouth/embouchure)	127			Wangoon	114	L 17H-51	119
Onaping	95	Pelee Is.	133	Port Severn	143	Reds Bay	100	Triangular	110			Wanzakota	114	L 17H-52	119
L. Ontario	122	Penelon	96	Port Stanley	133	Regal	100	Trent	110			Waseosa	53	L 19E-62	119
Opakopa	94	Penetang Harbour	142	Port Warter	123	Rogan	100	Trolope	111			Wascho	114	L 19E-72	119
Opasatika	94	Peninsula Harbour	149	Powell	98	Rermi	101	Trout (Kenora)	111			Wasi - see (voir)		L 19F-76	119
Opasquia	94	Peninsula	94	Praine Beie	98	Restoule	44	Trout (Kenora)	111			Wasi - see (voir)		L 20F-113	119
Opeesesway	94	Percy (Haliburton)	43	Praine	98	Reta	101	Trout (Nipissing)	52 & 111			Watbeag	112	L 20G-134	119
Opeongo	38	Percy (Kenora)	96	Pratt	98	Rice (Peterborough) (2)	44	Trout (Parry Sound)	52			Waterford	54	L 21G-103	120
Opikeng	94	Percy Reach	43	Presquille Bay	126	Rice (Sudbury)	101	Trout (Sudbury)	111			Watersnake	114	L 21G-104	120
Opincon	38	Petersen	96	Presquille Point	126	Rideau - see (voir)		Tukaneu	111			Watt - see (voir)		L 21G-105	120
Opinagau - see (voir)		Peterson	96	Prince Edward Bay	126	Big Rideau	17	Tunnel	111			Clear (Muskoka)	20	L 21G-106	120
Opinagau R.	94	Pettit	96	Pringle	98	Rideau R. (5)	44	Tupman	112			Wavell	115	L 21G-107	120
Opishn	94	Pevensey - see (voir)		Professor's	42	Ritchie	101	Turtle (Nipissing)	52 & 112			Wawa	115	L 21G-108	120
Oram	39	Loon L.	33	Prospect	42	Robertson	44	Turtle (Rainy River)	112			Wawagoshe	115	L 21G-109	120
Orangeville Reservoir	39	Pharand	97	Proudfoot - see (voir)		Robillard - see (voir)		Tutu	112			Wawang	115	L 21G-110	120
Ort	39	Pichogen	97	Island L.	30	Long (Timiskaming)	83	Tweed	112			Wawashkashi	115	L 21G-111	120
Oscar	95	Pickereil (Cochrane)	97	Pullen	98	Robin (Cochrane)	101	Twelve Mile	52			Weagawag	115	L 21G-112	120
Oshawa area	125	Pickereil (Kenora)	97	Purdy	42	Robin (Parry Sound)	44	Two River	112			Welcome Islands	147	L 21G-113	120
Osnawi	95	Pickereil (Parry Sound)	43	Pusey	42	Robinson (Hastings)	44							L 21G-114	120
		Pickereil (Rainy River)	97	Puslinch	42	Robinson (Rainy River)	101							L 21G-115	120

## Fish Identification

### Identification des poissons

The consumption advice provided in this book is related to specific species of fish and, in order to use the information properly, it is important to correctly identify the species of fish caught.

On the following pages are sketches of the types of the fish most commonly sought in Ontario. Accompanying each picture is a brief description of the length and weight ranges of the adult fish that anglers are likely to catch from Ontario's lakes and streams. For those fishermen lucky enough to land a "lunker", the record size of many species are provided for comparison.

Information on the distribution (D), spawning time (S) and food consumed (F) is also provided.

The fish illustrations were drawn by University of Toronto student Rebecca Brebner, with the exception of the muskellunge and the sturgeon, which were drawn by Andreas Radman of the Ontario Ministry of the Environment. These illustrations were redrawn based on original fish illustrations from two publications: Bulletin 184, Fisheries Research Board of Canada - "Freshwater Fishes of Canada" by Scott and Crossman, and "Fish of Ontario" (poster) distributed by the Ministry of Natural Resources.

Les conseils de consommation donnés dans la présente brochure portent sur des espèces particulières de poisson et, pour tirer parti de cette information, il importe d'identifier correctement les espèces que l'on prend.

On trouvera dans les pages qui suivent des croquis des types de poissons qui se pêchent le plus souvent en Ontario. Chaque image est accompagnée d'une brève description indicative de la fourchette de dimensions et de poids où se situent les poissons adultes que le pêcheur à la ligne a des chances de pêcher dans les lacs et cours d'eau de l'Ontario. Pour ceux qui auraient la chance de sortir une "grosse pièce", la taille record est indiquée pour beaucoup d'espèces aux fins de comparaison.

On donne également des renseignements sur l'habitat des poissons (H), leurs périodes de frai (F), et leur nourriture (N).

Les croquis des poissons ont été réalisés par Rebecca Brebner, étudiante à l'Université de Toronto, sauf ceux du maskinongé et de l'esturgeon, qui sont l'oeuvre d'Andreas Radman, du ministère de l'Environnement de l'Ontario. Les croquis ont été faits à partir d'illustrations originales tirées de deux publications: le bulletin 184 de l'Office des recherches sur les pêcheries du Canada, «Freshwater Fishes of Canada», de Scott et Crossman et «Poissons de l'Ontario» affiche diffusée par le ministère des Richesses naturelles de l'Ontario.

#### Northern Pike Brochet

Length/longueur: 45-100 cm  
18-39 in

Weight/poids: 0.7-8.0 kg  
1.5-17.5 lb

Record (Ontario): 19.11 kg  
42.13 lb

D: quiet, heavily vegetated waters throughout

Ontario


S: early spring

F: adults consume fish, but also take ducklings, frogs and small muskrats

H: eaux calmes contenant beaucoup de végétation dans tout l'Ontario


F: début du printemps

N: le poisson adulte se nourrit de poisson et aussi de canetons, de grenouilles et de petits rats musqués



#### Pike

Cheek fully scaled, upper half of opercle only scaled, 10 pores on undersides of lower jaw. Northern pike. (E. lucius)




#### Brochet

Joue recouverte d'écaillures; partie supérieure de l'opercule recouverte d'écaillures seulement; 10 pores sous la mâchoire inférieure. Brochet (E. lucius)

#### Muskie

Cheek and opercle both scaled only on upper half, 12-18 pores on undersides of lower jaw. Great Lakes muskellunge (E. masquinongy)



#### Maskinongé

Parti supérieure de la joue et de l'opercule recouverte d'écaillures seulement; 12 à 18 pores sous la mâchoire inférieure. Maskinongé. (E. masquinongy)

#### Muskellunge Maskinongé

Length/longueur: 71-117 cm  
28-46 in

Weight/poids: 3.5-16.0 kg  
8-35 lb

Record (Ontario): 147.3 cm/29.48 kg  
58 in/65.0 lb

D: quiet, weedy areas of lakes and rivers

S: spring

F: mainly fish, but also crayfish, frogs, mice, muskrats and waterfowl

H: eaux tranquilles et herbeuses des lacs et rivières

F: printemps

N: principalement du poisson, mais aussi des écrevisses, grenouilles, souris, rats musqués et oiseaux aquatiques




## Walleye Doré

Length/longueur: 25-85 cm  
10-33 in

Weight/poids: 0.25-6.0 kg  
0.5-13 lb

Record (Ontario): 92.7 cm/10.09 kg  
36.5 in/22.25 lb




D: mainly cold, clear waters throughout Ontario  
S: early spring  
F: mainly fish

H: principalement eaux froides et claires dans tout l'Ontario  
F: début du printemps  
N: surtout du poisson

## Sauger Doré noir

Length/longueur: 25-41 cm  
10-16 in

Weight/poids: 0 to 0.5 kg  
1.0 lb



D: large, shallow, turbid waters throughout Ontario  
S: late May and early June  
F: fish, insects and freshwater shrimp

H: vastes étendues d'eau trouble peu profonde dans tout l'Ontario  
F: fin mai, début juin  
N: poisson, insectes et crevettes d'eau douce

## Yellow Perch Perchaude

Length/longueur: 15-30 cm  
6-12 in

Weight/poids: 0.2-0.3 kg  
0.4-0.7 lb

Record (Ontario): 33.98 cm/0.83 kg  
13.4 in/1.84 lb



D: clear waters with some vegetation throughout Ontario  
S: April or May  
F: insects, crayfish, snails and fish

H: eaux claires contenant un peu de végétation dans tout l'Ontario  
F: avril ou mai  
N: insectes, écrevisses, escargots et poisson

## Smallmouth Bass Achigan à petite bouche

Length/longueur: 25-50 cm  
10-20 in

Weight/poids: 0.5-2.3 kg  
1-5 lb

Record (Ontario): 61.0 cm/4.46 kg  
24 in/9.84 lb



D: clear, rocky waters with little vegetation from Southern Ontario to Timiskaming  
S: June  
F: fish, crayfish, insects

H: eaux claires et rocheuses contenant peu de végétation du Sud de l'Ontario à Timiskamingue  
F: juin  
N: poisson, écrevisses et insectes

## Largemouth Bass Achigan à grande bouche

Length/longueur: 25-55 cm  
10-22 in

Weight/poids: 0.3-2.3 kg  
0.7-5 lb

Record (Ontario): 4.75 kg  
10.48 lb




D: warm, weedy, slow or still waters with mud bottoms, in Southern Ontario  
S: June  
F: mainly fish, but also crayfish and frogs

H: eaux chaudes, herbeuses, lentes ou tranquilles, au fond vaseux, dans le Sud de l'Ontario  
F: juin  
N: surtout du poisson, mais aussi des écrevisses et des grenouilles

## Rock Bass Crapet de roche

Length/longueur: 15-20 cm  
6-8 in

Weight/poids: 0.2-0.45 kg  
0.5-1 lb



D: warm, clear, shallow, slow waters with gravel or rocky bottoms, northward to Lake Abitibi  
S: spring  
F: insects, crayfish, small fish


H: eaux chaudes, claires, peu profondes au fond de roches ou de gravier jusqu'au lac Abitibi au nord  
F: printemps  
N: insectes, écrevisses, petits poissons

## Chinook Saumon chinook

Length/longueur 30-100 cm  
12-39 in


Weight/poids 0.5-18.0 kg  
1-40 lb

Record (Ontario) 114.3 cm/20.58 kg  
45 in/45.38 lb



Mouth black  
Bouche noire

Spots over  
entire tail  
Queue entièrement  
mouchetée



Start ray count from first  
rudimentary ray no. 1.  
The last ray usually is  
branched to bottom

Commencez à compter les  
rayons à partir du premier rayon  
rudimentaire (1).  
Le dernier rayon est  
généralement ramifié.


- D: introduced into Great Lakes from Pacific West Coast  
S: at maturity, swims up rivers to spawn in fall; dies after spawning  
F: mainly smelt and alewives

- H: originaire de la côte du Pacifique et introduit dans les Grands Lacs de l'Ontario  
F: à maturité, remonte les rivières pour frayer en automne, meurt ensuite  
N: surtout des éperlans et des alevins

## Pink Salmon Saumon rose

Length/longueur to 46 cm  
18 in

Record (Ontario) 72.69cm/4.25 kg  
28.62 in/9.36 lb



- D: has spread naturally through Great Lakes after introduction from Pacific West Coast into Lake Superior  
S: at maturity, travels up rivers to spawn in fall; dies after spawning  
F: smelt, insects


- H: originaire de la côte du Pacifique, s'est naturellement dispersé dans les Grands Lacs après avoir été introduit dans le lac Supérieur  
F: à maturité, remonte les rivières pour frayer en automne, meurt ensuite  
N: éperlans, insectes

## Rainbow Trout Truite arc-en-ciel

Length/longueur 15-75 cm  
6-30 in

Weight/poids 0.2-5.5 kg  
0.5-12 lb

Record (Ontario) 97.8 cm/13.21 kg  
38.5 in/29.1 lb



Mouth white  
Bouche blanche

Spots over entire tail  
in radiating rows  
Queue entièrement  
mouchetée en lignes

10-12 Anal rays

10 à 12 rayons anaux

- D: primarily a lake fish throughout Great Lakes area; introduced from Pacific West Coast  
S: migrates up river to spawn from December to May  
F: insects, freshwater shrimp, fish, snails, clams, leeches

- H: originaire de la côte du Pacifique; poisson vivant surtout dans les lacs de la région des Grands Lacs  
F: remonte les rivières pour frayer de décembre à mai  
N: insectes, crevettes d'eau douce, poisson, escargots, coquillages et sangsues


## Coho Saumon coho

Length/longueur: 30-75 cm  
12-30 in

Weight/poids: 0.5-8.0 kg  
1-18 lb

Record (Ontario): 12.08 kg  
26.64 lb

Mouth dark  
gums whitish  
Bouche sombre  
gencives blanchâtres



Spots on upper part of tail  
Partie supérieure  
de la queue mouchetée

13-15 Anal rays  
13 à 15 rayons anaux

D: introduced into Great Lakes in the mid 1960s  
from Pacific West Coast  
S: swims up rivers in late fall to spawn at maturity,  
dies after spawning  
F: mainly smelt and alewives

H: originaire de la côte du Pacifique, introduit dans les  
Grands Lacs au milieu des années 1960  
F: remonte les rivières pour frayer à maturité en automne;  
meurt ensuite  
N: surtout des éperlans et des alevins

## Atlantic Salmon Saumon atlantique

Length/longueur: 25-70 cm  
10-28 in

Weight/poids: 0.9-3.6 kg  
2-8 lb

Record (Ontario): 88.9 cm/11.02 kg  
35 in/24.30 lb



D: recently stocked in Lake Ontario and Trout Lake  
(North Bay)  
S: fall; may enter rivers from mid-summer; can  
spawn more than once  
F: mainly smelt and alewives in Lake Ontario


H: stocké récemment dans lac Ontario et lac Trout  
(North Bay)  
F: automne; peut remonter les rivières du milieu d'été;  
peut frayer plusieurs fois  
N: surtout des éperlans et des alevins dans lac Ontario

## Lake Trout Truite de lac

Length/longueur: 30-80 cm  
12-31 in

Weight/poids: 0.27-4.5 kg  
0.6-10 lb

Record (Ontario): 130.8 cm/28.63 kg  
51.5 in/63.1 lb



D: cool waters of deep lakes throughout much of  
Ontario  
S: October  
F: fish, insect larvae and plankton


H: eaux fraîches des lac profonds dans tout l'Ontario  
F: octobre  
N: poisson, larves d'insectes et plancton

## Brown Trout Truite brune

Length/longueur: 15-65 cm  
6-16 in

Weight/poids: 0.2-4.5 kg  
0.5-10 lb

Record (Ontario): 92 cm/14.06 kg  
36.2 in/31 lb



D: introduced from Europe into Southern Ontario  
streams  
S: fall  
F: insects, fish, crayfish, worms


H: originaire d'Europe et introduite dans les cours d'eau  
du Sud de l'Ontario  
F: automne  
N: insectes, poissons, écrevisses et vers

## Brook Trout Truite mouchetée

Length/longueur: 15-40 cm  
6-16 in

Weight/poids: 0.2-0.9 kg  
0.5-2 lb

Record (Ontario): 80.0 cm/6.58 kg  
31.5 in/14.5 lb



D: cool, clear streams and small lakes  
S: late fall  
F: insects, fish, crayfish, clams, snails

H: cours d'eau frais et clairs et petits lacs  
F: fin de l'automne  
N: insectes, poisson, écrevisses et coquillages et escargots

## Whitefish Grand corégone

Length/longueur: 30-65 cm  
12-26 in

Weight/poids: 0.3-4.0 kg  
0.5-9 lb

Record (Ontario): 6.52 kg  
14.38 lb

D: many inland lakes from Great Lakes to Hudson Bay  
S: November and December  
F: aquatic insect larvae, clams, snails and plankton



H: surtout lacs intérieurs des Grands Lacs à la baie d'Hudson  
F: de novembre à décembre  
N: larves d'insectes aquatiques, coquillages, escargots et plancton

Profiles of whitefish and herring showing differences due to position of snout or upper jaw.

### Whitefish

A. The mouth is overhanging by the snout or upper jaw; rounded profile. Whitefish (*Coregonus clupeaformis*).



Profils du corégone et du cisco: remarquez la position du museau (mâchoire supérieure).

### Grand corégone

A. Le museau (mâchoire supérieure) est en saillie sur la bouche. Profil arrondi. Corégone. (*Coregonus clupeaformis*).

### Cisco

B. The mouth is not overhanging by the snout; pointed profile. Lake herring (*Coregonus artedii*).



### Cisco de lac

B. Le museau n'est pas proéminent; profil pointu. Cisco de lac. (*C. artedii*).

## Cisco (Lake Herring) Cisco de lac (Hereng de lac)

Length/longueur: 20-30 cm  
8-12 in

Weight/poids: 0.3-0.5 kg  
0.5-1 lb

D: cold waters throughout Great Lakes to Hudson Bay  
S: November or December  
F: mainly plankton, but also aquatic insects, clams and snails



H: eaux froides des Grands Lacs à la baie d'Hudson  
F: novembre ou décembre  
N: principalement du plancton, mais aussi des insectes aquatiques, coquillages et escargots

## Channel Catfish Barbue de rivière

Length/longueur: 36-53 cm  
14-21 in

Weight/poids: 0.9-1.8 kg  
2-4 lb

D: Great Lakes and larger lakes and rivers in Southern Ontario and parts of Northern Ontario  
S: spring or summer  
F: fish, aquatic insects, crayfish, clams and snails



H: Grands Lacs et lacs ou rivières plus importants du Sud de l'Ontario et de certaines régions du Nord  
F: printemps ou été  
N: poisson, insectes aquatiques, écrevisses, coquillages et escargots


## Brown Bullhead Barbotte brune

Length/longueur: 20-36 cm  
8-14 in

Weight/poids: 0.3-0.45 kg  
0.8-1 lb

Record (Ontario): 41.28 cm/1.08 kg  
16.25 in/2.38 lb

D: warm, slow waters throughout Southern Ontario and parts of Northern Ontario  
S: spring  
F: insect larvae, crayfish, worms, clams, snails, fish and plant material




H: eaux chaudes et tranquilles du Sud de l'Ontario et de certaines régions du Nord  
F: printemps  
N: larves d'insectes, écrevisses, vers, coquillages, escargots, poisson et plantes

## Carp Carpe

Length/longueur: 30-75 cm  
12-30 in

Weight/poids: 0.5-11.0 kg  
1-24 lb

D: widely introduced into Ontario in shallow, fairly warm waters  
S: June and July  
F: insects larvae, crayfish, snails and plants



H: très commune dans tout l'Ontario dans les eaux peu profondes et relativement chaudes  
F: juin et juillet  
N: larves d'insectes, écrevisses, escargots et plantes

## Round Whitefish Ménonini rond

Length/longueur: 20-40 cm  
8-16 in

Weight/poids: average 0.45 kg  
moyen 1.0 lb



D: usually found in deep lakes in Southern Ontario and Great Lakes

S: fall

F: bottom feeder, eating aquatic insect larvae, clams and snails

H: d'ordinaire, lacs profonds du Sud de l'Ontario et Grands Lacs


F: automne

N: se nourrit au fond de l'eau; larves d'insectes aquatiques, coquillages et escargots

## White Sucker Meunier noir

Length/longueur: 30-50 cm  
12-20 in

Weight/poids: 0.45-0.9 kg  
1-2 lb



D: warm shallow lakes and tributary rivers of larger lakes

S: spring

F: sucks up bottom material for aquatic insects, clams, worms, and aquatic plant material

H: lacs chauds et peu profonds et rivières se jetant dans des lacs plus étendus


F: printemps

N: aspire la vase du fond pour y trouver des insectes aquatiques, des escargots, des vers, et des plantes

## Redhorse Sucker Suceur rouge

Length/longueur: 30-45 cm  
12-18 in

Weight/poids: 0.45-0.9 kg  
1-2 lb



D: throughout Ontario

S: spring

F: sucks up bottom material for aquatic insects, snails and clams

H: tout l'Ontario

F: printemps

N: aspire la vase du fond pour y trouver des insectes aquatiques, des escargots et des coquillages

## White Bass Bar blanc

Length/longueur: 20-30 cm  
8-12 in

Weight/poids: to 0.7 kg  
1.5 lb



D: clear waters near rock reefs and sand bars in lower Great Lakes area

S: spring

F: small fish, insects, small plant material and crayfish

H: eaux claires près des bancs de roches et de sable dans les régions inférieures des Grands Lacs


F: printemps

N: petits poissons, insectes, petites plantes et écrevisses

## White Perch Bar-perche

Length/longueur: 15-25 cm  
6-10 in

Weight/poids: 0.2-0.5 kg  
0.5-1 lb



D: Lake Ontario, Lake Erie, lower Niagara River and Welland Canal

S: May and June

F: insects and fish

H: lac Ontario, lac Erie, partie inférieure de la rivière Niagara et canal Welland

F: mai et juin


N: insectes et poisson

## Freshwater Drum Malachigan

Length/longueur: 45-50 cm  
18-20 in

Weight/poids: 0.5-1.0 kg  
1-2 lb

Record (Ontario): 79.9 cm/7.33 kg  
31.46 in/16.17 lb



D: large shallow waterbodies with mud or sandy bottoms

S: spring or early summer

F: feed on bottom, eating snails, crayfish, fish and insects


H: grandes étendues d'eau peu profonde au fond vaseux ou sablonneux

F: printemps ou début de l'été

N: se nourrit au fond de l'eau d'escargots, d'écrevisses, de poisson et d'insectes

### White Crappie Marigane blanche

Length/longueur: 20-30 cm  
8-12 in



D: mouths of tributary streams or weedy sheltered bays in lower Great Lakes area  
S: late spring or early summer  
F: aquatic insects, small fish

H: embouchure des cours d'eau affluents ou baies abritées et herbeuses de la région inférieure des Grands Lacs  
F: fin du printemps ou début de l'été  
N: insectes aquatiques, petits poissons

### Black Crappie Marigane noire

Length/longueur: 18-25 cm  
7-10 in  
Weight/poids: 0.25-0.5 kg  
0.5-1 lb

Record (Ontario): 43.2 cm/1.72 kg  
17 in/3.78 lb



D: clear, weedy lakes and slow rivers northward to Sault Ste. Marie  
S: May and June  
F: small fish, insects and crayfish

H: lacs clairs et herbeux et rivières lentes au sud de Sault Ste. Marie  
F: mai et juin  
N: petits poissons, insectes et écrevisses

### Pumpkinseed Crapet-soleil

Length/longueur: 18-23 cm  
7-9 in  
Weight/poids: less than 0.2 kg  
0.5 lb



D: clear, shallow weedy waters northward to Temagami  
S: spring  
F: insects, snails

H: eaux claires et herbeuses au sud de Temagami  
F: printemps  
N: insectes, escargots

### Ling (Burbot) Lotte

Length/longueur: to 38 cm  
15 in




D: cool waters of lakes and rivers throughout Ontario  
S: late winter or early spring  
F: fish, crayfish, freshwater shrimp and insects

H: eaux fraîches des lacs et des rivières dans tout l'Ontario  
F: fin de l'hiver ou début du printemps  
N: poisson, écrevisses, crevettes d'eau douce et insectes

### American Eel Anguille d'Amérique

Length/longueur: 81-91 cm  
2-3 ft



D: mainly in St. Lawrence River and Ottawa River drainage, and Lake Ontario  
S: adults spawn once in Atlantic Ocean in fall, then die; young return to lakes and rivers in spring  
F: fish, aquatic insect larvae, crayfish, snails, earthworms

H: surtout le bassin du fleuve Saint-Laurent et de la rivière des Outaouais et lac Ontario  
F: les adultes frayent une fois dans l'océan Atlantique en automne puis meurent, les jeunes poissons reviennent dans les lacs et rivières au printemps  
N: poisson, larves d'insectes aquatiques, écrevisses, escargots et vers de terre

### Bowfin Poisson castor

Length/longueur: 46-61 cm  
18-24 in  
Weight/poids: 0.9-1.4 kg  
2-3 lb

Record (Ontario): 81.3 cm/6.15 kg  
32 in/13.56 lb




D: swampy vegetated bays of warm lakes and rivers  
S: spring  
F: fish, crayfish, frogs

H: baies marécageuses et herbeuses des lacs et des rivières d'eau chaude  
F: printemps  
N: poisson, écrevisses, grenouilles



## Bluegill Crapet arlequin

Length/longueur: 15-30 cm  
6-12 in  
Record (Ontario): 24 cm/0.40 kg  
9.76 in/0.88 lb




D: warm, vegetated still waters throughout Southern Ontario  
S: spring and summer  
F: insects, vegetation

H: eaux chaudes et tranquilles contenant de la végétation dans tout le Sud de l'Ontario  
F: printemps et été  
N: insectes et végétation

## Goldeye Laquaiche aux yeux d'or

Length/longueur: 25-38 cm  
10-15 in




D: parts of NE & NW Ontario often in swift silty waters  
S: spring  
F: insects, snails, crayfish, fish

H: régions du N-E et du N-O de l'Ontario, souvent dans les eaux rapides et alluviales  
F: printemps  
N: insectes, escargots, écrevisses et poisson

## Mooneye Laquaiche argentée

Length/longueur: 25-30 cm  
10-12 in



D: clear rivers and shallows waters of lakes  
S: spring  
F: fish, insects, snails and small plant matter

H: rivières claires et eaux peu profondes des lacs  
F: printemps  
N: poisson, insectes, escargots et petites plantes

## Sturgeon Esturgeon de lac

Length/longueur: 90-145 cm  
3-5 ft  
Weight/poids: 4.5-36 kg  
10-80 lb




D: larger rivers and lakes, usually in depths less than 30 feet  
S: spring, attain great ages, not maturing until about 20 years of age  
F: bottom feeder, consuming insect larvae, snails and crayfish

H: grands lacs et rivières, d'ordinaire à moins de 30 pieds de profondeur  
F: printemps, vit longtemps et ne parvient pas à maturité avant environ 20 ans  
N: se nourrit au fond de larves d'insectes, d'escargots et d'écrevisses

## Rainbow Smelt Éperlan arc-en-ciel

Length/longueur: 15-25 cm  
6-10 in



D: throughout Great Lakes area  
S: late April  
F: small fish, small aquatic life, worms

H: toute la région des Grands Lacs  
F: fin avril  
N: petits poissons, petites créatures aquatiques, vers

# Fish Names<sup>1</sup>

## Noms des poissons<sup>1</sup>

English Common Name	Nom français	Scientific Name Nom scientifique
Sea Lamprey	Lamproie marine	<i>Petromyzon marinus</i> (Linnaeus)
Sturgeon, Lake Sturgeon	Esturgeon de lac, charbonnier	<i>Acipenser fulvescens</i> Rafinesque
Longnose Gar	Lépisosté osseux	<i>Lepisosteus osseus</i> (Linnaeus)
Bowfin, dogfish, lawyer	Poisson-castor	<i>Amia calva</i> Linnaeus
Alewife	Gaspereau	<i>Alosa pseudoharengus</i> (Wilson)
Gizzard shad, Shad, sawbelly	Alose à gésier	<i>Dorosoma cepedianum</i> (Lesueur)
Atlantic Salmon	Saumon atlantique	<i>Salmo salar</i> Linnaeus
Pink Salmon	Saumon rose	<i>Oncorhynchus gorbuscha</i> (Walbaum)
Coho Salmon	Saumon coho	<i>Oncorhynchus kisutch</i> (Walbaum)
Kokanee Salmon	Saumon nerka	<i>Oncorhynchus nerka</i> (Walbaum)
Chinook Salmon	Saumon chinook	<i>Oncorhynchus tshawytscha</i> (Walbaum)
Rainbow Trout, Steelhead Trout	Truite arc-en-ciel	<i>Oncorhynchus mykiss</i> (Walbaum)
Brown Trout	Truite brune	<i>Salmo trutta</i> Linnaeus
Brook trout Speckled Trout, Square-tail, aurora Trout	Truite mouchetée, omble de fontaine	<i>Salvelinus fontinalis</i> (Mitchill)
Lake Trout, Grey Trout Laker, Namaycush	Truite de lac, truite grise, touladi	<i>Salvelinus namaycush</i> (Walbaum)
Siscowet, fat Lake Trout, fat	Siscowet	<i>Salvelinus namaycush siscowet</i> (Agaassiz)
Splake, Wendigo	Truite moulac	Hybrid of <i>Salvelinus namaycush</i> (Walbaum) and <i>Salvelinus fontinalis</i> (Mitchill)

English Common Name	Nom français	Scientific Name Nom scientifique
Bloater, Hoy's Cisco	Cisco de fumage	<i>Coregonus hoyi</i> (Gill)
Whitefish, Lake Whitefish	Grande corégone	<i>Coregonus clupeaformis</i> (Mitchill)
Round Whitefish, Menominee	Ménomini rond	<i>Prosopium cylindraceum</i> (Pallas)
Rainbow Smelt, Smelt	Éperlan arc-en-ciel, Éperlan du nord	<i>Osmerus mordax</i> (Mitchill)
Goldeye, Winnipeg Goldeye	Laquaiche aux yeux d'or	<i>Hiodon alosoides</i> (Rafinesque)
Mooneye	Laquaiche argentée	<i>Hiodon tergisus</i> (Lesueur)
Northern Pike, Great Northern Pike, Jack	Brochet, grand brochet	<i>Esox lucius</i> (Linnaeus)
Muskie, Muskellunge, Maskinonge, Lunge	Maskinongé	<i>Esox masquinongy</i> Mitchell
Goldfish, Golden Carp	Poisson doré	<i>Carassius auratus</i> (Linnaeus)
Carp, Mirror Carp	Carpe	<i>Cyprinus carpio</i> Linnaeus
Quillback Carpsucker, Quillback, Drum	Couette	<i>Carpionodes cyprinus</i> (Lesueur)
Longnose Sucker	Meunier rouge	<i>Catostomus catostomus</i> (Forster)
White Sucker, Common Sucker	Meunier noir	<i>Catostomus commersoni</i> (Lacépède)
Redhorse Sucker, Northern Redhorse, Common Mullet	Suceur rouge	<i>Moxostoma macrolepidotum</i> (Lesueur)
Emerald Shiner, Lake Shiner	Méné émeraude	<i>Notropis atherinoides</i> (Rafinesque)
Spottail Shiner, Shiner	Queue à tache noire	<i>Notropis hudsonius</i> (Clinton)
Brown Bullhead, Common	Barbotte brune	<i>Ictalurus nebulosus</i> (Lesueur)
Channel Catfish, Channel Cat	Barbue de rivière	<i>Ictalurus punctatus</i> (Rafinesque)

American Eel, Eel, Common Eel	Anguille d'Amérique	<i>Anguilla rostrata</i> (Lesueur)
Burbot, Ling, Maria, Freshwater Cod, Lawyer	Lotte	<i>Lota lota</i> (Linnaeus)
White Perch, Silver Perch	Bar-perche	<i>Morone americana</i> (Gmelin)
White Bass, Silver Bass	Bar blanc	<i>Morone chrysops</i> (Rafinesque)
Rock Bass, Redeye	Crapet de roche	<i>Ambloplites rupestris</i> (Rafinesque)
Pumpkinseed, Common Sunfish	Crapet-soleil	<i>Lepomis gibbosus</i> (Linnaeus)
Bluegill, Bluegill Sunfish, Bream	Crapet-arlequin	<i>Lepomis macrochirus</i> Rafinesque
Smallmouth Bass, Black Bass	Achigan à petite bouche	<i>Micropterus dolomieu</i> Lacépède
Largemouth Bass, Largemouth, Black Bass, Green Bass	Achigan à grande bouche	<i>Micropterus salmoides</i> Lacépède
White Crappie, Crappie	Marigane blanche	<i>Pomoxis annularis</i> Rafinesque
Black Crappie, Crappie, Calico Bass	Marigane noire	<i>Pomoxis nigromaculatus</i> (Lesueur)
Yellow Perch, Perch, Lake Perch	Perchaude	<i>Perca flavescens</i> (Mitchill)
Sauger, Sand Pickerel Sand Pike	Doré noir	<i>Stizostedion canadense</i> (Smith)
Walleye, Yellow Walleye, Pickerel, Yellow Pickerel, Wall- eyed Pike, Pike-Perch	Doré	<i>Stizostedion vitreum</i> (Mitchill)
Freshwater Drum, Sheepshead, Drum	Malachigan	<i>Aplodinotus grunniens</i> Rafinesque

1. The names of fish are as contained in "Freshwater Fishes of Canada" by W.B. Scott and E.J. Crossman, Bulletin 184, Fisheries Research Board of Canada, 1973.

1. Les noms des poissons sont tirés de "Freshwater Fishes of Canada" par W.B. Scott et E.J. Crossman, Bulletin 184 de l'Office des recherches sur les pêcheries du Canada, 1973.

## Addresses

## Adresses

In many local areas, toll-free telephone numbers for the following offices may be available. Please check the blue pages of your local telephone directory.

Dans plusieurs régions, des numéros gratuits téléphoniques sont disponibles pour les bureaux suivants. Trouvez ces numéros dans les pages bleues de votre annuaire téléphonique.

### Ministry of the Environment

Regional and District Offices

### Ministère de l'Environnement

Bureaux régionaux et de district

#### Northwestern Region Région du Nord-Ouest

Thunder Bay Regional Office,  
P.O. Box 5000, 435 James St. S.  
Thunder Bay, P7C 5G6  
Tel.: 807/475-1205

Kenora District Office  
P.O. Box 5150, 808 Robertson St.  
Kenora, P9N 1X9  
Tel.: 807/468-2725

#### Northeastern Region Région du Nord-Est

Sudbury Regional Office,  
199 Larch St., 11th Floor  
Sudbury, P3E 5P9  
Tel.: 705/675-4501

Timmins District Office,  
83 Algonquin Blvd. W.,  
Timmins, P4N 2R4  
Tel.: 705/268-3222

Sault Ste. Marie District Office,  
445 Albert St. E.  
Sault Ste. Marie, P6A 2J9  
Tel.: 705/949-4640

North Bay District Office,  
1500 Fisher St., Northgate Plaza,  
North Bay, P1B 2H3  
Tel.: 705/476-1001

Parry Sound Sub-Office,  
74 Church St.  
Parry Sound, P2A 1Z1  
Tel.: 705/746-2139

#### Central Region Région du Centre

Central Regional Office,  
4th Floor, 7 Overlea Blvd.  
Toronto, M4H 1A8  
Tel.: 416/424-3000

Barrie District Office,  
12 Fairview Rd.,  
Barrie, L4N 4P3  
Tel.: 705/726-1730

Muskoka-Haliburton Dist. Office,  
483 Bethune Dr.  
Gravenhurst, P0C 1G0  
Tel.: 705/687-6647

## Ministry of Natural Resources

Regional and District Offices

## Ministère des Richesses naturelles

Bureaux régionaux et de district

#### Northwestern Region Région du Nord-Ouest

810 Robertson St.  
Box 5160  
Kenora, Ontario P9N 3X9  
Tel.: 807/468-3111

Red Lake District  
Box 5003, Hwy. 105  
Red Lake, Ontario  
P0V 2M0  
Tel.: 807/727-2253

Kenora District  
808 Robertson St.  
Box 5080  
Kenora, Ontario  
P9N 3X9  
Tel.: 807/468-9841

Dryden District  
479 Government Rd.  
Box 730  
Dryden, Ontario  
P8N 2Z4  
Tel.: 807/223-3341

Sioux Lookout District  
Box 309, Prince Street  
Sioux Lookout, Ontario  
P0V 2T0  
Tel.: 807/737-1140

Fort Frances District  
922 Scott Street  
Fort Frances, Ontario  
P9A 1J4  
Tel.: 807/274-5337

Ignace District  
Box 448, Hwy. 599  
Ignace, Ontario  
P0T 1T0  
Tel.: 807/934-2233

#### North Central Region Région du Centre-Nord

Ontario Govt. Bldg.  
435 James St. S.  
Box 5000  
Thunder Bay, Ontario  
P7C 5G6  
Tel.: 807/475-1261

Atikokan District  
108 Saturn Ave.  
Atikokan, Ontario  
P0T 1C0  
Tel.: 807/597-6971

Thunder Bay District  
435 James St. S. (Basement)  
Box 5000  
Thunder Bay, Ontario  
P7C 5G6  
Tel.: 807/475-1471

Terrace Bay District  
Box 280  
Terrace Bay, Ontario  
P0T 2W0  
Tel.: 807/825-3205

Nipigon District  
Box 970, Hwy. 17  
Nipigon, Ontario  
P0T 2J0  
Tel.: 807/887-2120

Geraldton District  
208 Beamish Ave. W.  
Box 640  
Geraldton, Ontario  
P0T 1M0  
Tel.: 807/854-1030

Peterborough District Office,  
139 George St. N.,  
Peterborough, K9J 3G6  
Tel.: 705/743-2972

Halton-Peel District Office,  
1235 Trafalgar Rd.  
Suite 401  
Oakville, L6H 3P1  
Tel.: 416/844-5747

**Southwestern Region  
Région du Sud-Ouest**

London Regional Office,  
985 Adelaide St. South  
London, N6E 1V3  
Tel.: 519/661-2200

Windsor District Office  
250 Windsor Ave., 6th Floor  
Windsor, N9A 6V9  
Tel.: 519/254-2546

Sarnia District Office  
265 Front St. N.,  
Suite 109  
Sarnia, N7T 7X1  
Tel.: 519/336-4030

Owen Sound District Office,  
1180 20th Street E.,  
Owen Sound, N4K 6H6  
Tel.: 519/371-2901

**West Central Region  
Région du Centre-Ouest**

Hamilton Regional Office,  
P.O. Box 2112  
119 King St. W.  
Hamilton, L8N 3Z9  
Tel.: 416/521-7640

Cambridge District Office,  
400 Clyde Rd., P.O. Box 219  
Cambridge, N1R 5T8  
Tel.: 519/653-1511

Welland District Office,  
637-641 Niagara St. N.,  
Welland, L3C 1L9  
Tel.: 416/384-9896

**Southeastern Region  
Région du Sud-Est**

Kingston Regional Office,  
133 Dalton Ave., P.O. Box 820  
Kingston, K7L 4X6  
Tel.: 613/549-4000

Ottawa District Office,  
2435 Holly Lane, 2nd Floor,  
Ottawa, K1V 7P2  
Tel.: 613/521-3450

Cornwall District Office,  
205 Amelia St.  
Cornwall, K6H 3P3  
Tel.: 613/933-7402

Belleville Sub-Office,  
470 Dundas St. E.  
Belleville, K8N 1G1  
Tel.: 613/962-9208

Pembroke Sub-Office,  
1000 Mackay St.,  
Pembroke, K8B 1A3  
Tel.: 613/732-3643

**Northern Region  
Région du Nord**

140 Fourth Ave., Box 3000  
Cochrane, Ontario  
P0L 1C0  
Tel.: 705/272-4287

Hearst District  
631 Front St.  
Box 670  
Hearst, Ontario  
P0L 1N0  
Tel.: 705/362-4346

Kapuskasing District  
6 Government Rd.  
Kapuskasing, Ontario  
P5N 2W4  
Tel.: 705/336-6191

Moosonee District  
Ontario Government Bldg.  
Box 190, Revillon Rd.  
Moosonee, Ontario  
P0L 1Y0  
Tel.: 705/336-2987

Chapleau District  
190-192 Cherry St.  
Box 450  
Chapleau, Ontario  
P0M 1K0  
Tel.: 705/864-1710

Cochrane District  
2 Third Avenue  
Box 730  
Cochrane, Ontario  
P0L 1C0  
Tel.: 705/272-4365

Kirkland Lake District  
Box 129  
Swastika, Ontario  
P0K 1T0  
Tel.: 705/642-3222

Timmins District  
896 Riverside Drive  
Timmins, Ontario  
P4N 3W2  
Tel.: 705/267-7951

Gogama District  
Box 129, Low Avenue  
Gogama, Ontario  
P0M 1W0  
Tel.: 705/894-2000

**Northeastern Region  
Région du Nord-Est**

199 Larch St.  
Sudbury, Ontario  
P3E 5P9  
Tel.: 705/675-4120

Sault Ste. Marie District  
875 Queen St. E.,  
Sault Ste. Marie, Ontario  
P6A 5L5  
Tel.: 705/949-1231

Wawa District  
Hwy. 101, Box 1160  
Wawa, Ontario  
P0S 1K0  
Tel.: 705/856-2396

Blind River District  
62 Queen St.  
Box 190  
Blind River, Ontario  
P0R 1B0  
Tel.: 705/356-2234

Espanola District  
Box 1340, 148 Fleming St.  
Espanola, Ontario  
P0P 1C0  
Tel.: 705/869-1330

Sudbury District  
Box 3500, Station "A"  
Sudbury, Ontario  
P3A 4S2  
Tel.: 705/522-7823

Temagami District  
Box 38, Lakeshore Drive  
Temagami, Ontario  
P0H 2H0  
Tel.: 705/569-3622

North Bay District  
R.R. 3, Hwy. 63  
Box 3070  
North Bay, Ontario  
P1B 8K7  
Tel.: 705/474-5550

**Algonquin Region**  
**Région de l'Algonquin**

Brendale Square  
Box 9000  
Huntsville, Ontario  
P0A 1K0  
Tel.: 705/789-9611

Algonquin Park District  
Box 219  
Whitney, Ontario  
K0J 2M0  
Tel.: 613/637-2780

Parry Sound District  
7 Bay St.  
Parry Sound, Ontario  
P2A 1S4  
Tel.: 705/746-4201

Bracebridge District  
Box 1138  
Bracebridge, Ontario  
P0B 1C0  
Tel.: 705/645-8747

Minden District  
General Delivery  
Minden, Ontario  
K0M 2K0  
Tel.: 705/286-1521

Bancroft District  
Box 500, Hwy. 28  
Bancroft, Ontario  
K0L 1C0  
Tel.: 613/332-3940

Pembroke District  
Riverside Drive  
Box 220  
Pembroke, Ontario  
K8A 6X4  
Tel.: 613/732-3661

**Eastern Region**  
**Région d'Est**

Concession Rd.  
Box 2002  
Kemptonville, Ontario  
K0G 1J0  
Tel.: 613/258-8204

Cornwall District  
Box 1749  
113 Amelia St.  
Cornwall, Ontario  
K6H 5V7  
Tel.: 613/933-1774

Napanee District  
1 Richmond Blvd.  
Napanee, Ontario  
K7R 3S3  
Tel.: 613/354-2173

Brockville District  
Box 605  
Oxford Ave.  
Brockville, Ontario  
K6V 5Y8  
Tel.: 613/324-8524

Tweed District  
23 Spring St.  
Box 70  
Tweed, Ontario  
K0K 3J0  
Tel.: 613/478-2330

Carleton Place District  
10 Findlay Ave.  
Carleton Place, Ontario  
K7C 3Z6  
Tel.: 613/257-5735

**Central Region**  
**Région du Centre**

RR#2  
820 Yonge St. S.  
Aurora, Ontario  
L4G 3G8  
Tel.: 416/727-2400

Lindsay District  
322 Kent St. West  
Lindsay, Ontario  
K9V 4T7  
Tel.: 705/324-6121

Maple District  
10401 Dufferin St.  
P.O. Box 7400  
Maple, Ontario  
L6A 1S9  
Tel.: 416/832-2761

Huron District  
Midhurst, Ontario  
L0L 1X0  
Tel.: 705/728-2900

Cambridge District  
Box 2186  
Beaverdale Rd.  
Cambridge, Ontario  
N3C 2W1  
Tel.: 519/658-9355

Niagara District  
Box 1070, Hwy. 20 W.  
Fonthill, Ontario  
L0S 1E0  
Tel.: 416/892-2656

**Southwestern Region**  
**Région du Sud-Ouest**

659 Exeter Rd.  
Box 5463  
London, Ontario  
N6A 4L6  
Tel.: 519/661-2800

Simcoe District  
548 Queensway W.  
Box 706, Hwy. 3  
Simcoe, Ontario  
N3Y 4T2  
Tel.: 519/426-7650

Chatham District  
1023 Richmond St. W.  
Box 1168  
Chatham, Ontario  
N7M 5J5  
Tel.: 519/354-7340

Wingham District  
RR #5  
Wingham, Ontario  
N0G 2W0  
Tel.: 519/357-3131

Aylmer District  
353 Talbot Street W.  
Box 940  
Aylmer, Ontario  
N5H 2S8  
Tel.: 519/773-9241

Owen Sound District  
611-9th Avenue East  
Owen Sound, Ontario  
N4K 3E4  
Tel.: 519/376-3860

Figure 1

Concentration moyenne de BPC dans le saumon coho  
prélevé dans la rivière Credit




Figure 2

Concentration moyenne de BPC dans la truite arc-en-ciel  
prélevé dans la rivière Ganaraska




Figure 3

Concentration moyenne de BPC dans la truite de lac  
de Peninsula Harbour sur le lac Supérieur





Figure 4

Concentration de BPC par rapport à la longueur chez 4 espèces  
de salmonidés provenant de Jordan Harbour (1989)





Dans les Grands Lacs, la surveillance de ces endroits et d'un grand nombre d'autres plans d'eau se poursuivra.

Par mesure de précaution, le ministère de l'Environnement recommande que la consommation de ces poissons soit restreinte.

## Autres substances

Ainsi, on a adopté depuis peu de nouvelles techniques pour l'analyse d'une variété de chlorophénols, de chlorobenzènes et d'hydrocarbures polynucléaires aromatiques, dont les résultats ont déjà commencé nous parvenir. On décele parfois de telles substances dans les poissons, mais à des concentrations si minimes qu'elles ne présentent aucun danger pour la santé.

## Évolution des concentrations de polluants

La persistance des polluants dans le milieu aquatique varie d'une substance à l'autre. Leur décomposition ou transformation en substances inactives ou moins toxiques peut prendre de quelques minutes à de nombreuses années. Dans le cas de substances plus persistantes, comme les BPC, il faut recueillir et analyser des données pendant des années avant de parvenir à dégager des tendances sur leur évolution.

Les données rassemblées sur une longue période dans le cadre du Programme de surveillance de la contamination du poisson gibier sont particulièrement utiles pour déterminer l'évolution des concentrations de polluants avec le temps.

Une des tendances observées est la baisse de la concentration d'un polluant chez les poissons quand la source de pollution a été contrôlée ou éliminée.

La concentration de BPC, polluant particulièrement préoccupant, a beaucoup diminué depuis que son emploi a été grandement restreint au cours des années 1970. On trouve les plus fortes concentrations de BPC dans la chair des poissons des Grands Lacs, notamment ceux du lac Ontario. Dans le lac Ontario, le mirex et les BPC sont les deux polluants qui donnent lieu à la majorité des restrictions de consommation des espèces à tissus adipeux, tels que le saumon et la truite. Les concentrations de

BPC ont cependant diminué à un point tel que le mirex est maintenant la principale cause de restrictions.

La figure 1 montre le déclin des concentrations moyennes annuelles de BPC dans les filets dorsaux sans peau ni arêtes de saumons cohos pêchés dans la rivière Credit. Cette espèce fait l'objet d'analyses depuis 1972 et les concentrations de BPC ont diminué à un point tel que tous les saumons coho échantillonnés dans la rivière en 1989 présentaient une concentration inférieure au seuil de 2,0 parties par million (ppm) fixé par le gouvernement fédéral pour une consommation illimitée. La rivière Ganaraska est un autre lieu de pêche privilégié du lac Ontario; on y analyse la truite arc-en-ciel depuis 1976. La figure 2 montre la chute de la concentration de BPC chez la truite arc-en-ciel de la rivière Ganaraska, et, comme pour le saumon coho de la rivière Credit, toutes les truites prélevées à cet endroit en 1989 présentaient une concentration inférieure au seuil de 2,0 ppm fixé par le gouvernement fédéral. À la figure 3, on peut voir la baisse des concentrations de BPC chez les truites de lac de Peninsula Harbour sur le lac Supérieur. Toutes les truites de lac prélevées à cet endroit présentent une concentration bien en-deça des lignes directrices fédérales.

La concentration de BPC varie d'une espèce à l'autre en fonction de facteurs tels que l'adiposité, les habitudes alimentaires et le temps passé dans le plan d'eau. Les espèces de truite et de saumon ont tendance à accumuler les BPC en plus grande quantité que les poissons moins adipeux, tels le doré et le brochet. La figure 4 montre la variation du taux de BPC par rapport à la longueur chez quatre espèces de salmonidés prélevées à Jordan Harbour dans le lac Ontario en 1989. Les concentrations de BPC les plus élevées ont été décelées dans la chair de truites de lac; celles-ci ont un taux de croissance plus lent et une durée de vie plus longue que les trois autres espèces. Les truites de lac les plus grosses ont donc eu le temps d'accumuler plus de BPC. Le saumon chinook grossit en un temps relativement court (3 à 4 ans) et n'accumule donc pas autant de BPC que la truite de lac. La truite brune a tendance à avoir plus de tissus adipeux que le saumon chinook ou la truite arc-en-ciel.

nature et a contribué à en réduire la quantité dans le milieu aquatique. Les recommandations pour la consommation du poisson contaminé par les BPC se fondent sur le seuil de 2,0 parties par million établi par le gouvernement fédéral pour les poissons destinés à la vente.

### Mirex

Le mirex est un hydrocarbure chloré utilisé comme pesticide dans le sud des États-Unis, mais qui n'a jamais été enregistré à cette fin au Canada.

La présence de mirex a surtout été décelée dans des poissons du lac Ontario. Les sources: une ancienne usine de transformation de mirex de Niagara Falls (New York) et une manufacture d'Oswego (New York). Dans le milieu aquatique, le mirex se comporte comme les BPC: il persiste longtemps dans l'environnement et a une affinité marquée pour les tissus adipeux. Le présent guide suit les recommandations fédérales en ce qui concerne la consommation de poisson contenant du mirex. Le seuil établi est de 0,1 partie par million pour le poisson destiné à la vente.

## Pesticides

### DDT

Le DDT a été mis au point pendant la Deuxième Guerre mondiale. Son emploi s'est largement répandu par la suite comme insecticide à des fins agricoles et sanitaires. Le DDT, comme les BPC et le mirex, se décompose lentement dans le milieu naturel.

Cette substance se trouve à des concentrations beaucoup moindres dans la chair des poissons depuis que son emploi a été réglementé. Les concentrations actuelles ne donnent lieu à aucune restriction pour la consommation.

### Toxaphène

Le toxaphène est un insecticide extrêmement persistant dans le milieu aquatique. Il est interdit au Canada depuis 1974 et restreint aux États-Unis depuis 1982.

Il a été observé à l'occasion dans la chair de poissons de l'Ontario, mais à des concentrations trop faibles pour être dangereuses.

## Autres pesticides

Dans le cadre du Programme de surveillance de la contamination du poisson gibier, plusieurs pesticides largement utilisés en Amérique du Nord sont analysés régulièrement. Il s'agit de l'hexachlorobenzène (HCB) et de pesticides tels le lindane, l'heptachlore, l'aldrine et le chlordane.

La concentration relevée aux stations d'échantillonnage de l'Ontario n'atteint pas un niveau tel qu'il faille restreindre la consommation du poisson.

## Substances nouvelles

Le Programme de surveillance de la contamination du poisson gibier vise à contrôler le plus grand nombre de substances possible. Dès que des méthodes permettant de déceler des substances à des concentrations plus faibles sont mises au point, elles viennent s'ajouter à la batterie de tests.

## Dioxines et furannes

Le ministère de l'Environnement a récemment mis au point des moyens de mesurer de très faibles concentrations de substances de la famille des dioxines et des furannes, en vue d'en analyser les formes les plus toxiques. Les conseils sur la consommation du poisson que contient ce guide sont fondés sur les résultats de l'analyse de l'isomère le plus toxique, c'est-à-dire le 2,3,7,8-TCDD. Le ministère de l'Environnement examine actuellement la possibilité d'inclure les résultats de l'analyse d'autres dioxines et dibenzofurannes, exprimés en équivalents toxiques du 2,3,7,8-TCDD, dans les prochains guides qu'il fera paraître. Si on adopte une approche fondée sur les équivalents toxiques, les endroits suivants feront l'objet de nouvelles restrictions de consommation:

**Lac Ontario** - Jordan Harbour: toutes les tailles de truites de lac; l'embouchure de la rivière Credit: toutes les tailles de truite de lac; l'embouchure de la rivière Credit: toutes les tailles de truite de lac et de truite brune.

**Lac Supérieur** - La baie Jackfish et Peninsula Harbour: les truites de lac d'une taille supérieure à 55cm (22 pouces).

## Contaminants

De nombreuses substances, telles que le mercure, se trouvent naturellement dans l'air, l'eau et les aliments; à des concentrations normales, elles ne posent aucun risque pour l'environnement ou la santé humaine. Des substances synthétiques, comme les BPC, le mirex et les dioxines, sont également présentes dans le milieu.

Lorsqu'elles atteignent des concentrations supérieures aux seuils fixés par le gouvernement, on peut les qualifier de contaminants ou de polluants.

Sont décrites dans cette section une variété de substances qu'il est possible d'analyser dans le poisson gibier de l'Ontario.

Pour de plus amples renseignements sur ces substances et leur effet sur la santé, communiquer avec les responsables du Programme de surveillance de la contamination du poisson gibier.

## Substances inorganiques

### Mercure

Le mercure est un métal naturel qui se rencontre à de faibles concentrations dans l'air, l'eau, les roches et le sol ainsi que dans les matières animales et végétales.

Il était naguère très utilisé dans l'industrie. Mais les mesures prises par cette dernière et le gouvernement à la fin des années 60 et au début des années 70 ont permis d'éliminer à toutes fins utiles les rejets de mercure par les principales sources industrielles. On en emploie encore de nos jours en quantités relativement petites, mais ce emploi restreint ne semble pas avoir eu de répercussions nuisibles sur l'environnement.

Le mercure se fixe aux particules en suspension dans l'eau et se dépose au fond, où il est converti en méthylmercure par des micro-organismes. Ce composé est rapidement absorbé par les poissons, soit directement avec l'eau qui traverse leur membrane branchiale ou indirectement par les organismes dont ils s'alimentent. Comme les poissons éliminent le mercure très lentement, celui-ci s'accumule graduellement pour atteindre une concentration toujours plus grande.

Les directives pour la consommation à l'intention des pêcheurs de l'Ontario sont fondées sur les indications du gouvernement fédéral, les recommandations de l'Organisation mondiale de la santé et l'expérience médicale tirée de l'étude des épidémies d'intoxication par le méthylmercure survenues au Japon et en Iraq.

### Autres métaux

On trouve parfois du cuivre, du nickel, du zinc, du cadmium, du manganèse, du chrome, de l'arsenic et du sélénium dans les tissus de poissons, mais à des concentrations telles qu'il ne s'avère pas nécessaire d'imposer des restrictions à la consommation.

En 1983, on a relevé de fortes concentrations de plomb dans des poissons pris en aval d'une usine de fabrication de plomb tétraéthyle sur le fleuve Saint-Laurent.

Or, depuis la fermeture de cette usine en 1985, la teneur en plomb a chuté au point où ce métal ne présente plus de danger de contamination.

## Substances organiques de sources industrielles

### Biphényles polychlorés (BPC)

Les BPC sont un groupe de composés organochlorés dont l'usage commercial remonte à la fin des années 20. Comme ils ne se trouvent pas dans la nature, leur présence est invariablement associée à l'activité humaine.

Les BPC ont tendance à persister dans l'environnement pendant des années et s'accumulent dans l'écosystème aquatique. Ainsi, dans certains cours d'eau de l'Ontario, des gros carnivores à tissus particulièrement adipeux, tels le saumon et la truite, ont stocké des BPC à des concentrations suffisantes pour avoir chez eux un effet contaminant.

Il est maintenant interdit d'utiliser des BPC dans la fabrication de nouveaux produits. Aujourd'hui, on les trouve uniquement dans le fluide isolant de transformateurs et condensateurs mis hors service.

L'imposition de règles rigoureuses pour l'entreposage et l'élimination des BPC et de l'équipement contaminé par des BPC a permis de limiter le rejet de ces composés dans la

comestibles qui contiennent des parasites ne présentent aucun danger pour la santé lorsqu'elles sont bien cuites.

Parmi les parasites les plus répandus chez les poissons, mentionnons les taches noires de l'achigan et de la perchaude, les sangsues, les pous et les douves des ouïes.

## Tumeurs

Les pêcheurs prennent parfois des poissons qui présentent des excroissances, des tumeurs, des plaies ou des lésions. En général, celles-ci sont dues à des infections virales ou bactériennes. On trouve parfois des anomalies du foie ou des intestins chez les espèces communes telles la carpe noire et la barbotte brune; elles sont le résultat d'une infection parasitaire ou d'une tumeur. Les effets possibles de ces maladies sur les poissons et le rôle incertain de la pollution dans leur apparition ont conduit à des recherches pour déterminer la cause de ces anomalies. Parmi les excroissances d'origine virale qu'on observe sur le poisson gibier, il y a la lymphocystite, le lymphosarcome et le sarcome cutané.

La lymphocystite, maladie virale qui touche surtout le doré et la perchaude, est une maladie très répandue au Canada. Le virus infecte la peau du poisson et se transmet d'un individu à l'autre au cours des migrations printanières, à l'occasion de la fraie. Il provoque l'apparition de protubérances blanchâtres en forme de chou-fleur. La lymphocystite ne tue pas le poisson. Des études ont en effet révélé qu'il pouvait ne plus présenter d'excroissances dès le printemps suivant. Un poisson atteint de lymphocystite ne pose pas de risque connu et peut être consommé sans danger une fois dépouillé et bien cuit.

Le sarcome cutané est une autre maladie virale qui s'attaque au doré en infectant ses cellules et provoquant la croissance de tumeurs juste au-dessous de la peau. Ces protubérances s'enlèvent avec la peau du poisson.

Le lymphosarcome est un virus qui afflige le maskinongé et le grand brochet. Il se transmet au moment de la fraie, mais les lésions qu'il entraîne varient avec les saisons

et l'évolution de la maladie. Au printemps, les individus atteints ont d'épaisses taches blanches d'où ils éliminent le virus; ces desquamations vont infecter d'autres poissons. Plus tard dans l'année, les taches peuvent se résorber et former des lésions couperosées ou même reprendre l'apparence d'une peau normale. Le virus qui est à l'origine de la maladie infecte les globules blancs du poisson et se répand dans tout l'organisme sur une période allant d'un été à plusieurs années. Le lymphosarcome peut entraîner la mort du poisson, mais il n'existe aucune preuve que cette maladie soit dangereuse pour les humains.

On a relevé des tumeurs ressemblant à des verrues sur les lèvres et la peau de poissons communs dans certaines régions des Grands Lacs. Ces tumeurs disparaissent chez les poissons placés dans des aquariums de laboratoire et sont vite remplacées par de nouvelles excroissances, ce qui suppose une origine virale de la maladie.

Selon des études effectuées des côtés canadien et américain des Grands Lacs, ces tumeurs seraient plus fréquentes dans les secteurs pollués. Là où le niveau de pollution est particulièrement élevé, on observe aussi des tumeurs du foie et des intestins.

Les études laissent suggérer que la pollution serait directement responsable des tumeurs du foie et indirectement responsable des tumeurs cutanées. Comme l'eau est plus chaude dans les régions polluées, elle attire les poissons en plus grand nombre et augmente le risque d'infection virale.

On effectue actuellement des recherches plus poussées pour déterminer si la pollution est en cause; la plupart de ces recherches sont menées ou subventionnées par les gouvernements ontarien et canadien.

Bien qu'une infection virale ou bactérienne rende le poisson moins appétissant, elle ne présente aucun danger pour la santé humaine, à ce que l'on sache.

## Comment nettoyer et conserver le poisson

Si l'on désire conserver et consommer le poisson que l'on a pris, il est important de le garder dans le meilleur état possible jusqu'au moment de l'apprêter. On doit mettre un poisson fraîchement pêché sur de la glace ou le réfrigérer dans les plus brefs délais pour éviter qu'il ne se gâte. Ensuite, il faut le nettoyer, le vider, le réfrigérer ou le traiter le plus tôt possible.

Voici une des méthodes les plus couramment employées pour vider, découper en filets et dépouiller le poisson:

- Couper la paroi ventrale de la fente anale à la tête et retirer les viscères.
- Retrancher la tête et couper les nageoires.
- Poser le poisson à plat sur la planche à découper. À l'aide d'un couteau à lame fine bien aiguisé, trancher la peau et la chair qui se trouve derrière la tête jusqu'à l'arête centrale. Puis fendre le poisson d'un bout à l'autre de la partie dorsale en glissant le couteau le long de l'arête centrale jusqu'à la queue.
- Détacher l'autre côté de la même manière.
- Pour enlever les arêtes, poser le filet sur la planche, le côté peau dessous. En insérant la lame sous les arêtes, les détacher du filet en y laissant le moins de chair possible. Retrancher ensuite la nageoire pelvienne ainsi que le gras de la partie ventrale du filet.
- Poser le filet sur la planche, le côté peau dessous. Le couteau bien à plat, glisser celui-ci entre la peau et la chair, de la queue à la tête, en remontant par petites saccades.

On obtient ainsi un filet sans peau ni arêtes. Laver ensuite à grande eau froide et faire cuire, réfrigérer, congeler ou mariner.

## Comment remettre votre prise à l'eau

Un certain nombre de pêcheurs pratiquent la pêche sportive pour vivre l'émotion de la prise, et remettent le poisson à l'eau. Si vous décidez de ne pas garder un poisson, voici quelques

mesures à prendre pour éviter de l'endommager:

1. Il est important de faire vite. Enlever l'hameçon le plus tôt possible et relâchez le poisson. Un poisson qui a été manipulé trop longtemps ne pourra reprendre ses forces. S'il est pris en eau profonde, il doit être ramené lentement vers la surface pour qu'il puisse se faire aux changements de pression et de température.
2. Garder le poisson submergé le plus longtemps possible, car il ne peut respirer hors de l'eau. Ne pas le laisser se débattre contre le sol ou les roches. Quelques pouces d'eau suffisent pour amortir les coups.
3. Il est essentiel de manipuler le poisson avec précaution et avec les mains humides. Ne pas lui mettre les doigts dans les yeux ou les branchies. Il ne faut pas serrer les petits poissons, mais les tenir par la lèvre inférieure. Un filet pourra faciliter la tâche, mais il faut le garder sous l'eau.
4. Retirer l'hameçon le plus rapidement possible à l'aide d'une pince à becs longs. Si l'hameçon s'est enfoncé profondément, couper la ligne et laisser l'hameçon là où il est. Il se dissoudra et ne nuira pas au poisson. Il ne faut surtout pas essayer d'arracher l'hameçon.
5. Pour ranimer un poisson, le tenir à la verticale dans l'eau qui coule vers l'amont (s'il y a du courant). Lui faire reprendre sa respiration en le déplaçant de l'avant à l'arrière pour que l'eau puisse s'infiltrer dans les branchies. Cela peut prendre quelques minutes. Relâcher le poisson quand il commence à se débattre.

## Parasites

Il arrive parfois qu'un pêcheur prenne un poisson qui est infesté de vers ou de larves ou qui a des kystes ou nodules dans la chair. En nettoyant le poisson, il peut découvrir des vers dans la région intestinale ou des moisissures sur la peau, les nageoires ou les ouïes. La présence de ces parasites est tout à fait normale, car ils font partie de l'écosystème dans lequel évoluent les poissons. Même si elles ne sont pas appétissantes, les parties

ces polluants ont tendance à se concentrer dans les tissus adipeux. Encore une fois, si les espèces à chair grasse ne renferment pas de grandes quantités de polluants organiques, les espèces à chair moins grasse n'auront probablement pas besoin d'être analysés.

## Prélèvement des poissons à analyser

La plupart des poissons sont prélevés par le personnel du ministère des Richesses naturelles, qui les prend au filet selon diverses méthodes. Autant que possible, l'échantillon comprend 20 poissons de chaque espèce, dont la longueur et le poids sont représentatifs de la gamme de tailles de cette espèce pour le lac à l'étude. On note la longueur, le poids et le sexe de chaque poisson. Un filet du muscle dorsal sans arêtes ni peau est prélevé (voir illustration), emballé et surgelé avant d'être expédié au laboratoire du ministère de l'Environnement, à Toronto ou Thunder Bay.



## Analyse supplémentaire des lieux de pêche

Depuis la seconde moitié des années 1970, les responsables du Programme de surveillance de la contamination du poisson gibier ajoutent en moyenne 100 emplacements à la liste tous les ans. On compte aujourd'hui plus de 1 600 emplacements à analyser.

Dans le cadre de ce programme, on réanalyse aussi des lacs et rivières, s'il y a lieu. Dans les régions éloignées des activités humaines, là où les poissons sont relativement à l'abri de la pollution, toute restriction de la consommation se limite habituellement aux endroits où on a relevé une concentration élevée de mercure chez les grands et vieux spécimens d'espèces

carnivores, telles le doré et le brochet. Le mercure, dans ces régions, provient en grande partie de sources naturelles qui ne changent pas beaucoup avec le temps; par conséquent, la concentration de mercure chez les poissons varie très peu. Dans les régions polluées par les activités humaines, les contaminants possibles sont beaucoup plus nombreux et leur accumulation chez les poissons sera souvent proportionnelle au niveau de pollution.

Les emplacements à réanalyser ont répartis en trois groupes:

- Les emplacements où la concentration d'un ou de plusieurs polluants est anormalement élevée ou change subitement. Les poissons y sont analysés à intervalles de un à trois ans, selon leur popularité auprès des pêcheurs ou selon qu'ils constituent ou non une source importante de nourriture pour les habitants de la région.
- Les emplacements où la concentration de polluants est assez stable mais qui ont la faveur des pêcheurs à la ligne. Ces endroits sont analysés au moins tous les cinq ans.
- Tous les autres emplacements, le plus souvent des endroits éloignés des grandes sources de pollution où le taux de contamination des poissons est stationnaire. Les poissons de ces endroits sont analysés quand les ressources le permettent, environ tous les dix ans.

## Analyse des poissons





Non seulement le filet du muscle dorsal, sans arêtes ni peau, donne-t-il les résultats les plus probants, mais c'est également la partie la plus savoureuse de la plupart des poissons. Il est recommandé de retirer la peau et les arêtes quand un individu est contaminé par des polluants organiques tels les BPC et le mirex.

L'analyse du tissu pour déterminer la présence de polluants se fait aux laboratoires du ministère de l'Environnement par diverses méthodes, selon le ou les polluants auxquels on s'intéresse.

**Exemple:**


Pendant une partie de pêche de trois semaines au lac Deep, un vacancier prend un doré mesurant 40 cm (16 po) et il veut savoir si ce poisson est bon à manger. Il doit d'abord:

- Trouver le lac Deep dans les tableaux du guide:

Fish Species/ Espèces de poisson	15-20 (6-8)	20-25 (8-10)	25-30 (10-12)	30-35 (12-14)	35-45 (14-18)	45-55 (18-22)	55-65 (22-26)	65-75 (26-30)	>75 (30-36)
Walleye Doré									

- Prendre note que le doré mesurant entre 35 et 45 cm (14-18 po) est suivi du symbole



- Puisque le symbole  n'y est pas, le pêcheur sait automatiquement que le poisson ne doit pas être consommé par une femme en âge de procréer ou un enfant de moins de 15 ans.
- Si le poisson ne sera pas consommé par une femme en âge de procréer ou un enfant de moins de 15 ans, le pêcheur consultera le tableau qui figure à la deuxième page de la couverture et se reportera à la catégorie «trois semaines». D'après le tableau, la consommation maximale recommandée est de quatre repas, ou un kilogramme, par semaine.

## Le programme de surveillance de la contamination du poisson gibier

### Choix des emplacements à analyser

Étant donné que l'Ontario compte plus de 250 000 lacs, d'innombrables rivières et ruisseaux et quantité de lieux de pêche sur les Grands Lacs, il ne serait ni pratique ni économique de les analyser tous.

- On peut décider d'analyser un emplacement pour une ou plusieurs des raisons suivantes:
- il s'agit d'une zone de pêche populaire
- il existe à proximité une source connue ou probable de pollution
- c'est une source importante de nourriture pour les habitants du lieu (cas, généralement, des lacs voisins de réserves indiennes)

- une aire de loisirs est sur le point d'y être aménagée
  - il fait partie d'un programme d'étude à long terme des contaminants du poisson
- Le choix des masses d'eau à étudier est un processus continu auquel le public est invité à participer.

### Choix des espèces à analyser

La plupart des lacs et cours d'eau contiennent diverses espèces de poissons. Lorsqu'il s'agit de choisir les espèces à analyser, il convient de noter que toutes n'accumulent pas nécessairement un polluant donné à des concentrations semblables.

Ainsi, à taille égale, un poisson d'une certaine espèce peut avoir une concentration de polluants beaucoup plus faible qu'un poisson d'une autre espèce. Cela tient à des différences sur les plans de l'alimentation, de l'habitat, de la croissance et de la physiologie.

C'est ainsi que la teneur en mercure d'un poisson comme le doré ou le brochet sera probablement plus élevée, à taille égale, que chez une espèce comme le grand corégone.

En effet, le doré et le brochet, qui sont à l'extrémité de la chaîne alimentaire, sont de gros carnivores qui se nourrissent de poissons plus petits susceptibles d'avoir eux aussi une forte concentration de mercure.

Le corégone, par contre, se nourrit, à un niveau inférieur de la chaîne alimentaire, d'insectes et invertébrés aquatiques qui contiennent moins de mercure que les petits poissons.

La pratique est donc, quand on étudie les poissons d'une aire donnée pour déterminer leur teneur en mercure, de choisir des gros carnivores, car ils présenteront les concentrations les plus élevées. Si l'analyse des carnivores révèle de faibles concentrations, il n'y aura peut-être pas lieu d'analyser d'autres espèces.

Lorsqu'on recherche des polluants organiques tels les BPC et le mirex, il convient d'étudier les espèces à chair très grasse, comme le saumon, la truite de lac, l'éperlan et la perchaude, étant donné que




analysé pour le groupe 4 peut contenir uniquement du mercure et aucune trace de BPC ou de mirex.




Pour certains endroits, on a recherché la présence de mercure seulement, puisqu'il est le seul polluant pour lequel il y a lieu de limiter la consommation.

## Symboles utilisés

### Consommation illimitée


- 8  Il s'agit de la seule catégorie de poisson de consommation sûre pour les femmes en âge de procréer (les femmes enceintes ou qui songent à le devenir et les mères qui allaitent) et les enfants de moins de 15 ans. Aucune des substances recherchées n'a été décelée à une concentration qui puisse justifier une restriction de la consommation.

### Consommation restreinte

- 9  Ces poissons doivent être consommés en quantité limitée, car leur concentration de mercure est de l'ordre de 0,5 à 1,0 partie par million.
- 10  La consommation de ces poissons est restreinte davantage, car leur teneur en mercure atteint 1,0 à 1,5 partie par million.
- 11  La consommation de ces poissons est restreinte, car ils contiennent un ou plusieurs polluants organiques de source industrielle,

tels les BPC ou le mirex, à une concentration supérieure à la limite fédérale.


### Consommation déconseillée

- 12  Aucun de ces poissons ne devrait être consommé, car ils contiennent du mercure à des concentrations supérieures à une, 1,5 partie par million






## Directives pour la consommation

Le tableau ci-dessous donne la quantité maximale de poisson gibier de l'Ontario qu'il est recommandé de consommer. Ce chiffre a été établi en fonction de la teneur en polluants et de la fréquence de consommation.

De nombreux pêcheurs ontariens prennent et consomment du poisson toute l'année. Ce sont donc des consommateurs à long terme qui ont intérêt à consulter la catégorie à leur intention dans le tableau. Certains pêcheurs, par contre, prennent et consomment du poisson uniquement pendant leurs vacances annuelles. Ces pêcheurs doivent se reporter à la catégorie pertinente selon qu'ils en consomment pendant une, deux ou trois semaines.

Les quantités maximales recommandées sont indiquées en nombre de repas et en poids total par semaine. Un repas représente 230 g (0,5 lb). Les femmes en âge de procréer et les enfants de moins de 15 ans ne devraient consommer que du poisson de la catégorie .

### Guide de consommation du poisson gibier

Fréquence de consommation					
Consommation à long terme	Pas de restrictions	0,2 kg/sem. (0,5 lb/sem.)	0,1 kg/sem. (0,3 lb/sem.)	1 ou 2 repas par mois 0,5 kg/mois (1 lb/mois)	Aucun
Vacances d'une semaine	Pas de restrictions	10 repas 2,3 kg (5 lb)	7 repas 1,5 kg (3 lb)	1 ou 2 repas 0,5 kg (1 lb)	Aucun
Vacances de deux semaines	Pas de restrictions	5 repas par sem. 1,3 kg/sem. (2,8 lb/sem.)	4 repas par sem. 0,8 kg/sem. (1,9 lb/sem.)	1 ou 2 repas par sem. 0,5 kg/sem. (1,5 lb/sem.)	Aucun
Vacances de trois semaines	Pas de restrictions	4 repas par sem. 1 kg/sem. (2,1 lb/sem.)	3 repas par sem. 0,6 kg/sem. (1,4 lb/sem.)	1 ou 2 repas par sem. 0,5 kg/sem. (1 lb/sem.)	Aucun

Les enfants de moins de 15 ans et les femmes en âge de procréer ne devraient manger que des poissons représentés par .



## Guide d'utilisation des tableaux

Les tableaux du présent guide contiennent des renseignements précieux sur la consommation du poisson gibier en fonction de la concentration de polluants, de l'espèce, de la taille et de l'endroit.

Il est important de noter que les analyses de laboratoire sont effectuées sur le tissu non adipeux du muscle dorsal, sans arêtes ni peau, et que les directives de consommation sont établies d'après cette partie du poisson. Il est certain que d'autres sections, comme le poisson entier, les darnes ou le gras du ventre, peuvent contenir des concentrations plus élevées des substances organiques telles les BPC, le mirex, le DDT ou la 2,3,7,8-TCDD,

car ces polluants s'accumulent davantage dans les tissus adipeux. Il est donc recommandé de retirer la peau et les arêtes de ces poissons avant de les consommer.

Les noms des plans d'eau et de leur emplacement sont tirés du *Répertoire géographique du Canada (Ontario)*. La description comprend la latitude et la longitude, ce qui permet aux pêcheurs de consulter la Carte routière officielle de l'Ontario, où la latitude et la longitude sont indiquées dans la marge, pour trouver l'emplacement approximatif. Ils peuvent ensuite avoir recours à des cartes topographiques à grande échelle pour situer l'endroit avec précision. L'index, que l'on trouvera dans les pages du présent guide, donne la liste alphabétique de tous les emplacements analysés.

Voici la légende des tableaux, pour le lac Deep; lac hypothétique.

5

Northern Ontario/Nord de l'Ontario

137

1

2

3

4

Water Body/  
Cours d'eau

Deep Lake  
Lac Deep

4950/R035  
Trout Twp./Canton de Truite  
Cochrane Dist./Dist. de Cochrane

Fish Species/  
Espèces de poisson

Walleye<sup>1</sup>  
Doré<sup>1</sup>

Lake Trout<sup>2</sup>  
Truite de lac<sup>2</sup>

15-20  
(6-8)

20-25  
(8-10)

25-30  
(10-12)

30-35  
(12-14)

35-45  
(14-18)

45-55  
(18-22)

55-65  
(22-26)

65-75  
(26-30)

>75  
(30+)

6

7

8

9

10

11

12

### Emplacement des cours d'eau

- Les tableaux sont divisés en trois sections par région: sud de l'Ontario, nord de l'Ontario et Grands Lacs, laquelle figure au haut de la page
- Le nom de l'emplacement
- Sa latitude et sa longitude
- Le canton, comté ou district territorial

### Espèces analysées

- Les espèces analysées sont habituellement celles qui sont particulièrement susceptibles de présenter une concentration élevée de polluants (voir la section intitulée *Choix des espèces à analyser*)

### Longueur du poisson

- La longueur totale du poisson est mesurée, à partir du bout de la mâchoire jusqu'à l'extrémité de la queue. Elle est exprimée

en centimètres et en pouces (entre parenthèses).

### Polluants analysés

- Le chiffre indique le polluant ou groupe de polluants pour lequel le poisson a été analysé:
  - Mercure
  - Mercure, BPC, mirex et pesticides
  - BPC, mirex et pesticides
  - Mercure, BPC et mirex
  - Mercure, autres métaux, BPC, mirex et pesticides
  - Mercure, et autres métaux
  - 2,3,7,8-TCDD (dioxine)
  - Mercure, BPC, mirex, pesticides, chlorophénols et chlorobenzènes
  - Hydrocarbures polynucéaires aromatiques
- La fait qu'on ait recherché un groupe particulier de polluants ne signifie pas forcément que le poisson contiendra toutes ces substances. Par exemple, un poisson

## Avant-propos

*Le Guide pour la consommation du poisson gibier de l'Ontario* indique aux pêcheurs et aux consommateurs tout ce qu'il faut savoir avant de consommer, dans les limites recommandées, le poisson gibier des lacs et rivières de la province et de nombreux endroits des Grands Lacs et des passages qui les relient.

Ce guide, révisé chaque année, est le fruit du travail de techniciens, d'analystes, de scientifiques et de médecins au service des ministères ontariens de l'Environnement, des Richesses naturelles et du Travail.

Cette quinzième édition du guide, mise à jour en février 1991, offre des conseils sur la consommation du poisson pour quelque 1600 endroits de la province. Un index des emplacements figure à la suite des tableaux.

Le personnel du ministère des Richesses naturelles se charge de prendre le poisson, qu'il achemine ensuite aux laboratoires du ministère de l'Environnement où l'on recherche une variété de substances, dont le mercure, les BPC, le mirex et le DDT. Les résultats obtenus servent à élaborer les tableaux publiés dans ce guide. On trouve dans ces tableaux des conseils sur la consommation du poisson en fonction de la taille, de l'espèce et de la provenance. Ces conseils sont basés sur les directives fédérales pour la protection de la santé.

Le prélèvement du poisson et son analyse s'inscrivent dans un processus continu. Les ressources sont réparties également entre l'analyse de nouveaux plans d'eau et l'analyse répétée des emplacements où la concentration de polluants risque de fluctuer. En étudiant une même espèce au même endroit sur plusieurs années, les scientifiques peuvent suivre l'évolution de certains polluants chez cette espèce. Dans certains cas, les données obtenues aident à isoler les sources de pollution, ce qui permet alors de contrôler les déversements.

Pour signaler une source de pollution ou une hécatombe de poissons, communiquer avec le bureau le plus proche du ministère de l'Environnement, dont l'on trouvera les coordonnées à la rubrique des adresses.

Si l'on désire de plus amples renseignements sur la réglementation de la pêche, les prises maximales et les périodes d'ouverture, se procurer un exemplaire des *Règlements relatifs à la pêche sportive en Ontario* à un des bureaux du ministère des Richesses naturelles, dont l'adresse figure aussi dans le guide.

Pour obtenir des données précises sur un endroit analysé ou de plus amples renseignements sur le contenu du présent guide et des versions antérieures, prière de s'adresser au:

Programme de surveillance de la  
contamination du poisson gibier  
Direction des ressources en eau  
Ministère de l'Environnement de l'Ontario  
4e étage, 1, avenue St. Clair ouest  
Toronto (Ontario)  
M4V 1K6  
Tél.: (416) 323-4994

## Table des matières

---

<b>Avant-propos</b>	1
<b>Guide d'utilisation des tableaux</b>	2
<b>Le programme ontarien de surveillance de la contamination du poisson gibier</b>	4
Choix des emplacements à analyser	4
Choix des espèces à analyser	4
Prélèvement des poissons à analyser	5
Analyse supplémentaire des lieux de pêche	5
Analyse des poissons	5
Comment nettoyer et conserver le poisson	6
Comment remettre votre prise à l'eau	6
Parasites	6
Tumeurs	7
<b>Contaminants</b>	8
Substances inorganiques	8
Substances organiques de sources industrielles	8
Pesticides	9
Substances nouvelles	9
Évolution des concentrations de polluants	10
<b>Sud de l'Ontario</b>	14
<b>Nord de l'Ontario</b>	56
<b>Grands Lacs</b>	122
<b>Index des emplacements</b>	152
<b>Identification du poisson</b>	156
<b>Noms des poissons</b>	164
<b>Adresses</b>	166
<b>Guide de consommation</b>	Couverture

© 1991, Imprimeur de la Reine pour l'Ontario  
Reproduction autorisée à des fins non commerciales  
à condition d'en indiquer la source  
ISSN 0826-9653

**PIBS 590B**

Cet ouvrage à tirage limité est distribué au:  
Centre d'information  
Environnement Ontario  
135, avenue St-Clair ouest  
Toronto (Ontario) M4V 1P5

*Distribution gratuite*



PRINTED ON  
RECYCLED PAPER  
IMPRIMÉ SUR  
DU PAPIER RECYCLÉ

# **Guide pour la consommation du poisson gibier de l'Ontario**

**1991**

Quinzième édition revue



Ontario

Ministère  
de  
l'Environnement

Ministère des  
Richesses  
naturelles

Veuillez noter que pour certains endroits, des renseignements sur la consommation peuvent être donnés pour des espèces de poissons qu'il est interdit d'avoir en sa possession en vertu des règlements de la pêche de l'Ontario. La même restriction s'applique à des poissons de certaines tailles. Les pêcheurs devraient consulter le *Règlement de la pêche sportive de l'Ontario - Résumé 1991* pour s'assurer que la pêche est permise sur un plan d'eau en particulier, et qu'il est permis de conserver tous les poissons capturés. Le résumé est disponible auprès du Centre d'information du ministère des Richesses naturelles (Édifice Whitney, bureau 1640, 99, rue Wellesley ouest, Toronto (Ontario) M7A 1W3), des bureaux.

## Guide de

Fréquence  
de consommation

Consommation  
à long terme

Vacances  
d'une semaine

Vacances d  
deux semaines

Vacances d  
trois semaines

Les enfants  
poissons

des

## Polluants

Le chiffre  
polluants

1 Mercure

2 Mercure

3 BPC,

4 Mercure

5 Mercure

et pe

6 Mercure

7 2,3,7,8

8 Mercure

chlorop

9 Hydroc

SH/572/057/G85/1991/MOE  
Ontario Ministry of Environ  
Guide to eating Ontario  
sport fish 1991. a/cf  
c.1 a aa

Guide d'utilisation des tableaux, page 2.

Index des emplacements, page 152.


SH/572/057/G85/1991/MOE  
(7513)



# GUIDE

POUR LA CONSOMMATION  
DU POISSON GIBIER DE L'ONTARIO

1991



Ontario

Ministère  
de  
l'Environnement

Ministère des  
Richesses  
naturelles